

Engine Bay Mixing:



INNOVATING REPAIR SOLUTIONS

NOTE:

The GRAMS are cumulative. DO NOT TARE/ZERO OUT THE SCALE BETWEEN ADDITIONS!

(For non-cumulative additions, see gray italic numbers.)

FINAL RTS Volume	Un-Thinned Pre Mixed Color	Engine Bay Basic P935-1135 (30%)		STIR WELL	Engine Bay Activator P21-9120 (No more than 15%)		Thinner P980-5000 (15 - 20%)	
		Grams (Parts)			Grams (Parts)		Grams (Parts)	
4	62 (70)	88 (100)	<i>26 (30)</i>		101 (115)	<i>13(15)</i>	119 (135)	<i>17(20)</i>
8	124 (140)	177 (200)	<i>53 (60)</i>		204 (230)	<i>27(30)</i>	239 (270)	<i>35(40)</i>
16	248 (280)	355 (400)	<i>107 (120)</i>		408 (460)	<i>53(60)</i>	479 (540)	<i>71(80)</i>
24	372 (420)	532 (600)	<i>160 (180)</i>		612 (690)	<i>80(90)</i>	718 (810)	<i>106(120)</i>
32	497 (560)	709 (800)	<i>212 (240)</i>		816 (920)	<i>107(120)</i>	958 (1080)	<i>142(160)</i>
40	621 (700)	887 (1000)	<i>266 (300)</i>		1020 (1150)	<i>133(150)</i>	1197(1350)	<i>177(200)</i>
48	745 (840)	1064 (1200)	<i>319 (360)</i>		1224 (1380)	<i>160(180)</i>	1437 (1620)	<i>213(240)</i>
56	869 (980)	1241 (1400)	<i>372 (420)</i>		1428 (1610)	<i>187(210)</i>	1676 (1890)	<i>248(280)</i>

January 2018

(Cut on dotted line)

(Cut on dotted line)

Laminate and attach to TOUCHMIX® screen.