

(B)  
EXP.

50 Doses  
100 mL



RESTRICTED VETERINARY MEDICINE  
FOR ANIMAL TREATMENT ONLY

Porcine Pili Shield™

Elanco

*Escherichia coli*  
Bacterin

**INDICATIONS:** For use in healthy pregnant swine as an aid in the control of disease in piglets caused by K88, K95, 987P, and F41 piliated *Escherichia coli*.

**ADJUVANT:** Aluminium hydroxide.

**DIRECTIONS:** Shake well before using. Administer 2 mL intramuscularly 5 and 2 weeks prior to farrowing. Revaccinate prior to each subsequent farrowing.

**PRECAUTIONS:** Store out of direct sunlight at 2°-7°C. DO NOT FREEZE. Use entire contents when first opened. Manufacturer recommends that pigs are not vaccinated within 21 days prior to slaughter. It is essential that newborn pigs receive colostrum from the vaccinated dam. Anaphylactic reactions may occur. Symptomatic treatment: Epinephrine.

Registered to Elanco Animal Health (Division of Eli Lilly and Company (NZ) Limited), Registered pursuant to the ACVM Act 1997, No. A010167.

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions. U.S. Vet License 196;

Elanco US, Inc., Larchwood, IA 51241 USA;

Elanco, Porcine Pili Shield and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

YL400859NZX

