

Detailed Envirobase High Performance Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
EC520	Clear Ctg	9.3	1114	1.21	146	0.73	88	50.4	0	42.5	0	39.6	50	0	34.4
EC530	Clear Ctg	9.84	1179	0.72	86	0.38	46	54.5	0	50.6	0	46.6	51.7	0	45
EC550	Clear Ctg	9.76	1170	0.97	116	0.5	60	56.9	0	51.7	0	47.8	54.3	0.33	44.7
EC5515	Clear Ctg	10.17	1219	2.79	335	1.54	185	62.3	0	47.1	0	44.8	64.2	0	42.1
EC5517	Clear Ctg	9.64	1155	2.77	331	1.53	184	62.4	0	46.5	0	44.6	63.9	0	34.5
EC700	Clear Ctg	9.86	1181	1.98	237	1.04	125	64.4	0	53.9	0	47.6	62	0.77	53.2
EC750	Clear Ctg	9.86	1181	1.98	238	1.04	125	64.4	0	53.9	0	47.6	62	0.77	53.3
EC800	Clear Ctg	8.6	1031	2.23	267	1.15	138	63.1	0.1	49.7	0.1	48.3	64.7	0	29.9
ECA83	Clear Ctg (Thinner)	9.83	1178	7.25	869	0.63	75	99.8	0	93.4	0	91.4	99.8	0.41	68.9
ECH5075	Clear Ctg (Hardener)	9.93	1190	0.39	47	0.3	36	30.3	0	27.3	0	24.2	28.3	0	27
ECH7070	Clear Ctg (Hardener)	8.91	1068	2.29	275	2.29	275	25.7	0	0	0	0	32.2	0.25	
ECH7080	Clear Ctg (Hardener)	8.91	1068	2.27	272	2.27	272	25.5	0	0	0	0	32	0.35	
ECH7090	Clear Ctg (Hardener)	9.09	1089	2.34	280	2.34	280	25.8	0	0	0	0	30.8	1.31	
ECH8075	Clear Ctg (Hardener)	9.94	1191	0.73	87	0.51	62	38.4	0	33.2	0	29.5	36.5	0	32.8
ECH8095	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	23.9	0	20.5
ECP11	Primer	13.55	1624	2.32	279	1.4	167	43.2	0	32.9	0	39.9	59.7	0.78	32.6
ECP15	Primer	13.6	1630	2.25	270	1.36	163	42.6	0	32.6	0	39.7	58.9	0.76	32.4
ECP17	Primer	13.08	1567	2.36	283	1.41	169	45.1	0	34.3	0	40.1	59.8	0.82	34
ECP35	Primer	13.69	1640	0.58	70	0.31	38	34.1	0.1	31.7	0.1	46.1	50.5	0	22.8
ECR65	Clear Ctg (Thinner)	8.64	1035	6.76	810	3.88	465	100	0	55	0	42.5	100	3.51	54.4
ECR75	Clear Ctg (Thinner)	8.7	1042	6.84	819	3.91	469	100	0	55	0	42.8	100	1.47	54.4
ECR85	Clear Ctg (Thinner)	8.9	1066	7.12	853	4	480	100	0	55	0	43.8	100	1.19	54.4
ECR98	Clear Ctg (Thinner)	8.12	973	7.1	851	3.93	471	99	0.1	50.5	0.1	44.6	99.2	1	34.1
ECS21	Primer Sealer	12.5	1498	2.02	242	1.1	131	48.4	0	39.6	0	45.7	60.3	0.12	37.4
ECS25	Primer Sealer	12.47	1494	2.01	241	1.08	129	49	0	40.3	0	46.4	60.7	0.13	38.1
ECS27	Primer Sealer	12.35	1480	2.02	242	1.09	131	49.1	0	40.3	0	45.8	60.3	0.17	38.1
ECS61	Primer Sealer	12.26	1469	3.07	368	2.34	281	39.4	0	20.2	0	23.7	55.8	1.03	18.1
ECS65	Primer Sealer	12.08	1448	3.1	372	2.36	283	40.4	0	20.9	0	23.8	56.3	1.08	18.9
ECS67	Primer Sealer	12.17	1458	2.95	353	2.28	273	38.1	0	19.4	0	22.6	53.5	0.85	17.1
ECS81	Primer Sealer	13.18	1579	1.03	123	0.55	65	42.7	0	38.6	0	46.9	54.3	0.1	36.5
ECS85	Primer Sealer	13.27	1590	1.01	122	0.55	66	41.6	0	37.4	0	45.7	53.2	0.1	35.5
ECS87	Primer Sealer	13.16	1577	1.04	125	0.58	69	41	0	36.5	0	44.5	52.3	0.1	34.4
ECW8186	Clear Ctg	8.66	1038	1.53	183	0.76	91	57.1	48.3	0	50.2	0	60.7	0	
EH391	Primer, Primer Sealer (Hardener)	10.45	1252	0.7	83	0.3	36	63.4	0	60.5	0	56.6	60.5	0.14	59.9
EH392	Primer, Primer Sealer (Hardener)	10.37	1243	0.65	77	0.28	33	63.8	0	61.1	0	56.7	60.5	0.14	60.5
EHW8224	Clear Ctg (Hardener)	8.83	1058	2.67	320	2.67	320	30.3	0	0	0	0	35.1	1.57	
EPW115	Primer	10.94	1311	0.68	82	0.31	37	44.8	41.9	0.1	55.1	0.1	59.2	0	
T400	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.42	1249	2.15	258	0.78	94	58.4	50.9	0	63.7	0	73.9	0.14	
T4000	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	2.67	320	0.8	96	72.9	64.1	0	70.1	0	80.6	0	
T4001	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	2.67	320	0.8	96	72.9	64.1	0	70.1	0	80.7	0	
T4002	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.12	1093	2.75	330	0.75	89	74.8	66.6	0	72.9	0	82.9	0	
T4003	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.14	1095	2.66	319	0.81	97	72.2	63.3	0	69.5	0	80.2	0	
T4004	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	84	0	
T4005	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	84	0	

Detailed Envirobase High Performance Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
T4006	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.84	340	0.73	87	80.4	72	0	74.5	0	84.2	0	
T4007	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	84	0	
T4008	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.64	1035	2.82	338	0.73	87	80	71.6	0	74.3	0	83.9	0	
T401	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.91	1068	2.41	289	0.72	87	73.6	65.5	0	70	0	79.5	0	
T4018	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	2.61	312	0.42	51	87.3	82.3	0	83.7	0	89.4	0	
T402	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.13	1094	2.54	304	0.86	103	69.8	60.4	0	66.2	0	77.5	0	
T4020	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4021	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4022	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	346	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4023	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4024	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4025	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T4026	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	82.7	0	
T403	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.06	1086	2.26	270	0.68	81	71.9	64.4	0	70	0	78.8	0	
T4031	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.52	1021	2.72	326	0.72	86	80.4	72	0	73.6	0	83.2	0	
T4032	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.76	331	0.72	86	80.4	72	0	73.9	0	83.6	0	
T4033	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.67	320	0.74	89	78.9	70.3	0	72.2	0	82	0	
T4034	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.78	333	0.72	87	80.4	72	0	74.1	0	83.7	0	
T4035	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.74	329	0.72	86	80.4	72	0	73.8	0	83.4	0	
T4037	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	2.73	327	0.43	51	88.1	83.1	0	84.3	0	90.2	0	
T404	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	2.88	345	0.7	83	84.6	76.2	0	75.9	0	85.1	0	
T4040	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	3.19	382	0.88	105	81.7	71.3	0	72.5	0	84.6	0	
T4042		8.34	999	2.95	354	0.77	92	83.1	73.8	0	73.9	0	84.6	0	
T405	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.51	1020	2.82	338	0.76	91	80.4	71.5	0	73.1	0	83.2	0	
T406	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.76	330	0.75	89	81.1	72.2	0	72.9	0	82.8	0	
T407	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	2.71	325	0.62	75	84.9	77.4	0	77	0	85.2	0	
T409	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	2.18	262	0.4	48	86.2	81.4	0	81.6	0	86.9	0	
T411	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.59	310	0.61	74	82.4	75.1	0	76.3	0	84.4	0	
T412	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.63	316	0.64	77	82.7	75.1	0	75.6	0	84.2	0	
T413	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.44	1011	2.53	304	0.72	86	79.3	70.9	0	71.8	0	81.2	0	
T414	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.58	309	0.72	87	80.1	71.5	0	72	0	81.6	0	
T415	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.31	996	2.91	348	0.69	83	84.7	76.4	0	76.3	0	85.4	0	
T420	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.35	281	0.55	66	80.9	74.4	0	76.4	0	83.6	0	
T421	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.66	319	0.62	74	83.6	76.2	0	76.8	0	84.9	0	
T422	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.7	1042	2.62	314	0.7	84	78.2	70.1	0	73.2	0	82.5	0	
T423	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.37	1003	2.85	342	0.79	95	81.3	71.9	0	72.2	0	82.8	0	
T425	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.43	1010	2.73	327	0.59	71	84.3	77.3	0	78.2	0	86	0	
T426	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.81	337	0.69	83	83	74.7	0	75.3	0	84.5	0	
T427	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.85	1060	1.71	205	0.43	52	75.2	70.4	0	74.8	0	80.5	0	
T4281	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.63	1154	2.54	304	0.73	88	69.1	61.5	0	71.1	0	80.9	0	
T429	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.63	315	0.67	80	80.7	72.8	0	74.6	0	83.2	0	
T430	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.62	315	0.75	89	78.7	69.9	0	71.6	0	81.2	0.14	
T431	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.4	288	0.73	87	76.1	67.6	0	69.8	0	79.2	0	
T4311	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.63	315	0.61	73	83.4	76.1	0	76.9	0	84.8	0	

Detailed Envirobase High Performance Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
T432	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.71	325	0.64	77	82	74.5	0	76.3	0	84.8	0	
T4321	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.39	286	0.83	99	72.8	63.2	0	65.4	0	84.1	0	
T433	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	2.33	279	0.71	85	77.3	68.9	0	69.7	0	79	0	
T4341	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.43	1010	2.77	332	0.83	99	79.1	69.3	0	70.1	0	81	0	
T4342	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.75	330	0.76	91	80.9	71.9	0	72.4	0	82.5	0	
T4343	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	2.67	320	0.6	72	84.7	77.5	0	77.7	0	85.6	0	
T435	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.8	336	0.83	99	79.9	70.1	0	70.6	0	81.4	0	
T436	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.67	320	0.7	84	77.2	69.3	0	73.8	0	83.1	0	
T438	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.5	300	0.7	84	79.6	71.3	0	72	0	81.2	0	
T440	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.94	352	0.76	91	82.8	73.8	0	74.3	0	84.3	0	
T441	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.59	310	0.7	84	80.7	72.4	0	72.9	0	82.2	0	
T442	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.5	300	0.69	83	79.8	71.5	0	72.2	0	81.3	0	
T443	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.32	997	2.84	341	0.69	82	84.2	76	0	75.9	0	85	0	
T444	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.55	305	0.76	91	78	69	0	70.1	0	80	0.18	
T445	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	2.42	290	0.59	70	81.6	74.7	0	75.8	0	83.3	0	
T447	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	1.86	223	0.61	73	71.3	64.4	0	67.4	0	75.4	0	
T448	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.53	303	0.59	71	83.2	76.1	0	76.7	0	84.5	0	
T451	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.82	338	0.75	89	80.3	71.6	0	73.6	0	83.6	0	
T452	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.82	338	0.75	89	80.3	71.6	0	73.6	0	83.5	0	
T453	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.62	1033	2.84	340	0.78	93	79.2	70.2	0	72.6	0	83	0	
T454	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.71	325	0.73	88	76.8	68.5	0	72.9	0	82.8	0	
T455	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.83	339	0.73	88	80.5	72	0	74.1	0	83.8	0	
T456	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.58	1028	2.82	337	0.73	88	80.4	71.8	0	74	0	83.8	0	
T457	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.83	339	0.73	88	80.5	72	0	74.1	0	83.9	0	
T458	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.81	336	0.72	87	80.6	72.2	0	74.3	0	84	0	
T459	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.91	1068	2.79	334	0.84	100	74.8	65.4	0	70	0	81.1	0	
T460	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	83.9	0	
T461	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	83.9	0	
T462	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.96	1074	2.71	325	0.75	90	75.6	67.2	0	72.3	0	82.3	0	
T465	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	83.9	0	
T466	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.89	346	0.78	94	79.7	70.6	0	73	0	83.4	0	
T468	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.78	334	0.66	80	82	74.2	0	76.2	0	85.1	0	
T4700	Color Ctg	8.43	1010	2.42	290	0.52	62	83.8	77.5	0.2	78.4	0.2	85.6	0	
T4705	Color Ctg	8.25	989	2.97	356	0.77	92	84.2	74.8	0	74.1	0	85.3	0	
T471	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3.06	366	0.82	99	81.6	71.9	0	73.1	0	84	0	
T472	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3	359	0.81	98	81.2	71.6	0	72.8	0	83.7	0	
T473	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.48	1016	3.08	369	0.83	100	81.5	71.8	0	73	0	84.2	0	
T474	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.11	373	0.86	103	81	70.9	0	72.3	0	83.8	0	
T475	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.11	373	0.86	103	81	70.9	0	72.3	0	83.8	0	
T476	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.05	365	0.81	97	82	72.3	0	73.4	0	84.2	0	
T477	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.05	365	0.83	100	81.5	71.7	0	72.7	0	83.8	0	
T479	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	3.16	379	0.87	104	81	70.8	0	72.5	0	84.1	0	
T4800		8.4	1007	1.64	197	0.31	37	84.1	80.4	0	81.1	0	0	0	
T4850		8.62	1033	0.07	9	0.02	2	76.5	76.3	0	78.9	0	79.2	0	

Detailed Envirobase High Performance Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
T489	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	3.15	378	0.86	103	82.2	71.9	0	72.7	0	84.5	0	
T490	Color Ctg, Underbody Ctg, Single-Stage Ctg, Uniform Finish Ctg	8.29	993	2.99	359	0.75	90	84.4	75.3	0	74.9	0	84.9	0	
T4900	Color Ctg (Additive)	8.1	971	3.47	416	1.62	195	74.7	54.7	0	53.2	0	77.1	0	
T491	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	1.99	238	0.47	57	78.1	72.7	0	76.1	0	82.4	0	
T4910	Color Ctg (Additive)	8.18	980	3.58	429	1.67	200	74.7	54.2	0	53.3	0	76.8	0	
T492	Color Ctg (Additive)	8.46	1014	1.79	215	0.34	40	84	80	0	81.3	0	85	0	
T493	Color Ctg. (Hardener)	8.9	1066	3.03	363	3.03	363	34.1	0	0	0	0	40.2	2.29	
T494	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.31	996	7.52	901	0.17	20	100	98	0	97.8	0	100	0	
T499		10.2	1222	0	0	0	0	0	0	0	0	0	0	0	
T510	Underbody Ctg	8.35	1001	2.33	279	0.79	94	75.5	66.1	0	66.2	0	77.1	0	
T511	Single-Stage Ctg	8.35	1001	2.33	279	0.79	94	75.5	66.1	0	66.2	0	77.1	0	
T581	Color Ctg, Underbody Ctg (Hardener)	8.82	1057	3	360	3	360	34.1	0	0	0	0	40.7	0.71	
T584	Single-Stage Ctg (Hardener)	9.04	1083	2.49	298	2.49	298	27.5	0	0	0	0	33.2	0.79	
T595	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.42	1009	1.4	167	0.17	20	89	87	0	88	0	90.2	0	