

PRODUKT	CODE	LS 400	WS 400	WS 400 evo clear	W-400 WBX	LS-400 entech	WS Primer	W-300 WB	LPH-80	AZ3 HTE2
		SERIE 2	SERIE 2	Compliant		HVLP	Füller	Smart Repair	Spot-Repair	HVLP
Polyester Spritzspachtel	A712									2,5 2,0 bar
Wash Primer chromatfrei	D8092			1,3 HD 2,0 bar	1,3 2,0 bar					
Epoxy Grundierfüller	D8595			1,4-1,5 HD 2,0 bar						
DP4000 2K Primer	D8501/5/7			1,3-1,4 HD 2,0 bar	<b>1,4</b> 2,0 bar		1,3 bis max. 2,0 bar			
DP5000 2K Primer	D8521/5/7						1,6-1,8 bis max. 2,0 bar			
Rapid-Build Primer	D8541/5/7						1,6-1,8 bis max. 2,0 bar			
2K UHS Greymatic Füller	D8018/19/24						1,6-1,8 1,0-1,5 bar			
2K Air Dry Primer	D8561/5/7						1,6 bis max. 2,0 bar			
2K UHS Deltron Progress	D60XX		<b>1,2-1,3 HD</b> 2,0 bar	1,3-1,4 HD 1,8-2,0 bar	1,3-1,4 2,0 bar				1,2 1,0-1,2 bar	
ENVIROBASE High Performance	T40XX	1,2-1,3 ETS 1,6-1,8 bar Nebelgang: 1,1-1,3 bar				1,3 ETS 1,6-1,8 bar Nebelgang: 1,0-1,3 bar	1,2 1,5 bar		1,2 1,0-1,2 bar Nebelgang: 0,8-1,0 bar	
ENVIROBASE High Performance inkl. OneVisit Modifier	T4900 / T4910	1,3 ET 1,8 bar Nebelgang: 1,8 bar								
2K HS/UHS Klarlacke	D8140, D8173 D8175, D8176 D8177		<b>1,2-1,3 HD</b> 2,0 bar	1,3 HD 1,8-2,0 bar	1,3-1,4 2,0 bar			1,2 1,5 bar	1,2 1,0-1,2 bar	
2K HS CeramicClear	D8122		<b>1,2-1,3 HD</b> 2,0 bar	1,3 HD 2,0 bar					1,2 1,0-1,2 bar	
2K Matt-Lacksystem	D8115/17	1,3-1,5 ETS 2,0 bar				<b>1,3-1,5 ETS</b> 1,8 bar			1,2 1,0-1,2 bar	

\* Angaben in **fett/bold**: = primäre Empfehlung

PRODUKT	CODE	GTI Pro LITE		DV1-B	DV1-C1	PRI Pro LITE	SRI Pro LITE	
		HVLP LK HV30	Transtech LK TE20	HVLP / Plus	HVLP / Plus	Transtech PR10	HVLP HV5	Transtech TE5
Polyester Spritzspachtel	A712					2,5 2,0-2,5 bar		
Wash Primer chromatfrei	D8092		1,3 2,0 bar					
Epoxy Grundierfüller	D8595		1,3-1,6 2,0 bar					
DP4000 2K Primer	D8501/5/7		1,3-1,4 2,0 bar					
DP5000 2K Primer	D8521/5/7					1,6-1,8 2,0-2,5 bar		
Rapid-Build Primer	D8551/5/7					1,6-1,8 2,0-2,5 bar		
2K UHS Greymatic Füller	D8018/19/24					1,6-1,8 2,0-2,5 bar		
2K Air Dry Primer	D8561/5/7					1,6-1,8 bis max. 2,0 bar		
2K UHS Deltron Progress	D60XX		1,3-1,4 2,0 bar				1,2-1,4 1,0-2,0 bar	1,2-1,4 1,0-2,0 bar
ENVIROBASE High Performance	T40XX	1,3 1,6-1,8 bar Nebelgang: 1,0-1,3 bar		1,2B 1,8bar Nebelgang: 1,4bar /Silber grob 1,2bar			1,2-1,4 1,0-2,0 bar Nebelgang: 1,0-1,3 bar	1,2-1,4 1,0-2,0 bar Nebelgang: 1,0-1,3 bar
ENVIROBASE High Performance inkl. OneVisit Modifier	T4900 / T4910			1,2-1,3 1,5 bar Nebelgang: 1,5 bar				
2K HS/UHS Klarlacke	D8140, D8173 D8175, D8176 D8177		1,2-1,3 2,0 bar		1,2-1,3 bis max. 1,6 bar		1,2-1,4 1,0-2,0 bar	1,2-1,4 1,0-2,0 bar
2K HS CeramicClear	D8122		1,2-1,3 2,0 bar		1,2-1,3 bis max. 2,0 bar		1,2-1,4 1,0-2,0 bar	1,2-1,4 1,0-2,0 bar
2K Matt-Lacksystem	D8115/17	1,4 1,8 bar			1,3-1,4 bis max. 1,6 bar			

# LACKIERPISTOLENEMPFEHLUNG SATA



PRODUKT	CODE	SATAjet X		SATAjet X 5500		SATAminijet 4400 B		SATAjet 100 BF	
		HVLP	RP	HVLP	RP	HVLP	RP	HVLP	RP
Polyester Spritzspachtel	A712								2,0 2,0 bar
Wash Primer chromatfrei	D8092		I Düse 1,3 2,0 bar	O Düse 1,3 2,0 bar	I Düse 1,4 2,0-2,2 bar				
Epoxy Grundierfüller	D8595		I Düse 1,3 bis max. 2,0 bar		I Düse 1,3-1,6 1,6-2,0 bar				
DP4000 2K Primer	D8501/5/7		I Düse 1,3 2,0 bar		I Düse 1,2-1,3 2,0-2,2 bar				
DP5000 2K Primer	D8521/5/7							1,6-1,8 2,0 bar	1,6-1,8 2,0 bar
Rapid-Build Primer	D8551/5/7							1,6-1,8 2,0 bar	1,6-1,8 2,0 bar
2K UHS Greymatic Füller	D8018/19/24							1,6-1,8 2,0 bar	1,6-1,8 2,0 bar
2K Air Dry Primer	D8561/5/7							1,6-1,8 bis max. 2,0 bar	1,6-1,8 bis max. 2,0 bar
2K UHS Deltron Progress	D60XX		I Düse 1,2-1,3 2,0 bar		I Düse 1,2-1,3 2,0-2,2 bar		1,0-1,2 1,0-2,0 bar		
ENVIROBASE High Performance	T40XX	O Düse 1,3 1,6-1,8 bar Nebelgang: 1,0-1,3 bar		O Düse 1,3 1,6-1,8 bar Nebelgang: 1,0-1,3 bar		1,2-1,4 1,0-2,0 bar Nebelgang: 1,0-1,3 bar			
ENVIROBASE High Performance inkl. OneVisit Modifier	T4900 / T4910	I Düse 1,3 1,8 bar Nebelgang: 1,8 bar		I Düse 1,3 1,8 bar Nebelgang: 1,8 bar					
2K HS/UHS Klarlacke	D8140, D8173 D8176		I Düse 1,2 2,0 bar		I Düse 1,2 2,0-2,2 bar		1,0-1,2 1,0-2,0 bar		
	D8175, D8177		I Düse 1,2 2,0 bar		I Düse 1,2 2,0-2,2 bar		1,0-1,2 1,0-2,0 bar		
2K HS CeramicClear	D8122		I Düse 1,2 2,0 bar		I Düse 1,2 2,0-2,2 bar		1,0-1,2 1,0-2,0 bar		
2K Matt-Lacksystem	D8115/17	I Düse 1,3-1,4 1,8 -2,0 bar		I Düse 1,3-1,5 1,8 - 2,0 bar					