


Methyl methacrylate (MMA) pavement markings



Designed for long-lasting durability

Formulated with proven methyl methacrylate technology, ENNIS-FLINT® by PPG HPS®-6 markings are engineered for durable, long-line and transverse use on asphalt or concrete roadways. The markings can be applied via screed, profile, extrusion or spray in thicknesses up to 500 mils and in temperatures as low as 35° F (2° C).



Design

- Highly durable, crosslinked formulation
- Exceptional resistance to weathering, abrasion and snowplow damage
- Can be inlaid for longer service life



Installation

- Outstanding adhesion to asphalt and concrete surfaces
- Multiple application methods
- Film thickness ranging from 10-500 mils



Safety

- Excellent retroreflectivity when utilizing proper glass beads and coatings
- Lasts up to 2-3 times longer than paint at similar thickness



Compliance/Certification

- Facility is ISO 9001:2015 certified for the design, development and manufacturing of MMA pavement markings

WARNING: Certain colors of this product may contain chemicals known to the State of California to cause cancer and/or reproductive harm. For more information go to P65Warnings.ca.gov.

This document contains general information only and should not be construed as creating any warranties, express or implied. Please contact a PPG representative for additional information.

The PPG Logo and We protect and beautify the world are registered trademarks of PPG Industries Ohio, Inc. Ennis-Flint and HPS are registered trademarks of the PPG Group of Companies. The IN Logo is a registered trademark of LinkedIn Corporation. ©2025 PPG Industries, Inc. All rights reserved. 11/25 TS035

