Detailed Delfleet CVT Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
CVT2000	Color Coating, Underbody Coating, Single-Stage Coating	13.04	1563	4.2	504	4.2	504	32.2	0	0	0	0	59.5	2.68	
CVT2001	Color Coating, Underbody Coating, Single-Stage Coating	8.9	1066	4.2	503	4.2	503	47.2	0	0	0	0	58.8	3.36	
CVT2002	Color Coating, Underbody Coating, Single-Stage Coating	8.5	1019	4.59	550	4.32	517	55.5	0	4.7	0	6	66.1	3.94	
CVT2100	Color Coating, Underbody Coating, Single-Stage Coating	7.95	953	4.45	533	4.45	533	55.9	0	0	0	0	61.6	4.41	
CVT2101	Color Coating, Underbody Coating, Single-Stage Coating	8.39	1005	4.46	535	4.46	535	53.2	0	0	0	0	63	3.08	
CVT2102	Color Coating, Underbody Coating, Single-Stage Coating	8.22	985	4.42	530	4.42	530	53.8	0	0	0	0	61.7	3.84	
CVT2103	Color Coating, Underbody Coating, Single-Stage Coating	10.59	1269	4.57	547	4.56	547	43.1	0	0	0	0	62.9	2.84	
CVT2104	Color Coating, Underbody Coating, Single-Stage Coating	8.55	1025	4.35	521	4.35	521	50.9	0	0	0	0	59.7	3.24	
CVT2105	Color Coating, Underbody Coating, Single-Stage Coating	7.95	953	4.48	536	4.48	536	56.3	0	0	0	0	62	4.44	
CVT2106	Color Coating, Underbody Coating, Single-Stage Coating	8.75	1048	4.08	489	4.08	489	46.6	0	0	0	0	56.9	3.55	
CVT2200	Color Coating, Underbody Coating, Single-Stage Coating	7.99	957	4.5	539	4.5	539	56.3	0	0	0	0	62.2	4.39	
CVT2300	Color Coating, Underbody Coating, Single-Stage Coating	8.78	1052	3.94	472	3.94	472	44.9	0	0	0	0	54.4	2.07	
CVT2301	Color Coating, Underbody Coating, Single-Stage Coating	8.26	990	4.43	531	4.43	531	53.6	0	0	0	0	61.1	2.36	
CVT2302	Color Coating, Underbody Coating, Single-Stage Coating	7.97	955	4.56	547	4.56	547	57.3	0	0	0	0	63.8	3.8	
CVT2303	Color Coating, Underbody Coating, Single-Stage Coating	7.94	951	4.59	551	4.59	551	57.9	0	0	0	0	63.7	3.56	
CVT2304	Color Coating, Underbody Coating, Single-Stage Coating	8.1	971	4.52	541	4.52	541	55.8	0	0	0	0	63.9	2.9	
CVT2305	Color Coating, Underbody Coating, Single-Stage Coating	8	959	4.54	543	4.54	543	56.7	0	0	0	0	63.3	3.92	
CVT2306	Color Coating, Underbody Coating, Single-Stage Coating	9.11	1092	4.8	575	4.8	575	52.7	0	0	0	0	66.8	4.34	
CVT2307	Color Coating, Underbody Coating, Single-Stage Coating	7.84	939	4.46	535	4.46	535	57	0	0	0	0	63.1	3.25	
CVT2308	Color Coating, Underbody Coating, Single-Stage Coating	8.22	985	4.25	509	4.25	509	51.7	0	0	0	0	58.9	4.14	
CVT2309	Color Coating, Underbody Coating, Single-Stage Coating	7.9	947	4.84	580	4.26	511	64.1	0.1	10	0.1	11.8	71.3	4.03	

Detailed Delfleet CVT Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
CVT2400	Color Coating, Underbody Coating, Single-Stage Coating	7.84	939	4.44	532	4.44	532	56.7	0	0	0	0	62.6	3.1	
CVT2401	Color Coating, Underbody Coating, Single-Stage Coating	7.95	953	4.45	534	4.45	534	56	0	0	0	0	62.1	3.88	
CVT2402	Color Coating, Underbody Coating, Single-Stage Coating	7.91	948	4.41	529	4.41	529	55.8	0	0	0	0	62.2	3.11	
CVT2403	Color Coating, Underbody Coating, Single-Stage Coating	7.92	949	4.49	538	4.49	538	56.7	0	0	0	0	62.9	3.6	
CVT2404	Color Coating, Underbody Coating, Single-Stage Coating	7.84	939	4.88	585	4.42	530	64.4	0	8	0	9.3	71.1	4	
CVT2405	Color Coating, Underbody Coating, Single-Stage Coating	7.8	935	4.48	537	4.48	537	57.5	0	0	0	0	64.3	3.16	
CVT2406	Color Coating, Underbody Coating, Single-Stage Coating	7.81	936	4.59	550	4.59	550	58.7	0	0	0	0	64.7	3.22	
CVT2407	Color Coating, Single-Stage Coating	7.98	956	4.45	533	4.45	533	55.7	0	0	0	0	61.3	3.25	
CVT2408	Color Coating, Underbody Coating, Single-Stage Coating	7.87	943	4.4	527	4.4	527	55.9	0	0	0	0	61.9	3.27	
CVT2409	Color Coating, Underbody Coating, Single-Stage Coating	8.03	962	4.79	574	4.79	574	59.6	0	0	0	0	66.5	3.74	
CVT2500	Color Coating, Underbody Coating, Single-Stage Coating	7.9	947	4.46	535	4.46	535	56.5	0	0	0	0	62.8	3.3	
CVT2501	Color Coating, Underbody Coating, Single-Stage Coating	8.01	960	4.27	511	4.27	511	53.2	0	0	0	0	60.6	3.11	
CVT2502	Color Coating, Underbody Coating, Single-Stage Coating	8.35	1001	4.19	502	4.19	502	50.2	0	0	0	0	57.9	3.07	
CVT2600	Color Coating, Underbody Coating, Single-Stage Coating	7.9	947	4.47	536	4.47	536	56.6	0	0	0	0	62.4	3.75	
CVT2601	Color Coating, Underbody Coating, Single-Stage Coating	7.75	929	4.54	543	4.54	543	58.5	0	0	0	0	64.3	2.81	
CVT2602	Color Coating, Underbody Coating, Single-Stage Coating	7.45	893	3.92	470	1.6	192	76.8	0	55.3	0	59.2	82.2	1.59	5.4
CVT2700	Color Coating, Underbody Coating, Single-Stage Coating	8.28	992	4.26	511	4.26	511	51.5	0	0	0	0	60.2	2.72	
CVT2701	Color Coating, Underbody Coating, Single-Stage Coating	8.27	991	4.16	498	4.16	498	50.3	0	0	0	0	58.6	2.86	
CVT2702	Color Coating, Underbody Coating, Single-Stage Coating	8.25	989	4.23	507	4.23	507	51.3	0	0	0	0	59.7	2.78	
CVT2703	Color Coating, Underbody Coating, Single-Stage Coating	8.15	977	4.2	503	4.2	503	51.5	0	0	0	0	59.2	2.9	
CVT2704	Color Coating, Underbody Coating, Single-Stage Coating	8.2	983	4.22	505	4.22	505	51.4	0	0	0	0	59.3	2.84	
CVT2705	Color Coating, Underbody Coating, Single-Stage Coating	8.3	995	4.29	514	4.29	514	51.6	0	0	0	0	60.6	2.69	

Detailed Delfleet CVT Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
CVT2706	Color Coating, Underbody Coating, Single-Stage Coating	8.23	986	4.17	499	4.17	499	50.6	0	0	0	0	58.7	2.88	
CVT2707	Color Coating, Underbody Coating, Single-Stage Coating	8.25	989	4.11	493	4.11	493	49.9	0	0	0	0	58	2.85	
CVT2708	Color Coating, Underbody Coating, Single-Stage Coating	8.27	991	4.17	500	4.17	500	50.4	0	0	0	0	58.9	2.86	
CVT2709	Color Coating, Underbody Coating, Single-Stage Coating	8.12	973	4.29	514	4.29	514	52.8	0	0	0	0	60.5	2.64	
CVT2710	Color Coating, Underbody Coating, Single-Stage Coating	8.43	1010	4.19	502	4.19	502	49.7	0	0	0	0	59.8	2.74	
CVT2711	Color Coating, Underbody Coating, Single-Stage Coating	8.41	1008	4.19	502	4.19	502	49.8	0	0	0	0	59.7	2.75	
CVT2800	Color Coating, Underbody Coating, Single-Stage Coating	19.31	2314	1.93	231	1.93	231	10	0	0	0	0	30.6	0	
CVT2801	Color Coating, Underbody Coating, Single-Stage Coating	19.31	2314	1.93	231	1.93	231	10	0	0	0	0	30.6	0	
CVT2802	Color Coating, Underbody Coating, Single-Stage Coating	20.61	2470	2.06	247	2.06	247	10	0	0	0	0	32.6	0	
CVT2803	Color Coating, Underbody Coating, Single-Stage Coating	19.97	2393	2	239	2	239	10	0	0	0	0	31.6	0	
CVT2804	Color Coating, Underbody Coating, Single-Stage Coating	19.97	2393	2	239	2	239	10	0	0	0	0	31.6	0	
CVT2805	Color Coating, Underbody Coating, Single-Stage Coating	21.01	2518	2.1	252	2.1	252	10	0	0	0	0	33.3	0	
CVT2806	Color Coating, Underbody Coating, Single-Stage Coating	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	32.6	0	
CVT2807	Color Coating, Underbody Coating, Single-Stage Coating	17.91	2146	1.79	215	1.79	215	10	0	0	0	0	28.4	0	
CVT2808	Color Coating, Underbody Coating, Single-Stage Coating	21.82	2615	2.18	261	2.18	261	10	0	0	0	0	34.5	0	
CVT2809	Color Coating, Underbody Coating, Single-Stage Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2810	Color Coating	8.3	995	4.16	498	4.16	498	50	0	0	0	0	58.6	2.91	
CVT2900	Color Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2901	Color Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2902	Color Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2903	Color Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2904	Color Coating	8.3	995	4.15	498	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2905	Color Coating	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT2906	Color Coating	8.3	995	4.16	498	4.16	498	50.1	0	0	0	0	58.6	2.91	
CVT2907	Color Coating	8.3	995	4.15	498	4.15	497	50.1	0	0	0	0	58.5	2.91	
CVT3000	Color Coating, Underbody Coating, Single-Stage Coating	7.88	944	4.38	525	4.38	525	55.6	0	0	0	0	61.1	3.93	
CVT3030	Single-Stage Coating, Underbody Coating	9.03	1082	1.67	200	1.46	175	31.4	0	15.3	0	12.3	32.5	1.31	15.1

Detailed Delfleet CVT Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
CVT3040	Color Coating	8.31	996	0.5	60	0.16	19	66.4	0.2	64.3	0.2	68.9	71.9	0	21.9
CVT4410	Primer	13.84	1658	1.42	170	1.04	125	28.9	0	21.3	0	26.5	41	0	21.1
CVT4410BK	Primer	13.85	1660	1.42	170	1.05	125	28.7	0	21.2	0	26.3	40.9	0	20.9
CVT4410WH	Primer	14.2	1702	1.41	169	1.04	125	27.9	0	20.6	0	26.3	40.8	0	20.4
CVT4420	Primer	13.34	1598	1.83	219	1.31	157	31.3	0	21.4	0	28.3	46.2	0.53	17.9
CVT4420BK	Primer	13.45	1612	1.83	220	1.31	157	31.1	0	21.4	0	28.5	46.3	0.54	17.8
CVT4420WH	Primer	13.55	1624	1.85	221	1.33	160	30.7	0	20.9	0	27.9	46	0.53	17.5
CVT5021	Clear Coating	9.21	1104	2.7	324	1.51	181	64.7	0	48.3	0	44	65.2	1.01	40.3
CVT5035	Clear Coating	8.12	973	3.34	400	3.34	400	41.1	0	0	0	0	47.3	1.93	
CVT6000	Color Coating (Hardener)	10.35	1240	0	0	0	0	44.3	0	44.3	0	41	41	0	43.9
CVT6010	Clear Coating (Hardener)	8.95	1072	1.44	172	1.44	172	16.1	0	0	0	0	21.2	0	
CVT6020	Clear Coating (Hardener)	9.96	1193	0.58	69	0.43	52	32.2	0	27.9	0	24.8	30.7	0	27.6
CVT6130	Clear Coating (Hardener)	9.96	1193	0.58	69	0.43	52	32.2	0	27.9	0	24.8	30.7	0	27.6
CVT6140	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Hardener)	9.93	1190	0	0	0	0	20	0	20	0	17.8	17.7	0	19.9
CVT6150	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Hardener)	9.93	1190	0	0	0	0	20	0	20	0	17.8	17.7	0	19.9
CVT6160	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Hardener)	10.57	1267	0	0	0	0	62.4	0	62.4	0	59	58.9	0	61.8
CVT6170	Primer (Hardener)	9.8	1174	1.83	220	0.94	113	65.2	0	55.6	0	48.8	62.4	0.42	55.1
CVT6200	Clear Coating (Hardener)	9.75	1168	0.54	65	0.44	52	26.7	0	22.2	0	19.4	25.3	0	22
CVT6210	Single-Stage Coating, Underbody Coating, Color Coating (Hardener)	9.69	1161	0.52	62	0.45	54	20.2	0	15.6	0	13.5	19.6	0	15.4
CVT7000	Clear Coating, Color Coating, Primer, Single-Stage Coating (Additive)	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0	
CVT7010	Clear Coating, Color Coating, Primer, Single-Stage Coating (Additive)	8.15	977	8.07	968	8.05	965	99.2	0.1	0.2	0.1	0.2	99.2	0	
CVT7020	Clear Coating, Color Coating, Primer, Single-Stage Coating (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	100	0	
CVT7050	Drier	7.2	863	6.75	809	6.75	809	93.8	0	0	0	0	95.4	5.61	
CVT7100	Color Coating, Underbody Coating, Single-Stage Coating	10.23	1226	2	240	0.54	65	80	0	74.6	0.1	72.8	80.5	0	66.6
CVT8060	Clear Coating, Color Coating, Single-Stage Coating, Underbody Coating (Thinner), Primer	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0	82.8
CVT8080	Clear Coating, Color Coating, Single-Stage Coating, Underbody Coating (Thinner), Primer, Adhesion Promoter	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0	99
CVT8085	Clear Coating, Color Coating , Single-Stage Coating, Underbody Coating (Thinner), Primer	11.2	1342	0.38	46	0	0	100	0	100	0	100.1	99.9	0	99
CVT8090	Clear Coating, Color Coating , Single-Stage Coating, Underbody Coating (Thinner), Primer	11.14	1335	0	0	0	0	99	0	99	0	98.6	98.5	0	98
CVT8265	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Thinner)	10.77	1291	7.26	870	0.75	90	100	0	93	0	89.6	100	0	92.1

Detailed Delfleet CVT Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
CVT8275	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Thinner)	10.77	1291	7.26	870	0.75	90	100	0	93	0	89.6	100	0	92.1
CVT8285	Clear Coating, Color Coating, Primer, Primer Sealer, Single-Stage Coating (Thinner)	10.88	1304	8.03	962	0.76	91	100	0	93	0	90.5	100	0	92.1
CVT8360	Single-Stage Coating (Thinner)	6.59	790	6.56	787	5.45	654	100	0.1	17.1	0.1	16.8	100	1.82	
CVT8370	Single-Stage Coating (Thinner)	6.83	818	6.83	818	6.83	818	100	0	0	0	0	100	1.71	
CVT8380	Single-Stage Coating (Thinner)	6.81	816	6.81	816	6.81	816	100	0	0	0	0	100	1.17	
CVT8390	Single-Stage Coating (Thinner)	6.82	817	6.82	817	6.82	817	100	0	0	0	0	100	1.43	
CVT8395	Single-Stage Coating (Thinner)	6.84	820	6.84	820	6.84	820	100	0	0	0	0	100	0	
CVT8500	Clear Coating, Color Coating, Primer, Single-Stage Coating (Thinner)	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0	62.4
CVT8570	Clear Coating, Color Coating, Primer, Single-Stage Coating (Thinner)	7.12	853	7.12	853	7.12	853	100	0	0	0	0	100	0.01	
CVT8580	Clear Coating, Color Coating, Primer, Single-Stage Coating (Thinner)	7.13	854	7.13	854	7.12	854	100	0	0	0	0	100	0.01	
CVT8590	Clear Coating, Color Coating, Primer, Single-Stage Coating (Thinner)	7.13	854	7.13	854	7.13	854	100	0	0	0	0	100	0.01	