



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
274228SP	14.23	1705	2.34	280	2.11	253	22.6	0	7.8	0	9.9	40.2	0.84	7.7
274229SP	8.35	1001	3.94	472	3.22	386	63.1	0	24.5	0	18.3	62	1.46	24.3
274528SP	12.24	1467	1.87	224	1.01	121	43.9	0.1	35.6	0.1	45.8	59.8	0.39	26
274529SP	8.27	991	2.69	322	2.43	291	42.3	0	12.9	0	9.5	42.4	1.54	12.8
274530SP	12.22	1464	1.84	221	0.99	119	43.9	0.1	35.7	0.1	46	59.8	0.39	26
274531SP	12.25	1468	1.85	222	0.99	119	43.9	0.1	35.8	0.1	46.2	59.9	0.39	26
274535SP	10.69	1281	2.35	282	1.1	132	55.3	0.1	44.9	0.1	53	69.5	0.22	29
274685SP	14.37	1722	2.54	304	2.39	286	19.4	0	2.7	0	5.9	40.9	1.02	
274686SP	8.76	1050	2.19	263	2.19	263	25	0	0	0	0	30.1	1.09	
274777SP	9.01	1080	0.01	1	0	0	91.4	0.2	91.2	0.2	91.2	91.9	0	58
274793SP	8.05	965	0	1	0	0	97.1	0.3	96.8	0.3	96.4	97.6	0	41.3
274808SP	13.39	1604	2.88	346	2.88	346	21.5	0	0	0	0	41.6	0.99	
274908SP	13.25	1588	2.87	344	2.87	344	21.7	0	0	0	0	41.5	0.88	
274909SP	7.65	917	4.58	548	4.58	548	59.8	0	0	0	0	62.1	1.59	
281228SP	8.59	1029	3.02	361	3.02	361	35.1	0	0	0	0	43.6	0.51	
281335SP	8.66	1038	2.99	358	2.98	358	34.5	0.1	0	0.1	0	43.3	1.22	
281342SP	9.2	1102	2.7	323	2.7	323	29.4	0	0	0	0	38.8	0.51	
281500SP	10.86	1301	0.15	18	0.03	4	64.6	0.1	64.2	0.1	76.7	77.7	0	41.7
282208SP	8.12	973	3.16	378	3.16	378	38.9	0	0	0	0	45.5	0.54	
282214SP	8.43	1010	2.93	351	2.93	351	34.8	0	0	0	0	42.4	1.11	
282260SP	8.16	978	3.14	377	3.14	377	38.5	0	0	0	0	45.3	0	
283320SP	10.47	1255	1	119	0.41	50	66.3	0	62.4	0	58.4	63.9	0	61.7
283800SP	9.45	1132	0.94	113	0.94	113	10	0	0	0	0	12.9	0	
283920SP	9.45	1132	0.94	113	0.94	113	10	0	0	0	0	12.9	0	
286253SP	8.46	1014	3.14	376	3.13	375	37.1	0.1	0	0.1	0	45.8	1.55	
286401SP	9.69	1161	2.87	344	2.87	344	29.7	0	0	0	0	41.4	0.49	
287103SP	10.28	1232	0	0	0	0	93.9	0.1	93.8	0.1	93.5	93.6	0	81.4
287112SP	7.5	899	0	0	0	0	0	0	0	0	0	0	0	
287113SP	7.5	899	0	0	0	0	0	0	0	0	0	0	0	
287190SP	21.59	2587	2.16	259	2.16	259	10	0	0	0	0	34.2	0	
287192SP	19.97	2393	2	239	2	239	10	0	0	0	0	31.6	0	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
287193SP	19.31	2314	1.93	231	1.93	231	10	0	0	0	0	30.6	0	
287195SP	19.31	2314	1.93	231	1.93	231	10	0	0	0	0	30.6	0	
287196SP	19.97	2393	2	239	2	239	10	0	0	0	0	31.6	0	
287197SP	17.91	2146	1.79	215	1.79	215	10	0	0	0	0	28.4	0	
287437SP	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0	
287484SP	8.18	980	7.65	916	7.63	914	93.5	0.1	0.2	0.1	0.2	94	0	
287750SP	11.28	1352	2.8	336	0.83	99	77.2	0	69.8	0	70.4	82.3	0.01	69.1
287950SP	7.98	956	5.18	621	5.17	620	65	0.1	0	0.1	0	77.1	0.05	
290228SP	11.05	1324	1.3	156	0.51	61	66.4	0.1	61.7	0.2	60.9	68.2	0.01	61.1
403	7.85	941	4.68	560	4.62	554	60.2	1.2	0	1.2	0	70.6	0.9	
403-18DR	7.85	941	4.68	560	4.62	554	60.2	1.2	0	1.2	0	70.6	0.9	
403-30DR	7.83	938	4.89	586	4.77	571	63.6	2.7	0	2.5	0	74.2	0.94	
404	7.71	924	5.12	613	5.05	605	66.9	1.4	0	1.3	0	76.9	1	
406	8.32	997	4.53	543	4.48	537	55	1.1	0	1.1	0	68.4	0.87	
412	7.69	921	5.73	686	5.65	677	74.9	1.6	0	1.4	0	85.9	1.2	
413	8.35	1001	5.05	605	4.98	597	61	1.3	0	1.3	0	75.8	0.99	
41306SP	10.55	1264	4.22	506	4.22	505	40	0	0	0	0	54.5	1.17	
41312SP	8.78	1052	4.32	517	4.32	517	49.2	0	0	0	0	58.1	1.83	
41313SP	8.56	1026	4.6	551	4.6	551	53.7	0	0	0	0	62.1	1.92	
41314SP	8.56	1026	4.56	547	4.56	547	53.3	0	0	0	0	61.7	1.84	
41335SP	8.38	1004	4.61	552	4.61	552	55	0	0	0	0	62.1	1.92	
41342SP	8.76	1050	4.34	519	4.33	519	49.5	0	0	0	0	59.3	1.7	
415	7.85	941	5.59	670	5.52	661	71.8	1.5	0	1.4	0	83.9	1.09	
416	7.39	886	5.33	639	5.26	630	72.7	1.5	0	1.3	0	80.1	1.11	
417	7.36	882	5.38	645	5.31	636	73.6	1.5	0	1.4	0	80.8	1.12	
421	7.54	903	5.5	659	5.42	650	73.4	1.5	0	1.4	0	82.5	1.15	
421LF	7.4	887	5.21	624	5.06	607	71.5	3.1	0	2.7	0	78.9	1	
42204SP	8.23	986	4.74	568	4.74	568	57.6	0	0	0	0	63.9	1.95	
42208SP	8.15	977	4.7	564	4.7	563	57.8	0	0	0	0	63.4	1.98	
42212SP	8.44	1011	4.47	535	4.47	535	53	0	0	0	0	60.2	1.88	
42214SP	8.37	1003	4.49	538	4.49	538	53.6	0	0	0	0	60.5	1.89	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
42215SP	8.34	999	4.48	537	4.48	537	53.8	0	0	0	0	60.4	1.83	
42218SP	8.62	1033	4.35	522	4.35	521	50.5	0	0	0	0	58.7	1.86	
42219SP	8.41	1008	4.65	557	4.65	557	55.3	0	0	0	0	62.7	1.9	
42228SP	8.37	1003	4.63	555	4.63	555	55.4	0	0	0	0	62.4	1.91	
42259SP	8.5	1019	4.61	552	4.61	552	54.3	0	0	0	0	62.1	1.92	
42260SP	8.12	973	4.82	577	4.81	577	59.3	0	0	0	0	64.9	1.75	
424	7.34	880	5.36	642	5.29	633	73.5	1.5	0	1.3	0	80.5	1.12	
425	7.41	888	5.35	641	5.28	632	72.7	1.5	0	1.3	0	80.3	1.12	
42900SP	8.62	1033	4.43	531	4.43	531	51.4	0	0	0	0	59.7	1.85	
432	7.11	852	5.81	697	5.73	687	82.3	1.7	0	1.5	0	87.2	1.21	
43270SP	7.86	942	5.13	614	5.13	614	65.2	0	0	0	0	70.9	4.65	
43333SP	8.04	963	4.31	516	4.31	516	53.6	0	0	0	0	58.2	0.79	
43621SP	8.51	1020	3.05	366	3.05	366	35.8	0	0	0	0	41.9	0.95	
437	7.52	901	5.32	637	5.39	646	72.3	1.4	0	0	0	87.2	0	
437LF	7.42	889	5.15	617	5.01	601	70.6	3	0	2.7	0	78.1	0.99	
438	7.67	919	5.29	634	5.22	626	69.6	1.4	0	1.3	0	79.5	1.03	
439	7.79	933	5.39	646	5.32	638	69.8	1.5	0	1.4	0	81	1.05	
43999SP	7.98	956	5.25	629	5.25	629	65.8	0	0	0	0	71	0.88	
439LF	7.67	919	5.23	626	5.08	609	69.3	3	0	2.7	0	79.2	1	
440	7.35	881	5.46	654	5.39	646	74.8	1.6	0	1.4	0	82.3	1.14	
443	7.38	884	5.26	630	5.19	622	71.9	1.5	0	1.3	0	79	1.03	
444	7.38	884	5.22	626	5.15	617	71.3	1.5	0	1.3	0	78.5	1.02	
446	7.09	850	5.91	709	5.83	698	84	1.8	0	1.5	0	88.7	1.23	
447	7.34	880	5.42	650	5.35	641	74.4	1.5	0	1.4	0	81.3	1.13	
451	7.64	915	5.7	683	5.61	673	75	1.6	0	1.4	0	85.4	1.19	
45127SP	7.52	901	7.52	901	7.52	901	100	0	0	0	0	100	0	
452	7.44	892	5.47	655	5.39	646	74.1	1.5	0	1.4	0	82.1	1.14	
45251SP	7.93	950	7.93	950	7.93	950	100	0	0	0	0	100	0.87	
45280SP	7.12	853	7.12	853	7.12	853	100	0	0	0	0	100	1.17	
45290SP	7.13	854	7.13	854	7.12	853	100	0.1	0	0.1	0	100	1.17	
453	7.64	915	5.68	680	5.59	670	74.8	1.6	0	1.4	0	85.2	1.18	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
45330SP	6.41	768	6.41	768	6.41	768	100	0	0	0	0	100	0	
45340SP	7.03	842	7.03	842	7.02	842	100	0	0	0	0	100	2.61	
455	7.76	930	5.47	656	5.4	647	71	1.4	0	1.3	0	82.1	1.08	
456	8.09	969	5.12	613	5.05	605	63.8	1.3	0	1.2	0	76.8	1	
461	7.29	874	5.44	652	5.37	643	75.2	1.6	0	1.4	0	81.7	1.14	
462	7.14	856	5.71	684	5.63	674	80.5	1.7	0	1.4	0	85.7	1.19	
46253SP	8.45	1013	4.56	547	4.56	547	54.1	0	0	0	0	61.8	1.87	
46258SP	8.79	1053	4.33	519	4.33	519	49.3	0	0	0	0	59	1.74	
463	7.92	949	5.43	650	5.35	641	69	1.4	0	1.4	0	81.5	1.05	
46400SP	9.47	1135	4.3	515	4.3	515	45.4	0	0	0	0	57.9	1.82	
46401SP	9.41	1128	4.31	517	4.31	517	45.8	0	0	0	0	58.1	1.82	
46402SP	9.46	1134	4.37	524	4.37	524	46.2	0	0	0	0	58.9	1.84	
470	7.43	890	5.49	657	5.41	648	74.4	1.5	0	1.4	0	82.4	1.15	
471	7.45	893	5.54	663	5.46	654	74.8	1.6	0	1.4	0	83.1	1.16	
47117SP	7.3	875	7.16	858	7.16	858	98	0	0	0	0	98.3	0.25	
47333SP	7.36	882	6.69	802	6.69	802	91	0	0	0	0	92.3	6.05	
47444SP	7.97	955	6.25	749	6.25	749	78.5	0	0	0	0	84.1	0.17	
47474SP	7.68	920	5.06	607	5.06	606	65.9	0	0	0	0	70.1	4.99	
47888SP	8.46	1014	7.59	910	7.59	909	89.7	0	0	0.1	0	94.5	0	
480	7.43	890	5.02	602	4.96	594	68.2	1.4	0	1.3	0	75.8	0.97	
481	7.58	908	5.17	620	5.11	612	68.8	1.4	0	1.3	0	77.7	1.01	
48101SP	9.48	1136	4.44	532	4.44	532	46.9	0	0	0	0	60.5	1.84	
48102SP	9.31	1116	4.48	537	4.48	537	48.2	0	0	0	0	61	1.86	
48103SP	9.21	1104	4.47	536	4.47	536	48.6	0	0	0	0	60.9	1.86	
48104SP	9.21	1104	4.59	550	4.59	550	49.8	0	0	0	0	64	1.84	
48105SP	8.66	1038	4.65	557	4.65	557	53.7	0	0	0	0	63.4	1.92	
48107SP	9.02	1081	4.56	546	4.56	546	50.6	0	0	0	0	62.3	1.88	
48108SP	8.87	1063	4.57	548	4.57	548	51.6	0	0	0	0	62.3	1.89	
482	7.38	884	5.36	642	5.28	633	73.2	1.5	0	1.3	0	80.4	1.12	
490	7.33	878	5.06	607	5	599	69.7	1.4	0	1.3	0	76.4	0.97	
491	7.68	920	5.09	610	5.02	602	66.8	1.4	0	1.3	0	76.7	0.98	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
492	7.15	857	5.63	674	5.55	665	79.2	1.6	0	1.4	0	84.4	1.18	
493	7.7	923	5.18	621	5.11	613	67.8	1.4	0	1.3	0	77.8	1.01	
496	7.57	907	5.35	641	5.28	633	71.2	1.4	0	1.3	0	80.2	1.06	
497	7.49	897	5.75	688	5.66	679	77.2	1.6	0	1.4	0	86.2	1.15	
498	8.55	1025	4.76	570	4.71	564	56.2	1.1	0	1.1	0	71.5	0.94	
499	7.04	844	6.41	768	6.31	757	91.6	1.8	0	1.5	0	93.9	1.7	
6001SP	11.26	1349	2.5	299	1.97	236	30	0	12.5	0	21.1	48	2.35	
6007SP	11.55	1384	3.85	461	3.02	362	38.6	0.1	12.4	0.1	21.4	64.1	0.89	
6010SP	11.95	1432	3.7	444	3.7	444	31	0	0	0	0	51.6	1.65	
6013SP	11.2	1342	4.2	504	4.2	504	37.5	0	0	0	0	59.7	1.63	
6177SP	8.08	968	4.29	514	4.29	514	53.1	0	0	0	0	59.4	0	
6178SP	8.31	996	3.51	421	3.51	421	42.3	0	0	0	0	51.4	1.66	
6201SP	8.33	998	2.89	346	2.87	344	35	0.5	0	0.5	0	35	0	
6207SP	8.33	998	1.64	196	1.64	196	19.7	0	0	0	0	25.3	1.64	
6210SP	9.02	1081	1.44	173	1.44	173	16	0	0	0	0	21.6	1.43	
6213SP	7.78	932	5.2	623	5.19	622	66.9	0.1	0.2	0.1	0.2	72.5	0.24	
6215SP	8.71	1044	2.26	271	2.26	271	26	0	0	0	0	33.3	0	
6278SP	9	1078	2.11	253	2.11	253	23.5	0	0	0	0	29.5	0	
6300SP	7.65	917	6.36	762	3.18	381	100	0.1	58.4	0.1	49.9	100	0.08	36.5
6301SP	8.25	989	6.42	769	3.2	383	100	0.1	61.2	0.1	50.2	100	0.16	50.7
6302SP	8.85	1060	6.49	778	3.22	386	100	0	63.6	0	50.4	100	0.49	63
6370SP	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0	62.4
6371SP	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0	82.8
6372SP	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0	99
6378SP-F	8.04	963	7.28	873	4.1	491	99.7	0.1	48.6	0.1	43.6	99.7	0	30.3
6378SP-M	8.58	1028	7.39	886	4.14	496	99.8	0.1	51.5	0.1	43.9	99.8	0	42.7
6378SP-S	8.59	1029	7.42	889	4.15	497	100	0.1	51.6	0.1	44	100	0	42.7
6379SP	6.91	828	6.91	828	6.91	828	100	0	0	0	0	100	1.31	
6396SP	7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77	
6405SP	8.37	1003	5.07	608	0.41	49	96.4	91.5	0	92	0	97.4	0	
6410SP	8.13	974	4.89	586	0.19	23	99.1	89.8	6.9	87.6	8.4	99.1	0	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
6415SP	8.15	977	8.01	960	7.99	957	98.3	0.1	0.2	0.1	0.2	98.4	0	
6416SP	8.15	977	8.07	968	8.05	965	99.2	0.1	0.2	0.1	0.2	99.2	0	
6422SP	11.98	1436	3.74	448	3.73	448	31.2	0	0	0	0	50.3	1.69	
6425SP	12.05	1444	3.68	441	3.68	441	30.6	0	0	0	0	49.6	1.66	
6428SP	6.57	787	6.54	784	6.47	775	99.9	1.4	0	1.1	0	99.9	0	
6448SP	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	100	0	
70400	8.99	1077	5.82	698	5.82	698	64.8	0	0	0	0	85.8	2.32	
74200SP	8.83	1058	5.73	687	5.72	685	64.9	0.1	0.1	0.1	0.1	81.4	0.55	
74205SP	10.97	1314	5.2	623	5.19	622	47.4	0.1	0	0.1	0	73.9	0.53	
74350SP	10.3	1234	2.7	324	1.27	153	58.8	0.2	46.3	0.2	52.7	71.8	0.22	29.9
74351SP	9.18	1100	5.94	711	0.69	82	98.2	0.5	90.3	0.5	88	99	0	64.7
74734SP	7.26	870	5.97	715	5.95	713	82.3	0.3	0	0.3	0	90.6	0.2	
74735SP	6.82	817	6.62	793	6.47	775	97.7	2.8	0	2.3	0	99	0.73	
74737SP	8.36	1002	0	0	0	0	98.8	98.8	0	99.1	0	99.1	0	
74760SP	8.42	1009	5.79	693	5.77	691	68.8	0.3	0	0.3	0	85	0.23	
74766SP	7.04	844	6.86	822	6.72	805	98	2.5	0	2.1	0	99.1	1.26	
74770SP	8.36	1002	5.46	654	5.44	652	65.3	0.3	0	0.3	0	80.8	1.98	
74777SP	7.61	912	6.26	750	6.26	750	82.3	0	0	0	0	85.8	2.52	
74780SP	9.56	1146	5.37	643	5.36	642	56.3	0.2	0	0.3	0	78.1	0.42	
74781SP	7.03	842	6.83	819	6.68	800	97.8	2.7	0	2.3	0	99	0	
801	9.61	1152	4.63	555	4.63	555	48.2	0	0	0	0	62.5	1.25	
806	11.28	1352	4.59	550	4.59	550	40.7	0	0	0	0	61.9	1.25	
812	9.29	1113	4.91	588	4.9	588	52.8	0	0	0	0	66.2	1.33	
813	9.75	1168	4.79	573	4.78	573	49.1	0	0	0	0	64.6	1.3	
815	10.63	1274	3.95	473	3.95	473	37.2	0	0	0	0	53.5	0.96	
816	8.42	1009	4.71	565	4.71	565	56	0	0	0	0	63.7	1.24	
817	8.49	1017	4.51	540	4.51	540	53.1	0	0	0	0	60.9	1.18	
821	9.72	1165	4.97	596	4.97	596	51.2	0	0	0	0	67.1	1.34	
821LF	8.61	1032	4.58	549	4.58	549	53.2	0	0	0	0	61.8	1.22	
825	8.46	1014	4.79	574	4.79	574	56.6	0	0	0	0	65	1.13	
832	8.3	995	4.87	583	4.87	583	58.6	0	0	0	0	65.7	1.32	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
837	8.82	1057	5.3	636	5.3	636	60.2	0	0	0	0	71.6	1.44	
837LF	8.3	995	4.87	583	4.87	583	58.6	0	0	0	0	65.8	1.26	
839	9.3	1114	4.79	574	4.79	574	51.5	0	0	0	0	64.6	1.31	
839LF	9.01	1080	4.72	565	4.71	565	52.4	0	0	0	0	63.6	1.28	
840	8.74	1047	4.66	559	4.66	559	53.4	0	0	0	0	63.3	1.08	
843	8.2	983	5.25	629	5.25	629	64	0	0	0	0	70.9	1.42	
846	8.15	977	5.97	716	5.97	716	73.4	0	0	0	0	80.8	1.54	
851	9.32	1117	4.77	572	4.77	572	51.2	0	0	0	0	64.4	1.3	
852	9.38	1124	4.79	574	4.79	574	51.1	0	0	0	0	64.6	1.3	
860	8.39	1005	4.66	558	4.66	558	55.6	0	0	0	0	62.9	1.26	
862	8.43	1010	4.72	566	4.72	565	56	0	0	0	0	63.6	1.28	
863	10.74	1287	3.67	440	3.67	439	34.2	0	0	0	0	49.5	1	
870	8.6	1031	4.76	570	4.76	570	55.4	0	0	0	0	64.3	1.29	
871	8.76	1050	4.88	585	4.88	585	55.7	0	0	0	0	65.9	1.32	
880	8.35	1001	4.71	564	4.71	564	56.4	0	0	0	0	63.6	1.26	
882	10.56	1265	4.38	525	4.38	525	41.5	0	0	0	0	59.2	1.15	
890	8.24	987	4.55	545	4.55	545	55.2	0	0	0	0	61.4	1.23	
891	9.21	1104	4.68	561	4.68	561	50.9	0	0	0	0	63.2	1.27	
896	8.66	1038	4.72	566	4.72	566	54.5	0	0	0	0	64.2	1.17	
898	11.68	1400	4.39	526	4.39	526	37.6	0	0	0	0	59.5	1.18	
901	7.18	860	4.02	482	4.02	482	56	0	0	0	0	60.9	0	
902	7.43	890	3.56	427	3.56	427	48	0	0	0	0	56.3	0.13	
AER2K10	6.01	720	5.73	687	5.73	687	95.4	0	0	0	0	97.7	0.92	
BRP1502	8.96	1074	0	0	0	0	25	0.1	24.9	0.1	30.7	31.2	0	5
BRP7502	10.4	1246	7.72	924	2.03	243	98.8	0	79.2	0	73.7	98.5	0	78.4
FM100	6.84	820	6.86	822	5.98	716	100	0.1	12.5	0.1	12.8	100	5.51	
FM102	11.19	1341	2.76	331	2.5	299	31.3	0	9	0	9.5	46.5	0.71	8.1
FM104	12.16	1457	2.81	337	2.66	319	26.8	0	4.9	0	5.3	45.8	0.19	4.8
FM105	12.08	1448	2.82	338	2.67	320	27.1	0	5	0	5.4	46	0.19	4.9
FM123	8.89	1065	2.66	319	2.33	279	42	0	15.7	0	12.5	47.8	0.23	15.6
FM151	8.99	1077	2.94	352	2.38	285	49.4	0	22.9	0	19	53.8	0.8	21.7



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
FM152	8.81	1056	2.8	336	2.27	272	49.9	0	24.1	0	19	53.2	0.23	23.8
FM153	8.74	1047	2.82	338	2.31	276	49.8	0	23.4	0	18.3	53.2	0.24	23.2
FM154	8.98	1076	2.83	339	2.26	271	50.1	0	24.9	0	20	54.2	0.23	24.7
FM169	10.14	1215	0	0	0	0	100	0.1	99.9	0.1	99.8	100	0	84.2
FM171	9.04	1083	2.84	341	2.29	274	49.6	0	24.3	0	19.6	54	0.22	24
FM172	9.43	1130	2.73	327	2.57	308	34.1	0	6.8	0	5.8	44.8	0.23	6.8
FM302	9.95	1192	2.79	334	2.5	300	36.7	0	11.6	0	10.3	48.2	0.22	11.5
FM311	8.5	1019	2.81	336	2.41	289	47.1	0	18.7	0	14.2	50.7	0.24	18.5
FM312	8.55	1025	2.78	333	2.45	294	44.3	0	15.6	0	11.9	49	0.23	15.5
FM313	8.51	1020	2.81	337	2.41	289	47	0	18.7	0	14.2	50.7	0.23	18.5
FM314	8.56	1026	2.78	333	2.47	296	43.6	0	14.7	0	11.3	48.7	0.23	14.6
FM315	9.36	1122	2.77	332	2.37	284	42.5	0	17.2	0	14.4	50.3	0.24	17
FM317	9.25	1108	2.75	330	2.35	282	43	0	17.6	0	14.5	50.1	0.23	17.4
FM320	8.59	1029	2.81	337	2.5	300	43.6	0	14.4	0	11.1	48.9	0.23	14.3
FM321	8.65	1036	2.8	336	2.35	282	47.9	0	20.7	0	16	51.6	0.23	20.5
FM322	9.29	1113	2.75	330	2.3	276	44.6	0	19.8	0	16.4	51.2	0.23	19.6
FM323	8.51	1020	2.82	337	2.42	290	47	0	18.5	0	14.1	50.7	0.23	18.4
FM325	8.65	1036	2.75	330	2.4	288	44.2	0	16.4	0	12.7	49.1	0.23	16.3
FM330	8.62	1033	2.78	333	2.42	290	44.9	0	16.9	0	13	49.6	0.23	16.7
FM331	9.36	1122	2.72	326	2.17	260	47.2	0.1	23.9	0.1	20	52.7	0.16	23.6
FM332	9.08	1088	2.77	332	2.25	270	47.7	0	22.9	0	18.6	52.7	0.16	22.7
FM340	8.55	1025	2.7	323	2.48	298	39.3	0	10.3	0	7.9	45.5	0.2	10.2
FM342	8.61	1032	2.78	333	2.45	294	43.8	0	15.3	0	11.8	48.9	0.22	15.2
FM343	9.83	1178	2.77	332	2.35	281	41.2	0	17.4	0	15.3	50.8	0.23	17.2
FM346	8.59	1029	2.79	335	2.41	289	45.9	0	17.8	0	13.7	50.1	0.22	17.6
FM347	8.6	1031	2.73	327	2.41	289	43.4	0	15.3	0	11.8	48.3	0.21	15.2
FM377	8.57	1027	2.8	336	2.27	272	51.2	0	24.7	0	18.9	53.2	0.2	24.4
LEF2003	8.92	1069	3.19	382	1.09	131	73.6	61.3	0	65.7	0	79.8	0	
LVSFP313	10.39	1245	0.76	91	0.42	51	49.2	0	45.1	0	44.4	49.9	0	40.9
LVSFP342	9.5	1138	2.24	268	1.62	194	45.8	0	28.7	0	27.5	52.3	0	23.1
LVSFP400	11.41	1367	0.6	71	0.4	48	32.6	0	29.1	0	33.5	38.9	0	23.4



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
MAP-LV2K10	6.43	770	5.06	607	4.92	590	80.9	0	4.3	0	2.8	86.5	0.8	3.5
MAP-LVA117	11.15	1336	0.02	3	0	0	98.3	0	98.3	0	98	97.9	0	97.3
MAP-LVC208	9.31	1116	0.66	79	0.4	48	46.1	0	41.8	0	39.3	44.9	0	33.7
MAP-LVC228	10.46	1253	0.62	74	0.4	48	42.1	0	38.3	0	35.8	41.1	0	38.1
MAP-LVC238	10.83	1298	0.52	62	0.25	30	55.3	0	52.9	0	51.3	54.4	0	52.5
MAP-LVG202	11.52	1380	0.63	76	0.42	51	32.8	0	29.1	0	33.1	38.8	0	24.5
MAP-LVG6422	13.29	1592	0.61	73	0.42	51	26.3	0	23	0	30.5	36.1	0	19.1
MAP-LVG911	9.48	1136	0.61	73	0.39	47	43.4	0	39.3	0	36.4	41.7	0	33.7
MAP-LVG912	9.62	1153	0.58	70	0.37	45	42.6	0	38.7	0	36.1	40.9	0	33.7
MAP-LVG913	9.46	1134	0.67	80	0.43	51	42.6	0	38	0	35.5	41.2	0	32
MAP-LVG914	9.61	1152	0.63	76	0.41	49	42.1	0	37.8	0	35.6	40.9	0	32.3
MAP-LVG915	10.37	1243	0.64	76	0.39	47	41.1	0	37.3	0	38.3	43.5	0	31.2
MAP-LVG917	10.53	1262	0.65	78	0.4	48	41.8	0	38	0	38.6	43.8	0	33.5
MAP-LVG920	9.74	1167	0.64	77	0.39	47	45.5	0	41.4	0	39	44.1	0	36.2
MAP-LVG921	9.59	1149	0.61	73	0.38	46	42.8	0	38.8	0	36.7	41.7	0	32.8
MAP-LVG922	10.18	1220	0.64	77	0.41	49	39.9	0	35.8	0	35.8	41.4	0	30.4
MAP-LVG923	9.53	1142	0.58	69	0.37	44	43	0	39.1	0	36.7	41.5	0	33.1
MAP-LVG925	9.61	1152	0.65	78	0.42	50	42.6	0	38.2	0	36	41.4	0	32.5
MAP-LVG929	9.51	1140	0.6	72	0.38	45	44.2	0	40.2	0	37.5	42.6	0	34.4
MAP-LVG930	9.65	1156	0.64	76	0.41	50	40.8	0	36.5	0	34.7	40.1	0	30.8
MAP-LVG931	10.53	1262	0.64	77	0.38	46	45	0	41.3	0	39.9	45.1	0	39.6
MAP-LVG932	10.25	1228	0.64	76	0.37	44	45.1	0	41.5	0	42	47.2	0	34.8
MAP-LVG940	9.71	1164	0.63	76	0.41	49	40.8	0	36.6	0	34.7	40.1	0	31.3
MAP-LVG942	9.66	1158	0.63	76	0.41	49	40.6	0	36.3	0	35.1	40.5	0	29.9
MAP-LVG943	10.89	1305	0.86	103	0.55	66	38.1	0	33	0	35.9	43.1	0	27
MAP-LVG947	9.75	1168	0.64	77	0.39	47	45.6	0	41.6	0	39.3	44.4	0	36.2
MAP-LVG951	9.72	1165	0.75	90	0.45	53	46.3	0	41.7	0	40.7	46.5	0	33.9
MAP-LVG953	9.91	1187	0.82	99	0.49	58	46.2	0	41.3	0	40.9	48	0	34
MAP-LVG954	9.76	1170	0.76	91	0.45	54	46.6	0	42	0	40.9	46.8	0	34.6
MAP-LVRB51	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0	99
MAP-LVRS01	11.16	1337	0	0	0	0	98.8	0	98.8	0	98.5	98.4	0	97.8



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
MAP-LVRS02	10.4	1246	7.72	924	2.03	243	98.8	0	79.2	0	73.7	98.5	0	78.4
MAP-LVRS03	7.1	851	6.94	831	6.93	831	97.7	0	0	0	0	98.1	0.73	
MAP-LVRU01	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0	99
MAP-LVS202	11.94	1431	0.61	73	0.36	44	37.9	0	34.9	0	39.7	44.6	0	31.2
MAP-LVS6425	14.1	1690	0.62	74	0.36	44	31.9	0	29.3	0	41.2	46.1	0	24.2
MAP-LVS911	10.25	1228	0.57	69	0.33	40	46.7	0	43.4	0	42.3	46.7	0	39.1
MAP-LVS912	10.43	1250	0.55	66	0.32	38	46.4	0	43.4	0	42.6	46.6	0	39.7
MAP-LVS913	10.31	1235	0.59	71	0.35	42	45.7	0	42.3	0	41	45.6	0	38.8
MAP-LVS914	10.46	1253	0.55	66	0.31	38	47.3	0	44.3	0	43.4	47.4	0	40.9
MAP-LVS915	11	1318	0.62	74	0.35	42	43.7	0	40.4	0	42.9	47.6	0	35.5
MAP-LVS917	11.05	1324	0.57	68	0.33	40	43.2	0	40.2	0	41.5	45.8	0	37.3
MAP-LVS920	10.46	1253	0.6	72	0.34	41	47.1	0	43.8	0	43.4	47.8	0	39.7
MAP-LVS921	10.33	1238	0.64	76	0.38	45	44.8	0	41.1	0	40.6	45.5	0	36.8
MAP-LVS922	11.06	1325	0.59	71	0.36	43	40.1	0	36.8	0	39	43.8	0	32.6
MAP-LVS923	10.2	1222	0.61	73	0.35	42	47.4	0	44	0	43.3	47.9	0	38.6
MAP-LVS925	10.38	1244	0.61	73	0.35	42	46.2	0	42.8	0	42.3	46.8	0	38.5
MAP-LVS929	10.23	1226	0.56	67	0.32	38	48.2	0	45	0	43.7	47.9	0	40.7
MAP-LVS930	10.42	1249	0.64	76	0.36	44	46.3	0	42.8	0	42.7	47.5	0	38
MAP-LVS931	11.09	1329	0.6	72	0.32	39	48.8	0	45.9	0	46.2	50.6	0	44.4
MAP-LVS932	10.79	1293	0.61	73	0.33	39	48.2	0	45.2	0	46.3	50.8	0	40.8
MAP-LVS940	10.4	1246	0.6	71	0.34	41	47	0	43.7	0	43	47.4	0	39.6
MAP-LVS942	10.37	1243	0.63	76	0.37	44	45.7	0	42.1	0	42	46.8	0	37.1
MAP-LVS943	11.38	1364	0.72	87	0.38	46	47.2	0	43.8	0	47.4	52.3	0	39.4
MAP-LVS946	10.48	1256	0.59	71	0.33	40	48	0	44.8	0	44.4	48.6	0	40.8
MAP-LVS947	10.32	1237	0.62	74	0.35	41	48.7	0	45.4	0	44.2	48.7	0	41.3
MAP-LVS951	10.34	1239	0.91	110	0.53	64	48.5	0	43.4	0	42	48.8	0	40.2
MAP-LVS953	10.44	1251	1.08	130	0.6	72	50.7	0	44.9	0	44.5	53.2	0	40.6
MAP-LVS954	10.25	1228	1.03	123	0.57	68	51.2	0	45.6	0	44.4	51.9	0	41.1
MAP-LVU100	13.23	1585	0.11	13	0.07	8	26	0	25.4	0.1	36.4	37.6	0	17.4
MAP-LVU200	11.92	1428	0.63	75	0.44	52	32.5	0	28.9	0	30.8	35.6	0	28.7
MAP-LVXI01	8.55	1025	1.13	135	0.9	107	37.4	0	26.9	0	20.5	32.9	0.93	26.6



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
MAP-LVX270	8.96	1074	0	0	0	0	25	0.1	24.9	0.1	30.7	31.2	0	5
MAP-UVF208	9.32	1117	0.67	81	0.41	49	46.4	0	42	0.1	39.6	45.2	0	33.9
MAP-UVF228	10.7	1282	0.2	24	0.13	15	40.5	0	39.3	0	37.6	39.1	0	39.1
MAP-UVF238	10.65	1276	0.55	66	0.32	38	47.1	0	44.2	0	42.1	46.3	0	43.9
N202SP	10.23	1226	4.13	495	4.13	495	40.4	0	0	0	0	55.6	1.78	
N911SP	8.33	998	4.67	560	4.67	560	56.1	0	0	0	0	63	1.91	
N912SP	8.48	1016	4.41	529	4.41	529	52	0	0	0	0	59.4	1.85	
N913SP	8.33	998	4.68	561	4.68	561	56.2	0	0	0	0	63.2	1.89	
N914SP	8.49	1017	4.45	533	4.45	533	52.4	0	0	0	0	59.9	1.86	
N915SP	9.06	1086	4.54	544	4.54	544	50.1	0	0	0	0	61.2	1.9	
N917SP	9.1	1090	4.41	528	4.41	528	48.4	0	0	0	0	59.4	1.89	
N920SP	8.49	1017	4.5	539	4.5	539	53	0	0	0	0	60.6	1.85	
N921SP	8.44	1011	4.66	558	4.66	558	55.2	0	0	0	0	62.8	1.9	
N922SP	8.95	1072	4.47	536	4.47	536	50	0	0	0	0	60.3	1.88	
N923SP	8.4	1007	4.61	552	4.6	552	54.9	0	0	0	0	62.1	1.9	
N925SP	8.45	1013	4.64	556	4.64	556	55	0	0	0	0	62.6	1.86	
N929SP	8.38	1004	4.61	552	4.61	552	55	0	0	0	0	62.1	1.92	
N930SP	8.57	1027	4.46	534	4.46	534	52.1	0	0	0	0	60.1	1.83	
N931SP	9.19	1101	4.12	494	4.12	494	44.9	0	0	0	0	55.5	1.75	
N932SP	9.13	1094	4.14	496	4.14	496	45.3	0	0	0	0	55.8	1.72	
N940SP	8.65	1036	4.22	505	4.22	505	48.7	0	0	0	0	56.8	1.81	
N942SP	8.6	1031	4.25	509	4.25	509	49.4	0	0	0	0	57.3	1.83	
N943SP	9.37	1123	4.28	513	4.28	513	45.7	0	0	0	0	57.6	1.91	
N946SP	8.51	1020	4.51	540	4.51	540	53	0	0	0	0	60.8	1.85	
N947SP	8.53	1022	4.32	517	4.31	517	50.6	0	0	0	0	58.1	1.82	
N951SP	8.29	993	4.78	573	4.78	573	57.7	0	0	0	0	65.6	1.95	
N952SP	8.43	1010	4.51	540	4.51	540	53.5	0	0	0	0	60	1.86	
N953SP	8.46	1014	4.82	577	4.82	577	56.9	0	0	0	0	65.2	1.84	
N954SP	8.4	1007	4.82	577	4.82	577	57.4	0	0	0	0	65.2	1.83	
SH5106	11.62	1392	2.7	323	2	239	32.1	0.1	14.9	0.1	25.9	54.6	0.07	
SM150V	10.79	1293	0.95	113	0.22	26	81.6	0	79.6	0	76.8	79.7	0	78.9



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
SM151C	7.74	927	5.76	690	5.76	690	74.4	0	0	0	0	79.7	5.52	
SM156V	9.19	1101	4.91	588	3.23	387	76.8	0	41.6	0	34.2	78.2	0	41.2
SM164A	7.23	866	7.16	858	7.16	858	99	0	0	0	0	99.2	7.13	
SM165C	7.18	860	7.18	860	7.17	860	100	0	0	0	0	100	4.79	
SM166A	7.55	905	6.7	803	6.69	802	88.7	0.1	0.1	0	0.1	90.2	0	
SM168V	9.26	1110	0	0	0	0	100	0.2	99.9	0.2	99.3	100	0	69.4
SM169V	10.14	1215	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0	84.2
SM181C	8.15	977	5.18	621	5.18	621	63.6	0	0	0	0	69.6	0.96	
SM182V	10.59	1269	0.95	113	0.33	40	71.9	0	68.8	0	65.1	69.5	0	68.2
SM190V	9.17	1099	9.17	1099	9.17	1099	100	0	0	0	0	0	0	
SM192V	11.08	1328	0	0	0	0	100	0	100	0	100.1	100	0	90.1
SM198V	10	1198	8.15	976	3.18	382	100	0	68.2	0	60.9	91.4	2.36	67.5
SM199V	10.29	1233	8.89	1066	3.47	416	100	0	66.2	0	60.9	69.5	0.67	65.6
SM380V	11.29	1353	2.88	345	0.56	67	84.9	0	80	0	80.7	87.6	0	79.3
SM381C	8.72	1045	6.88	825	6.88	824	78.9	0	0	0	0	85.7	0	
SM390C	7.68	920	5.73	687	5.73	687	74.6	0	0	0	0	78.7	2.87	
SM391V	10.27	1231	2.39	286	0.78	93	81.1	0	73.6	0	67.5	78.9	0	72.9
SM6013S	8.34	999	5.71	685	5.71	684	68.5	0.1	0	0.1	0	82	2.12	
SMBR500	7.94	951	6.03	722	6.03	722	76	0	0	0	0	82.5	1.64	
SMHB404A	14.69	1760	2.64	317	2.64	316	18	0	0	0	0	39.2	2.51	
SMHB404B	8.09	969	4.44	532	3.57	428	61.5	0.1	17.2	0.1	19.4	68.1	0	
SMP001A	9.31	1116	4.89	586	4.89	586	52.6	0	0	0	0	70.5	4.27	
SMP001B	7.18	860	6.05	725	6.05	725	84.4	0.1	0	0.1	0	86.7	3.04	
SMP002A	10.33	1238	4.75	569	4.75	569	46	0	0	0	0	68.6	4.17	
SMPFV205A	10.21	1223	3.47	416	1.92	230	57	0.4	37.8	0.5	44.1	71.6	0.33	22.1
SMPFV205B	8.88	1064	0.04	5	0	0	98.2	0.5	97.7	0.5	97.9	99	0	59.3
SOA1643SP	8.49	1017	4.51	540	4.51	540	53.1	0	0	0	0	60.8	1.9	
SOA202SP	10.18	1220	4.21	504	4.21	504	41.3	0	0	0	0	56.7	1.83	
SOA365SP	8.31	996	4.74	568	4.74	568	57	0	0	0	0	63.9	1.92	
SOA4158SP	8.35	1001	4.58	548	4.58	548	54.9	0	0	0	0	61.7	1.93	
SOA4436SP	8.39	1005	4.71	565	4.71	565	56.2	0	0	0	0	63.5	1.95	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
SOA5939SP	8.15	977	5.04	604	5.04	604	61.9	0	0	0	0	68	2.01	
SOA6062SP	8.36	1002	4.67	560	4.67	559	55.9	0	0	0	0	62.9	1.7	
SOA911SP	8.2	983	4.76	570	4.76	570	58.1	0	0	0	0	64.1	1.94	
SOA912SP	8.32	997	4.5	539	4.5	539	54.1	0	0	0	0	60.6	1.82	
SOA913SP	8.2	983	4.77	572	4.77	571	58.2	0	0	0	0	64.3	1.92	
SOA914SP	8.34	999	4.52	542	4.52	542	54.3	0	0	0	0	61	1.9	
SOA915SP	8.91	1068	4.68	560	4.68	560	52.5	0	0	0	0	63	1.93	
SOA917SP	9.01	1080	4.44	532	4.44	532	49.3	0	0	0	0	59.8	1.93	
SOA920SP	8.37	1003	4.56	546	4.56	546	54.5	0	0	0	0	61.4	1.88	
SOA9211SP	8.62	1033	4.66	558	4.66	558	54	0	0	0	0	63.5	1.86	
SOA9212SP	9.17	1099	4.41	528	4.41	528	48.1	0	0	0	0	59.4	1.85	
SOA9213SP	8.63	1034	4.53	543	4.53	543	52.5	0	0	0	0	61.2	1.82	
SOA9214SP	9	1078	4.5	540	4.5	539	50.1	0	0	0	0	60.7	1.88	
SOA9215SP	10.32	1237	4.2	503	4.19	503	40.7	0	0	0	0	56.5	1.86	
SOA9217SP	8.42	1009	4.75	569	4.75	569	56.4	0	0	0	0	64.6	1.87	
SOA921SP	8.33	998	4.67	560	4.67	560	56.1	0	0	0	0	63	1.94	
SOA922SP	8.81	1056	4.63	554	4.63	554	52.6	0	0	0	0	62.4	1.9	
SOA923SP	8.25	989	4.69	562	4.69	562	56.9	0	0	0	0	63.3	1.95	
SOA925SP	8.3	995	4.67	560	4.67	560	56.3	0	0	0	0	63	1.9	
SOA929SP	8.23	986	4.74	568	4.74	568	57.6	0	0	0	0	63.9	1.95	
SOA930SP	8.4	1007	4.5	539	4.5	539	53.6	0	0	0	0	60.6	1.9	
SOA931SP	9.08	1088	4.11	493	4.11	493	45.3	0	0	0	0	55.4	1.78	
SOA932SP	9.03	1082	4.32	518	4.32	518	47.9	0	0	0	0	58.3	1.74	
SOA940SP	8.48	1016	4.34	520	4.34	520	51.2	0	0	0	0	58.5	1.85	
SOA942SP	8.46	1014	4.37	524	4.37	524	51.7	0	0	0	0	58.9	1.86	
SOA943SP	9.59	1149	4.57	547	4.56	547	47.6	0	0	0	0	61.5	1.89	
SOA946SP	8.37	1003	4.59	550	4.59	549	54.8	0	0	0	0	61.8	1.88	
SOA947SP	8.39	1005	4.42	529	4.42	529	52.7	0	0	0	0	59.5	1.86	
SOA950SP	8.28	992	6.52	781	6.51	781	78.7	0	0	0	0	81.5	0	
SOA951SP	8.29	993	4.78	573	4.78	573	57.7	0	0	0	0	65.6	1.95	
SOA952SP	8.43	1010	4.51	540	4.51	540	53.5	0	0	0	0	60	1.86	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
SOA953SP	8.46	1014	4.82	577	4.82	577	56.9	0	0	0	0	65.2	1.84	
SOA954SP	8.4	1007	4.82	577	4.82	577	57.4	0	0	0	0	65.2	1.83	
SOA955SP	8.46	1014	4.8	575	4.8	575	56.8	0	0	0	0	64.8	1.8	
SV202SP	11.82	1416	3.12	374	2.4	287	42.2	0	21.9	0	23.2	56.1	1.07	21.7
SV208SP	9.4	1126	3.16	379	2.11	253	62	0	39.6	0	33.3	61.8	1.08	39.2
SV21493SP	9.94	1191	2.15	258	1.53	183	47.9	0	32.5	0	28.8	49.5	0.87	32.2
SV228SP	9.12	1093	3.01	360	2.4	287	51.1	0	24.8	0	20.2	53.1	1.07	24.5
SV911SP	9.71	1164	3.15	378	1.99	238	63	0	42.5	0	36.9	63.7	1.17	42.1
SV912SP	9.72	1165	2.98	358	1.97	236	59.4	0	39.2	0	34.1	60.6	1.14	38.8
SV913SP	9.7	1162	3.15	377	2	240	62.6	0	41.9	0	36.3	63.4	1.16	41.5
SV914SP	9.64	1155	3.1	372	2.14	257	58.1	0	35.9	0	30.9	60.1	1.1	35.5
SV915SP	10.37	1243	3.12	374	2.02	242	57.4	0	37.9	0	35.2	62.5	1.14	37.6
SV917SP	10.26	1229	3.16	379	2.19	262	54.9	0	33.6	0	30.8	60.4	1.21	33.2
SV920SP	9.6	1150	3.16	378	2.2	264	58.2	0	35.3	0	30.3	60.2	1.17	34.9
SV921SP	9.82	1177	3.17	380	1.99	239	62.6	0	42.3	0	37.2	64	1.15	41.9
SV922SP	10.35	1240	3.11	373	1.95	234	59.2	0	40.3	0	37.2	63.8	1.05	39.9
SV923SP	9.75	1168	3.16	378	2.05	246	61.3	0	40.3	0	35.1	62.7	1.2	39.8
SV925SP	9.8	1174	2.99	358	1.93	231	60.1	0	40.4	0	35.4	61.4	1.11	40
SV929SP	9.76	1170	3.17	380	1.94	233	64.3	0	44.4	0	38.8	65	1.1	44
SV930SP	9.67	1159	3.1	372	2.15	258	57.6	0	35.3	0	30.6	59.9	1.12	35
SV931SP	10.71	1283	2.51	300	1.68	201	50.2	0	34.5	0	33.1	55.7	0.98	34.2
SV932SP	9.96	1193	3.01	361	2.41	288	46.8	0	22.6	0	20.1	53.3	1.08	22.4
SV940SP	9.44	1131	3.14	376	2.46	295	51.6	0	25.6	0	21.6	55.3	1.16	25.3
SV942SP	9.56	1146	3.08	369	2.31	277	53.4	0	29.2	0	25	56.5	1.17	28.9
SV943SP	11.07	1326	3.09	370	2.19	262	49.2	0	29.4	0	29.1	58.8	1.18	29.1
SV946SP	9.65	1156	3.12	374	2.19	263	57.3	0	34.5	0	29.8	59.6	1.14	34.2
SV947SP	9.56	1146	3.09	371	2.22	265	56.4	0	33.2	0	28.4	58.7	1.11	32.9
SV951SP	9.5	1138	3.14	376	2.31	277	55.4	0	31	0	26.3	58.2	0.94	30.7
SV952SP	9.5	1138	3.13	375	2.33	280	54.6	0	30	0	25.5	56.2	0.89	29.7
SV953SP	9.77	1171	3.1	371	2.11	252	58.2	0	36.7	0	32.1	60.9	0.88	36.3
SV954SP	9.78	1172	3.16	379	2.18	262	57.7	0	35.4	0	30.9	61	0.72	35



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
SVOC1304SP	12.82	1536	2.75	330	2.31	277	32	0	13.9	0	15.9	47.4	1.22	13.8
SVOC1953SP	9.71	1164	3	359	2.29	275	50.7	0	27	0	23.5	54.8	1.03	26.8
SVOC1954SP	10.64	1275	2.98	358	2.13	255	50.2	0	30.3	0	28.8	57.6	0.94	29.9
SVOC1955SP	10.97	1314	2.87	344	2.06	247	47.5	0	28.7	0	28.2	56.4	0.92	28.4
SVOC1956SP	10.47	1255	3.13	374	2.21	265	52.5	0	31.4	0	29.3	61	0.95	31
SVOC1957SP	10.01	1199	2.93	352	2	240	55.5	0	35.5	0	31.8	59.2	0.91	35.1
SVOC1959SP	10.17	1219	3.05	365	2.12	255	54.2	0	33.3	0	30.3	59.3	0.98	32.9
SVOC2431SP	10.29	1233	2.89	347	2.12	254	49.6	0	29	0	26.7	55.8	0.9	28.7
SVOC2477SP	9.8	1174	3.52	422	2.58	309	56.9	0	30.5	0	26.8	62.5	0.88	30.2
VOC202SP	9.75	1168	3.12	374	3.12	373	32.1	0.1	0	0.1	0	45.6	1.57	
VOC911SP	8.21	984	3.15	377	3.14	377	38.4	0.1	0	0.1	0	45.6	1.33	
VOC912SP	8.44	1011	2.89	347	2.89	347	34.3	0.1	0	0.1	0	41.8	1.05	
VOC913SP	8.27	991	3.06	366	3.06	366	37	0.1	0	0.1	0	44.2	1.04	
VOC914SP	8.45	1013	2.81	337	2.81	336	33.3	0.1	0	0.1	0	40.4	0.84	
VOC915SP	9.27	1111	2.95	354	2.95	353	31.9	0.1	0	0.1	0	42.7	1.12	
VOC917SP	9.17	1099	3	359	2.99	359	32.7	0.1	0	0.1	0	43.3	1.02	
VOC920SP	8.45	1013	2.94	352	2.94	352	34.8	0.1	0	0.1	0	42.4	1	
VOC921SP	8.37	1003	3.12	373	3.11	373	37.3	0.1	0	0.1	0	45.1	1.29	
VOC922SP	9.17	1099	2.85	342	2.85	341	31.2	0.1	0	0.1	0	41.2	1.02	
VOC923SP	8.31	996	3.06	367	3.06	367	36.9	0.1	0	0.1	0	44.3	1.21	
VOC925SP	8.41	1008	2.97	355	2.96	355	35.3	0.1	0	0.1	0	42.9	1.1	
VOC929SP	8.2	983	3.18	381	3.17	380	38.8	0.1	0	0.1	0	46	1.3	
VOC930SP	8.32	997	3.18	381	3.18	381	38.3	0.1	0	0.1	0	46.5	1.7	
VOC931SP	9.21	1104	2.98	357	2.98	357	32.4	0.1	0	0.1	0	43.4	1.29	
VOC932SP	9.18	1100	2.85	342	2.85	341	31.1	0.1	0	0.1	0	41.4	1.02	
VOC940SP	8.35	1001	3.21	385	3.21	385	38.6	0.1	0	0.1	0	47	1.72	
VOC942SP	8.38	1004	3.22	385	3.21	385	38.5	0.1	0	0.1	0	47.1	1.7	
VOC943SP	9.91	1187	2.67	320	2.67	320	27	0	0	0.1	0	38.3	0.74	
VOC947SP	8.34	999	3.17	380	3.16	379	38.1	0.1	0	0.1	0	46.3	1.73	
VOC951SP	8.41	1008	3.05	366	3.05	365	36.3	0	0	0	0	44.1	0.47	
VOC952SP	8.47	1015	3.12	374	3.12	374	36.9	0	0	0	0	45.4	0.58	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
VOC953SP	8.47	1015	3.32	398	3.32	398	39.2	0	0	0	0	48.1	0.58	
VOC954SP	8.43	1010	3.44	412	3.44	412	40.8	0	0	0	0	49.7	0.57	
WAW30892	8.94	1071	0.5	60	0.15	18	66.8	65.1	0	69.8	0	71.8	0	
WAW50082	8.05	965	5.21	625	5.21	624	64.7	0	0	0	0	70.9	3.27	
Z5070	8.66	1038	0.14	16	0.04	5	66.3	65.8	0	68.4	0	68.9	0	
Z5727	8.45	1013	0.17	20	0.05	6	70.9	70.3	0	71.3	0	71.9	0	
Z5741	8.45	1013	0.17	20	0.05	6	71.9	71.4	0	72.4	0	73	0	
Z5741VL	8.45	1013	0.15	18	0.04	5	72.1	71.7	0	72.7	0	73.2	0	
Z5915	8.45	1013	0.14	16	0.04	5	67.1	66.5	0	67.5	0	68.1	0	
Z5955	8.66	1038	4.42	530	2.97	356	65.9	31.6	0	32.8	0	68.6	0	
Z6024	8.48	1016	0.17	20	0.06	7	65.4	64.8	0	65.9	0	66.6	0	
Z6198	8.47	1015	0.19	22	0.05	6	72.5	71.9	0	73.1	0	73.7	0	
Z6221	11.23	1346	1.55	185	0.69	83	47.1	40.9	0	55.1	0	64.3	0	
Z6248	11.29	1353	1.17	140	0.5	60	46.6	41.9	0.2	56.8	0.4	63.8	0	
ZZ20-01	8.56	1026	5.18	621	5.18	621	60.5	0	0	0	0	73.1	2.54	
ZZ20-02	8.66	1038	5.37	644	5.37	644	62	0	0	0	0	76	2.64	
ZZ203091	8.53	1022	5.63	675	5.63	675	66.1	0	0	0	0	78	4.19	
ZZ20-313	8.15	977	5.47	655	5.47	655	67.1	0	0	0	0	77.2	2.92	
ZZ20-313E	8.22	985	5.41	648	5.41	648	65.8	0	0	0	0	76.5	2.87	
ZZ205	6.68	800	6.65	797	6.54	783	100	2.1	0	1.7	0	100	1.38	
ZZ205HF	6.61	792	6.58	789	6.47	776	100	2.1	0	1.7	0	100	0.24	
ZZ206	6.59	790	6.58	788	6.55	784	100	0.6	0	0.5	0	100	0.31	
ZZ207	6.93	830	6.93	830	6.92	830	100	0	0	0	0	100	5.9	
ZZ208	7.24	868	7.24	867	7.24	867	100	0	0	0	0	100	0	
ZZ20-80	7.6	911	5.77	692	5.77	692	75.9	0	0	0	0	81.4	3.23	
ZZ20-81	7.87	943	5.67	680	5.67	680	72.1	0	0	0	0	80.1	3.18	
ZZ20-CL	7.6	911	5.66	678	5.66	678	74.5	0	0	0	0	80.1	2.78	
ZZ20-WH	8.75	1048	5.41	648	5.4	648	61.8	0	0	0	0	76.5	2.68	
ZZ215	6.79	814	6.78	812	6.74	807	100	0.7	0	0.6	0	100	2.83	
ZZ218	8	959	8	959	7.99	958	100	0.1	0	0.1	0	100	7.92	
ZZ220	6.82	817	6.73	807	6.36	762	100	6.8	0	5.6	0	100	0.36	



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

MATTHEWS PAINT PACKAGE VOC														
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory - Less Water Less Exempt Exempt lbs/gal	VOC Regulatory - Less Water Less Exempt gm/ltr	VOC Actual lbs/al	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
ZZ30-2770	7.87	943	5.6	671	5.6	671	71.1	0	0	0	0	79.3	2.62	
ZZ460	7.23	866	5.54	663	5.46	654	77.1	1.6	0	1.4	0	83.1	1.16	
ZZ5015	9.25	1108	1.61	193	1.54	185	22.1	0	5.4	0	4.5	25.5	0	5.4
ZZ5017	9.36	1122	1.45	174	1.38	166	20.3	0	5.5	0	4.6	22.5	0	5.5
ZZ861	8.34	999	4.83	579	4.83	578	57.9	0	0	0	0	65.2	1.31	