



We protect and beautify the world®



Powerful protection

Coating systems for generators



Single-source coatings for generators

Keeping the lights on and the power running during a blackout, storm or other disaster is critical. Between outdoor exposure and, in some cases, periods of inactivity, you need generator coatings that protect both the exterior surfaces and the electrical equipment inside, ensuring functionality when on-the-spot power is needed.

PPG has a broad portfolio of coatings engineered to withstand extreme environments while providing the ultimate corrosion protection. Our extensive line of powder, liquid, electrocoat, and pretreatment products are engineered to optimize reliability, efficiency and longevity of your power generation products.

Unique benefits

- Specially formulated to provide exceptional edge coverage on louvers and sharp corners
- Complete portfolio of UL-certified coatings designed for corrosion, UV, and chemical resistance
- Extensive color palette
- Technical and product support
- Multi-technology compatibility that works over a variety of substrates



PPG Coatings for Generators

Technology	Product	Chemistry	Product Code	Color
Powder	ENVIROCRON®	Epoxy Corrosion-Resistant Primer	PCMT70101	Dark Gray
		Polyester-Epoxy Hybrid Corrosion-Resistant Primer	PCF70283	Gray
		Epoxy, Polyester-Epoxy Hybrid, Polyester-HAA, Polyester-TGIC Primers	Various	Black, Gray, Tan-Yellow, White, Oxide Red
		Polyester-TGIC Ultra-Durable Topcoat	PCTZ79134	ANSI 70 Gray
			PCTZ29122	O4 Satin Bronze Texture
		Polyester-HAA High Transfer Efficiency Topcoat	PCST70119	ANSI 61 Gray
		Polyester-TGIC Topcoat	PCT80209	White
PCTT99183	Black Texture			
Liquid Primer/Topcoat Systems	VERSOLON™	1K Epoxy Ester Primer	EEP-901, EEP-435, EEP-951	Black, Gray, White
	SPECTRACRON® W43181A	2K Polyurethane Primer	W43181A	Gray
	Spectracron SEP	2K Epoxy / Iso Primer	SEP83052	Gray
	Spectracron VRPP	2K Epoxy Primer	VRPPE1001	Gray
	Versolon	2K Polyurethane Topcoats	AUE-360UV	Multiple
	Spectracron HSL, HSI, HST		HSL, HSI, HST Series	
	Versolon	2K Polyurethane Direct to Metal	AUE-370	
Electrocoat	POWERCRON®	Cationic Epoxy (one coat)	CR100, CR691B, CR681	Black, Gray
		Cationic Acrylic (one coat)	CR935	Multiple
		Cationic Epoxy Primer / Acrylic Topcoat (two-coat system)	CR683 / CR840R	Black / Multiple
Pretreatment and Engineered Products	ULTRAX™	Alkaline Cleaners	UT29, UT32LF, UT94D, UT97 or UT98D	N/A
	CHEMFOS®, ULTRAGUARD™	Iron-Phosphate-Based Pretreatment	CF51HD, UGATP31F, UGATP50M, PT52107	N/A
	ZIRCOBOND®, X-BOND™	Zirconium-Based Pretreatment	Spray: ZB4200SM, XB4000SM	N/A
			Immersion: ZB4200DM, XB4000DM	
	Chemfos	Zinc-Phosphate-Based Pretreatment	Spray: CF710VM	N/A
Immersion: CF700VM				
	Spray or Immersion: CF700VNM			
CHEMSEAL™	Zirconium Sealer	CS59	N/A	

The technical data presented in this document is based upon information believed by PPG to be currently accurate. However, no guarantees of accuracy, comprehensiveness or performance are given or implied. Continuous improvements in coatings technology may cause future technical data to vary from what is in this document. This document contains general information only and should not be construed as creating any warranties, express or implied. Please contact a PPG representative for additional information.

The PPG Logo, We protect and beautify the world, Chemfos, Envirocron, Powercron, Spectracron and Zircobond are registered trademarks and Chemseal, Ultraguard, Ultrax, Versolon and X-Bond are trademarks of PPG Industries Ohio, Inc. The IN Logo is a registered trademark of LinkedIn Corporation. ©2023 PPG Industries, Inc. All rights reserved. 10/23 IC130

