

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
API-3055	Solvent (Substrate Cleaner)	6.36	762	6.36	762	6.35	761	100	0	0	0	0	100	0
API-3056	Solvent (Substrate Cleaner)	6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41
API-3060	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.44	892	7.44	891	7.43	891	100	0	0	0	0	100	1.44
API-3070	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.43	890	7.43	890	7.42	890	100	0	0	0	0	100	1.44
API-3080	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.46	894	7.46	894	7.46	894	100	0	0	0	0	100	1.44
API-500	Solvent (Applicator Cleaner)	6.84	820	6.86	822	5.98	716	100	0.1	12.5	0.1	12.8	100	5.51
API-510		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
API-520		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
BP5-007		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
BP5-009		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
FPL50-1		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FPL50-16		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FPL50-5		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FPL50-53		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FPLACE-1		6.59	790	0	0	0	0	100	0.5	99.5	0.4	98.3	100	0
FPLACE-5		6.59	790	0	0	0	0	100	0.5	99.5	0.4	98.3	100	0
FPLACE-53		6.59	790	0	0	0	0	100	0.5	99.5	0.4	98.3	100	0
FPLDEN-1		6.68	800	6.58	788	6.21	744	100	7	0	5.6	0	100	0.37
FPLIPA-1		6.55	785	6.55	785	6.54	784	100	0.1	0	0.1	0	100	0
FPLIPA-5		6.55	785	6.55	785	6.54	784	100	0.1	0	0.1	0	100	0
FPLMEK-1		6.71	804	6.71	804	6.71	804	100	0	0	0	0	100	0
FPLMEK-5		6.71	804	6.71	804	6.71	804	100	0	0	0	0	100	0
FPLMIN-1		6.44	772	6.44	772	6.44	772	100	0	0	0	0	100	0
FPLMIN-5		6.44	772	6.44	772	6.44	772	100	0	0	0	0	100	0
FPLTOL-1		7.21	864	7.21	864	7.21	864	100	0	0	0	0	100	7.2
FPLTOL-5		7.21	864	7.21	864	7.21	864	100	0	0	0	0	100	7.2
FPLXYL-1		7.22	865	7.22	865	7.22	865	100	0	0	0	0	100	7.19
FPLXYL-5		7.22	865	7.22	865	7.22	865	100	0	0	0	0	100	7.19

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
PER160		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
PER161		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
PERWNG		6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
PSE05LT-60		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
PSE05PT-50		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
PSE-50		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
PSE-60		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
V1000		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
V2000		6.55	785	6.55	785	6.54	784	100	0.1	0	0.1	0	100	0
V3000		6.59	790	0	0	0	0	100	0.5	99.5	0.4	98.3	100	0
V5000		7.28	872	7.28	872	7.28	872	100	0	0	0	0	100	0.25
V6000		6.71	804	6.71	804	6.71	804	100	0	0	0	0	100	0
V8000		7.22	865	7.22	865	7.22	865	100	0	0	0	0	100	7.19
VR1170	Primer	7.43	890	7.43	890	7.42	889	100	0	0	0	0	100	1.44
VR1180		7.46	894	7.46	894	7.46	894	100	0	0	0	0	100	1.44
VR1190		7.54	903	7.54	903	7.53	903	100	0	0	0	0	100	1.08
VX101	Single-Stage Ctg	6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
1060		6.84	820	6.54	783	3.82	458	96.4	0.2	40.3	0.2	41.3	97.5	1.82
1070		7.07	847	6.86	822	5.3	635	96.5	0.1	21.4	0.1	22.6	97.5	1.12
1080		7.53	902	7.28	873	7.28	872	96.7	0.1	0	0	0	97.5	1.39
1171	Solvent (Applicator Cleaner)	6.59	790	4.53	542	0.2	25	100	0.5	96.4	0.4	95.1	100	0
1360	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.44	892	7.44	891	7.43	891	100	0	0	0	0	100	1.44
1370	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.43	890	7.43	890	7.42	890	100	0	0	0	0	100	1.44
1380	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.46	894	7.46	894	7.46	894	100	0	0	0	0	100	1.44
1390	Clear Coating , Color Coating, Single-Stage Coating, Primer, Underbody Coating, Uniform Finish Coating (Thinner)	7.54	903	7.54	903	7.53	903	100	0	0	0	0	100	1.08
1405		6.51	780	6.51	780	6.51	780	100	0	0	0	0	100	0.61
1407		6.64	796	6.62	793	4.79	574	100	0.1	27.6	0.1	27.5	100	1.27
1409		6.69	802	6.7	802	5.05	605	100	0.1	24.5	0.1	24.5	100	1.65
1411		6.79	814	6.82	817	5.14	616	100	0.1	24.1	0.1	24.5	100	1.96
1434		6.45	773	6.45	773	6.45	773	100	0	0	0	0	100	1.05
1500		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
1501		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
1501E		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
1502		6.89	826	6.94	832	5.37	643	100	0.1	21.9	0.1	22.6	100	1.3
1504		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
1504E		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
1506		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
1508		6.56	786	6.5	778	4.32	518	100	0.2	34	0.2	33.4	100	1.35
1510		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
1515		6.97	835	6.98	836	6.64	795	100	0	4.7	0	4.9	100	6.63
1542		6.53	782	6.46	774	4.48	537	100	0.2	31.1	0.1	30.4	100	1.43
1545	Solvent (Applicator Cleaner)	6.84	820	6.86	822	5.98	716	100	0.1	12.5	0.1	12.8	100	5.51
1556		6.46	774	6.32	758	3.96	474	100	0.2	38.5	0.2	37.3	100	1.19
1561		6.61	792	6.58	789	4.77	571	100	0.2	27.8	0.1	27.5	100	1.5
1600		6.89	826	6.94	832	5.43	651	100	0.1	20.9	0.1	21.6	100	1.3
1705	Solvent (Substrate Cleaner)	6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41
1805		6.81	816	6.81	816	6.81	816	100	0	0	0	0	100	4.03
4202		6.91	828	6.91	828	6.91	828	100	0	0	0	0	100	3.88

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
4210		6.89	826	6.96	834	5.11	612	100	0.1	25.7	0.1	26.5	100	5.11
4218		7.22	865	7.22	865	7.22	865	100	0	0	0	0	100	7.19
4220		6.29	754	6.29	754	6.29	754	100	0	0	0	0	100	0
4221		6.36	762	6.36	762	6.35	761	100	0	0	0	0	100	0
4223		6.55	785	6.55	785	6.54	784	100	0.1	0	0.1	0	100	0
4225		7.21	864	7.21	864	7.21	864	100	0	0	0	0	100	7.2
4226		6.18	741	6.13	734	5.53	662	100	0.1	10.6	0	9.8	100	1.44
4227		6.44	772	6.44	772	6.44	772	100	0	0	0	0	100	0
4230		6.6	791	6.6	791	6.6	791	100	0.1	0	0	0	100	6.6
4240		6.68	800	6.58	788	6.21	744	100	7	0	5.6	0	100	0.37
4251		7.34	880	7.34	880	7.34	880	100	0	0	0	0	100	0
4252		7.91	948	7.91	948	7.9	946	100	0.2	0	0.2	0	100	0
4260		7.05	845	7.11	852	6.06	726	100	0.1	13.9	0.1	14.7	100	5.65
4263		6.57	787	6.57	787	6.57	787	100	0	0	0	0	100	0
4266	Solvent (Applicator Cleaner)	6.69	802	6.69	802	6.03	723	100	0.1	9.8	0.1	9.8	100	0.33
4270		6.65	797	6.56	786	1.66	199	100	0.4	74.6	0.3	74.4	100	0
4272		6.8	815	6.8	815	6.8	815	100	0	0	0	0	100	0
4274		6.9	827	6.9	827	6.9	827	100	0	0	0	0	100	5.02
4275		7.28	872	7.28	872	7.28	872	100	0	0	0	0	100	0.25
4278		7.51	900	7.51	900	7.51	900	100	0	0	0	0	100	0
4288		7.43	890	7.43	890	7.43	890	100	0	0	0	0	100	0.74
4293		6.31	756	6.31	756	6.31	756	100	0	0	0	0	100	0
4296		6.78	812	6.79	813	6.45	773	100	0.1	4.8	0	4.9	100	5.83
4530	Solvent (Applicator Cleaner)	6.59	790	0	0	0	0	100	0.5	99.5	0.4	98.3	100	0
4540		6.71	804	6.71	804	6.71	804	100	0	0	0	0	100	0
4550	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	8.03	962	8.03	962	8.02	961	100	0.1	0	0.1	0	100	0
5827		6.57	787	6.53	783	4.92	590	100	0.1	24.9	0.1	24.5	100	1.47
5830		7.05	845	7.14	856	5.73	687	100	0.1	18.6	0.1	19.6	100	5.03
5837		6.79	814	6.81	816	5.81	696	100	0.1	14.5	0.1	14.7	100	2.64
6727		7.01	840	7.01	840	7.01	840	100	0	0	0	0	100	4.5
6736		6.66	798	6.66	798	5.8	696	100	0.1	12.8	0.1	12.8	100	4.11
7800	Solvent (Substrate Cleaner)	6.29	754	6.29	754	6.29	754	100	0	0	0	0	100	0.18
ADV-120		6.29	754	6.29	754	6.29	754	100	0	0	0	0	100	0
ADV-190		6.31	756	6.31	756	6.31	756	100	0	0	0	0	100	0
BK-1905	Solvent (Cleaner)	5.93	711	5.92	710	5.92	710	100	0	0	0	0	100	0.18
BW-401		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
CTL-160		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	100	5.6
CTL-161		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27



## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
CXT202G		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
CXT202G5		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
CXT202G53R		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FM-100		6.84	820	6.86	822	5.98	716	100	0.1	12.5	0.1	12.8	100	5.51
FM-200		6.51	780	6.51	780	6.51	780	100	0	0	0	0	100	0.61
FM-202		6.64	796	6.62	793	4.79	574	100	0.1	27.6	0.1	27.5	100	1.27
FM-203		6.69	802	6.7	802	5.05	605	100	0.1	24.5	0.1	24.5	100	1.65
FM-300		6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41
FNE-642		6.53	782	6.46	774	4.48	537	100	0.2	31.1	0.1	30.4	100	1.43
FNE-699		7.09	850	6.7	802	4.2	503	100	0	40.8	0	37.3	99.5	3.27
FNE-75	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.44	892	7.44	891	7.43	891	100	0	0	0	0	100	1.44
FNE-85	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.42	890	100	0	0	0	0	100	1.44
FNE-901		6.36	762	6.36	762	6.35	761	100	0	0	0	0	100	0
FNE-919		6.31	756	6.31	756	6.31	756	100	0	0	0	0	100	0
FPR6116		6.69	802	6.69	802	6.03	723	100	0.1	9.8	0.1	9.8	100	0.33
FPR6200		6.69	802	6.69	802	6.03	723	100	0.1	9.8	0.1	9.8	100	0.33
GRO1000-5		6.69	802	6.7	803	3.79	454	100	0.2	43.1	0.2	43.3	100	0
GRO1260	Adhesion Promoter, Clear Ctg, Color Ctg, Other, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	7.24	868	0	0	0	0	100	0.4	99.6	0.3	98.5	100	0
GRO1270	Adhesion Promoter, Clear Ctg, Color Ctg, Other, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0
GRO1280	Adhesion Promoter, Clear Ctg, Color Ctg, Other, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	7.93	950	0	0	0	0	100	0.3	99.7	0.3	98.8	100	0
GRO9000	Clear Ctg	7.62	913	4.38	524	3.52	422	63.4	0.1	17.1	0.1	19.5	69	2.55
GRO9001		8.93	1070	2.38	285	2.38	285	26.7	0	0	0	0	32.9	1.66
GRO9002		8.91	1068	2.46	295	2.46	295	27.7	0	0	0	0	34	1.75
GRO9021	Clear Ctg	9.3	1114	2.4	287	0.65	78	81.9	0.1	74.8	0.1	72.7	82.2	0.36
GRO9070	Clear Ctg. (Hardener)	9.25	1108	1.61	193	1.54	185	22.1	0	5.4	0	4.5	25.5	0
GRO9080	Clear Ctg. (Hardener)	9.25	1108	1.62	194	1.54	185	22.1	0	5.4	0	4.5	25.5	0
GRO9090	Clear Ctg. (Hardener)	9.36	1122	1.45	174	1.38	166	20.3	0	5.5	0	4.6	22.5	0
PSP-66		6.61	792	6.53	782	3.33	399	100	0.3	49.4	0.2	48.8	100	2.58

## Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
SMT300-1	Solvent (Substrate Cleaner)	6.38	764	6.38	764	6.38	764	100	0	0	0	0	100	0.41