

1.1 Product identifier

INEOS Next Gen Antibac Multi-Room Wipes Bergamot + Cedarwood

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name INEOS Next Gen Antibac Multi-Room Wipes Bergamot + Cedarwood Unique Formula Identifier (UFI) SWXN-CCWK-8D94-FHGR 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Surface disinfectant. Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet **Company Identification INEOS Hygienics Limited** School Aycliffe Lane Newton Aycliffe, Co. Durham United Kingdom Postal code DL5 6EA Telephone +44 (0) 1325 804 370 cc.hygienics@ineos.com E-mail 08:00 - 17:00 Office hours 1.4 Emergency telephone number Company, United Kingdom +44 (0) 1325 804 370 National response centre, NHS Direct +44 111 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture GB CLP Regulation, UK SI 2019/720 and Eye Irrit. 2 : Causes serious eye irritation. UK SI 2020/1567 Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. 2.2 Label elements According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 INEOS Next Gen Antibac Multi-Room Wipes Bergamot + Cedarwood Product Name Hazard Pictogram(s) GHS07 Warning Signal Word(s) Hazard Statement(s) H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. Precautionary Statement(s) P102: Keep out of reach of children. P273: Avoid release to the environment. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P501: Dispose of contents in accordance with local, state or national legislation. Unique Formula Identifier (UFI) SWXN-CCWK-8D94-FHGR

2.3 Other hazards
 This product contains: 78-93-3 (Potential endocrine disruptor)
 2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Article (Wipe). This product contains: >90% Water (Mixture/ Liquid).

3.1 Substances

Not applicable.

3.2 Mixtures

| HAZARDOUS INGREDIENT(S) | CAS No. | EC No. / REACH Registration No. | %W/W | Hazard Statement(s) | Hazard Pictogram(s) |
|--|-------------|------------------------------------|-------|--|------------------------|
| D-Glucopyranose, oligomers, decyl octyl glycosides | 68515-73-1 | 500-220-1 | ≥1-<3 | Eye Dam. 1 H318 | GHS05 |
| D-Glucopyranose, oligomeric, C10- 16-alkyl glycosides | 110615-47-9 | 600-975-8 | <1 | Skin Irrit. 2 H315 Eye Dam. 1 H318 | GHS05 GHS07 |
| 2-phenoxyethanol | 122-99-6 | 204-589-7 | <1 | Acute Tox. 4 H302 Eye Dam. 1 H318 STOT SE 3 H335 | GHS05 GHS07 |



| Ethanol | 64-17-5 | 200-578-6 | <1 | Flam. Liq. 2 H225 Eye Irrit. 2 H319 | GHS02 GHS07 |
|---|------------|-----------|-------|--|-------------------------|
| Benzyl-C12-14- alkyldimethylammonium chlorides | 85409-22-9 | 939-350-2 | ≤0.5 | Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 | GHS05 GHS07 GHS09 |
| Didecyldimethylammonium chloride | 7173-51-5 | 230-525-2 | ≤0.5 | Acute Tox. 3 H301 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 | GHS06 GHS05 GHS09 |
| Propan-2-ol | 67-63-0 | 200-661-7 | <0.3 | Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 | GHS02 GHS07 |
| Butanone | 78-93-3 | 201-159-0 | <0.01 | Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 | GHS02 GHS07 |
| Diphenyl ether | 101-84-8 | 202-981-2 | <0.01 | Eye Irrit. 2 H319 Aquatic Acute 1 H400 Aquatic Chronic 3 H412 | GHS07 GHS09 |

| HAZARDOUS INGREDIENT(S) | CAS No. | Specific Concentr | ation Limit | M-factor |
|---|-------------|-------------------|---------------|---------------------|
| D-Glucopyranose, oligomeric, | 110615-47-9 | Skin Irrit. 2 | C> 30 <= 100 | |
| C10-16-alkyl glycosides | | Eye Dam. 1 | C> 12 <= 30 | |
| | | Eye Dam. 1 | C> 30 <= 100 | |
| Ethanol | 64-17-5 | Eye Irrit. 2 | C>= 50 <= 100 | |
| Benzyl-C12-14- alkyldimethylammonium chlorides | 85409-22-9 | | | Aquatic Acute 1: 10 |
| Didecyldimethylammonium chloride | 7173-51-5 | | | Aquatic Acute 1: 10 |

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

| 4.1 Description of first aid measures | |
|---------------------------------------|---|
| Inhalation | Unlikely route of exposure. If breathing is difficult, remove victim to fresh air and |
| | keep at rest in a position comfortable for breathing. |
| Skin Contact | Unlikely to cause harmful effects. Wash skin with water. |
| Eye Contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present |
| | and easy to do. Continue rinsing. If eye irritation persists: Get medical |
| | advice/attention. |
| Ingestion | Unlikely route of exposure. |
| 4.2 Most important symptoms and effe | ects, both acute and delayed |
| | Eye Contact: Irritation, Redness. |
| 4.3 Indication of any immediate medic | al attention and special treatment needed |
| - | Unlikely to be required but if necessary treat symptomatically. |
| | |
| SECTION 5: FIREFIGHTING MEASURE | S |

| 5.1 Extinguishing media | |
|--------------------------------------|---|
| Suitable Extinguishing media | As appropriate for surrounding fire. |
| Unsuitable extinguishing media | None known. |
| 5.2 Special hazards arising from the | substance or mixture |
| | None anticipated. |
| 5.3 Advice for firefighters | |
| • | Fire fighters should wear complete protective clothing including self-contained |

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.



| SECTION 6: ACCIDENTAL RELEASE | MEASURES |
|--------------------------------------|---|
| 6.1 Personal precautions, protective | e equipment and emergency procedures |
| | Provide adequate ventilation. No special precautions are required for this product. |
| 6.2 Environmental precautions | |
| | Avoid release to the environment. |
| 6.3 Methods and material for contain | nment and cleaning up |
| | Collect mechanically and dispose of according to Section 13. |
| 6.4 Reference to other sections | |
| | See Also Section 8, 13. |
| | |
| SECTION 7: HANDLING AND STORA | GE |
| 7.1 Precautions for safe handling | |
| | No special precautions are required for this product. Keep out of reach of children. Avoid contact with eves. Wash hands and exposed skin thoroughly after handling. |

| | | ritera contact man eyes. Waen nande and expected etan aloredginy alter nanding. | | |
|--|---------------------|---|--|--|
| 7.2 Conditions for safe storage, including any incompatibilities | | | | |
| Sto | rage temperature | Ambient. | | |
| Sto | rage life | Stable under normal conditions. | | |
| Inco | ompatible materials | None anticipated. | | |
| 7.3 | Specific end use(s) | | | |
| | | Surface disinfectant. | | |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

| SUBSTANCE. | CAS No. | LTEL (8 hr TWA | LTEL (8 hr TWA | STEL (ppm) | STEL (mg/m³) | Note |
|---------------------------|----------|----------------|----------------|------------|--------------|----------|
| | | ppm) | mg/m³) | | | |
| Propan-2-ol | 67-63-0 | 400 | 999 | 500 | 1250 | |
| Ethanol | 64-17-5 | 1000 | 1920 | | | |
| Butan-2-one (methyl ethyl | 78-93-3 | 200 | 600 | 300 | 899 | Sk, BMGV |
| ketone) | | | | | | |
| Diphenyl ether | 101-84-8 | 1 | 7 | 2 | 14 | |

Region United Kingdom

Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Sk

BMGV

Notes Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. Biological monitoring guidance values are listed in Table 2.

| Biological Exp | osure Indices | | | | | |
|----------------|---------------|------------|---------|--------------------|--------------------------------------|----------|
| Substances | CAS Number | Sampling | Tissues | Control parameters | Biological monitoring guidance value | Comments |
| Butan-2-one | 78-93-3 | Post shift | urine | butan-2-one | 70 μmol butan-2-one/L | |

8.2 Exposure controls

8.2.1. Appropriate engineering controls 8.2.2. Personal protection equipment Eye Protection

Ensure adequate ventilation.

Not normally required.

Skin protection

Not normally required.

Respiratory protection

Normally no personal respiratory protection is necessary.





Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on basic physical and | • • |
|---|--|
| Appearance | Solid. |
| | Colour : White (wipes). |
| Odour | Woody, Spicy, Fern-like. |
| Odour threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash Point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Non-flammable. |
| Upper/lower flammability or explosive | Not available. |
| limits | |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Density (g/ml) | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Solubility (Water) : Completely miscible with water. (Mixture/ Liquid). |
| | Solubility (Other) : Not known. |
| Partition coefficient: n-octanol/water | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition Temperature (°C) | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2 Other information | - |
| | N I a constanting a second |

None.

| SECTION 10: STABILITY AND REACTIVITY | | | | |
|--|--|--|--|--|
| 10.1 Reactivity | | | | |
| | None anticipated. | | | |
| 10.2 Chemical Stability | | | | |
| | Stable under normal conditions. | | | |
| 10.3 Possibility of hazardous reactions | | | | |
| | No hazardous reactions known if used for its intended purpose. | | | |
| 10.4 Conditions to avoid | New energies and | | | |
| | None anticipated. | | | |
| 10.5 Incompatible materials | None anticipated. | | | |
| 10.6 Hazardous decomposition products | | | | |
| No hazardous decomposition products No hazardous decomposition products known. | | | | |
| | | | | |

SECTION 11: TOXICOLOGICAL INFORMATION

This material is unlikely to present a significant health hazard under normal conditions of handling and use. 11.1 Information on toxicological effects

| Acute toxicity - Ingestion | Calculation method : Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 17785.11 |
|--|--|
| Acute toxicity - Skin Contact Acute toxicity - Inhalation | Calculation method : Not classified. Calculation method : Not classified. |
| Skin corrosion/irritation | Calculation method : Not classified. |
| Serious eye damage/irritation | Calculation method : Causes serious eye irritation. No data. |
| Skin sensitization data | Calculation method : Not classified. |
| | It is not a skin sensitiser. |
| Respiratory sensitization data | Calculation method : Not classified. |
| Germ cell mutagenicity | Calculation method : Not classified. |
| | There is no evidence of mutagenic potential. |
| Carcinogenicity | Calculation method : Not classified. |
| | No evidence of carcinogenicity. |
| Reproductive toxicity | Calculation method : Not classified. |
| | |



| Lactation STOT - single exposure STOT - repeated exposure Aspiration hazard | No evidence of reproductive effects. Calculation method : Not classified. Calculation method : Not classified. Calculation method : Not classified. Calculation method : Not classified. | |
|---|--|--|
| 11.2 Other information | Endocrine disrupting properties: List II: Substances under evaluation for endocrine disruption under an EU legislation 78-93-3 (Human health) | |
| SECTION 12: ECOLOGICAL INFORMA | TION | |
| 12.1 Toxicity | | |
| 12.2 Persistence and degradability | Toxic to aquatic life. Harmful to aquatic life with long lasting effects. No data. | |
| 12.3 Bioaccumulative potential | Mixture/ Liquid: The product is biodegradable. | |
| 12.4 Mahility in soil | Mixture/ Liquid: The product has low potential for bioaccumulation. | |
| 12.4 Mobility in soil | Mixture/ Liquid: Completely miscible with water. The product is predicted to have high mobility in soil. | |
| 12.5 Results of PBT and vPvB assess | ment Not classified as PBT or vPvB. | |
| 12.6 Other adverse effects | None known. | |
| SECTION 13: DISPOSAL CONSIDERA | FIONS | |
| 13.1 Waste treatment methods | | |
| 10.1 Waste treatment methods | Dispose at suitable refuse site. | |
| 13.2 Additional Information | Disposal should be in accordance with local, state or national legislation. | |
| SECTION 14: TRANSPORT INFORMAT | ION | |
| Not classified as hazardous for transport. | | |
| 14.1 UN number | | |
| | Not applicable | |
| 14.2 UN proper shipping name | Not applicable | |
| 14.3 Transport hazard class(es) | Not applicable | |
| 14.4 Packing group | Not applicable | |
| 14.5 Environmental hazards | Not classified as a Marine Pollutant. | |
| 14.6 Special precautions for user | Not classified as a Marine Foliutani. | |
| 14.7 Transport in bulk according to A | Not known Annex II of Marpol and the IBC Code Not known | |
| SECTION 15: REGULATORY INFORMA | NTION | |
| SECTION 15: REGULATORY INFORMATION 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United Kingdom Regulations - Authorisations and/or Restrictions On Use | | |
| UK REACH Candidate List of Substance | | |
| of Very High Concern for Authorisation UK REACH Authorisation List (Annex XIV) list of substances subject to | Not listed | |
| authorisation | I) Ethanol (64-17-5), Propan-2-ol (67-63-0), Butanone (78-93-3), 2-phenoxyethanol (122-99-6) | |
| UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended | Not listed Not listed | |



| The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2010 (SI 2010/582) | Not listed | |
|--|--|--|
| 2019 (SI 2019/583) The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended | Didecyldimethylammonium chloride (7173-51-5) | |
| European Regulations - Authorisations | and/or Restrictions On Use | |
| Community Rolling Action Plan (CoRAP) 15.2 Chemical Safety Assessment | Butanone (78-93-3) | |
| United Kingdom | Not applicable. | |
| SECTION 16: OTHER INFORMATION | | |
| The following sections contain revisions or new statements: 1-16 LEGEND | | |
| Hazard Pictogram(s) | ∧ | |
| | | |
| | | |
| | | |
| | GHS07 | |
| | GHS02: GHS: Flame | |
| | GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones | |
| | GHS09: GHS: Environment | |
| Hazard classification | Flow Lie 2. Flowmoble liquid Cotogon, 2 | |
| Hazard classification | Flam. Liq. 2 : Flammable liquid, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 | |
| | Acute Tox. 4 : Acute toxicity, Category 4 | |
| | Skin Corr. 1B : Skin corrosion/irritation, Category 1B | |
| | Skin Irrit. 2 : Skin corrosion/irritation, Category 2 | |
| | Eye Dam. 1 : Serious eye damage/irritation, Category 1 | |
| | Eye Irrit. 2 : Serious eye damage/irritation, Category 2 | |
| | STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 | |
| | Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 | |
| | Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 | |
| | Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3 | |
| Aqualic Chronic 5 . Hazardous to the aqualic environment, Chronic, Calegory 5 | | |
| Hazard Statement(s) | H225: Highly flammable liquid and vapour. H301: Toxic if swallowed. | |
| | H302: Harmful if swallowed. | |
| | H314: Causes severe skin burns and eye damage. | |
| | H315: Causes skin irritation. H318: Causes serious eye damage. | |
| | H319: Causes serious eye urritation. | |
| | H335: May cause respiratory irritation. | |
| | H336: May cause drowsiness or dizziness. | |
| | H400: Very toxic to aquatic life. | |
| | H410: Very toxic to aquatic life with long lasting effects. | |
| | H411: Toxic to aquatic life with long lasting effects. | |
| | H412: Harmful to aquatic life with long lasting effects. | |
| Brocoutionany Statement/a) D102: Keep out of reach of children | | |
| Precautionary Statement(s) | P102: Keep out of reach of children. P264: Wash hands and exposed skin thoroughly after handling. | |
| | P273: Avoid release to the environment. | |
| | P280: Wear protective gloves/protective clothing/eye protection/face protection. | |
| | P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| | P337+P313: If eye irritation persists: Get medical advice/attention. | |
| | | |



| | P501: Dispose of contents in accordance with local, state or national legislation. |
|---|---|
| Acronyms | ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative |
| Key literature references and sources for data used to compile the SDS | GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 |

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Hygienics Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. INEOS Hygienics Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.