

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

**Product Name** INEOS Next Gen Antibac Multi-Room Wipes Pomelo + Yuzu

Unique Formula Identifier (UFI) 3TXA-Y41J-CK9G-Y254

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Surface disinfectant.

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Company Identification **INEOS Hygienics Limited** 

School Aycliffe Lane Newton Aycliffe, Co. Durham

United Kingdom

Postal code DL5 6EA

Telephone +44 (0) 1325 804 370 cc.hygienics@ineos.com E-mail

08:00 - 17:00 Office hours

1.4 Emergency telephone number

Company, United Kingdom +44 (0) 1325 804 370

+44 111 National response centre, NHS Direct

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Eye Irrit. 2: Causes serious eye irritation.

UK SI 2020/1567 Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

INEOS Next Gen Antibac Multi-Room Wipes Pomelo + Yuzu Product Name

Hazard Pictogram(s)

GHS07

Warning Signal Word(s)

Hazard Statement(s) H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P102: Keep out of reach of children.

P273: Avoid release to the environment.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents in accordance with local, state or national legislation. 3TXA-Y41J-CK9G-Y254

Unique Formula Identifier (UFI)

2.3 Other hazards

This product contains: 78-93-3 (Potential endocrine disruptor)

2.4 Additional Information For full text of H/P Statements see section 16.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Article (Wipe). This product contains: >90% Water (Mixture/ Liquid).

#### 3.1 Substances

Not applicable.

# 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1	500-220-1	≥1-<3	Eye Dam. 1 H318	GHS05
D-Glucopyranose, oligomeric, C10- 16-alkyl glycosides	110615-47-9	600-975-8	<1	Skin Irrit. 2 H315 Eye Dam. 1 H318	GHS05 GHS07
2-phenoxyethanol	122-99-6	204-589-7	<1	Acute Tox. 4 H302 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07

Page: 1 - 7 Revision: 1



Ethanol	64-17-5	200-578-6	<1	Flam. Liq. 2 H225 Eye Irrit. 2 H319	GHS02 GHS07
Benzyl-C12-14- alkyldimethylammonium chlorides	85409-22-9	939-350-2	≤0.5	Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS07 GHS09
Didecyldimethylammonium chloride	7173-51-5	230-525-2	≤0.5	Acute Tox. 3 H301 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS06 GHS05 GHS09
Propan-2-ol	67-63-0	200-661-7	<0.3	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
Butanone	78-93-3	201-159-0	<0.01	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor
D-Glucopyranose, oligomeric,	110615-47-9	Skin Irrit. 2	C> 30 <= 100	
C10-16-alkyl glycosides		Eye Dam. 1	C> 12 <= 30	
		Eye Dam. 1	C> 30 <= 100	
Ethanol	64-17-5	Eye Irrit. 2	C>= 50 <= 100	
Benzyl-C12-14- alkyldimethylammonium chlorides	85409-22-9			Aquatic Acute 1: 10
Didecyldimethylammonium chloride	7173-51-5			Aquatic Acute 1: 10

For full text of H/P Statements see section 16.

# SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Unlikely route of exposure. If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing.
Unlikely to cause harmful effects. Wash skin with water.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Eye Contact: Irritation, Redness.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

#### SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Skin Contact

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None known. **5.2 Special hazards arising from the substance or mixture**None anticipated.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. No special precautions are required for this product.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13.

Page: 2 - 7 Revision: 1



### 6.4 Reference to other sections

See Also Section 8, 13.

#### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

No special precautions are required for this product. Keep out of reach of children. Avoid contact with eyes. Wash hands and exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None anticipated.

7.3 Specific end use(s)

Surface disinfectant.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Propan-2-ol	67-63-0	400	999	500	1250	
Ethanol	64-17-5	1000	1920			
Butan-2-one (methyl ethyl ketone)	78-93-3	200	600	300	899	Sk, BMGV

Region Source

United Kingdom Remark Sk UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020) Notes

Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

BMGV

Biological monitoring guidance values are listed in Table 2.

Biological Exposure Indices							
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments	
Butan-2-one	78-93-3	Post shift	urine	butan-2-one	70 μmol butan-2-one/L		

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection Not normally required.



Skin protection Not normally required.



Respiratory protection Normally no personal respiratory protection is necessary.



Not applicable. Thermal hazards

8.2.3. Environmental Exposure Controls Avoid release to the environment.

Page: 3 - 7 Revision: 1



# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Solid. Colour: White (wipes).

Odour Citrus-like. Not available. Odour threshold Not available. Melting point/freezing point Not available. Initial boiling point and boiling range Not available. Flash Point Not available. Evaporation rate Not available. Flammability (solid, gas) Non-flammable.

Upper/lower flammability or explosive

limits

Vapour pressure Not available. Vapour density Not available. Density (g/ml) Not available. Relative density Not available.

Solubility(ies) Solubility (Water): Completely miscible with water. (Mixture/Liquid).

Not available.

Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. Decomposition Temperature (°C) Not available. Not available. Viscosity Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information

None.

### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

None anticipated.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

This material is unlikely to present a significant health hazard under normal conditions of handling and use.

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method: Not classified.

Calculated acute toxicity estimate (ATE) Calc ATE - 17785.11

Acute toxicity - Skin Contact Calculation method: Not classified. Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified.

Serious eye damage/irritation Calculation method: Causes serious eye irritation. No data.

Skin sensitization data Calculation method: Not classified. It is not a skin sensitiser.

Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified.

There is no evidence of mutagenic potential. Calculation method : Not classified. Carcinogenicity

No evidence of carcinogenicity. Calculation method: Not classified. Reproductive toxicity

No evidence of reproductive effects. Calculation method: Not classified. Lactation STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified. Calculation method: Not classified. Aspiration hazard

> Page: 4 - 7 Revision: 1



11.2 Other information

Endocrine disrupting properties: List II: Substances under evaluation for endocrine

disruption under an EU legislation 78-93-3 (Human health)

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. No data.

12.2 Persistence and degradability

Mixture/ Liquid: The product is biodegradable.

12.3 Bioaccumulative potential

Mixture/ Liquid: The product has low potential for bioaccumulation.

12.4 Mobility in soil

Mixture/ Liquid: Completely miscible with water. The product is predicted to have

high mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

None known.

### SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

#### **SECTION 14: TRANSPORT INFORMATION**

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

# **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK RÉACH Authorisation List (Annex

Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Ethanol (64-17-5), Propan-2-ol (67-63-0), Butanone (78-93-3), 2-phenoxyethanol

Restrictions on the manufacture, placing (122-99-6)

on the market and use of certain dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants

Not listed Not listed

Regulations 2007 (SI 2007/3106) as

amended The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations

Not listed

2019 (SI 2019/583)

Page: 5 - 7 Revision: 1



The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended Didecyldimethylammonium chloride (7173-51-5)

European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP) Butanone (78-93-3)

15.2 Chemical Safety Assessment

United Kingdom Not applicable.

#### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1-16

### LEGEND

Hazard Pictogram(s)



GHS07

GHS02: GHS: Flame GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS09: GHS: Environment

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3: Specific target organ toxicity — single exposure, Category 3
Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed. H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P102: Keep out of reach of children.

P264: Wash hands and exposed skin thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents in accordance with local, state or national legislation.

Page: 6 - 7 Revision: 1



Acronyms ATE : Acute Toxicity Estimate

CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures DNEL : Derived No Effect Level EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Hygienics Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. INEOS Hygienics Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 7 - 7 Revision: 1