



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION FIDENTIEICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/TINDERTAKING		SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
--	--	---

1.1 Product identifier	
Product Name	INEOS Sanitiser + Moisturiser Unscented for Sensitive Skin.
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not applicable.
UFI	VKK8-Q0X4-K00K-R1DX
1.2 Relevant identified uses of the su	ubstance or mixture and uses advised against
Identified Use(s)	Human Hygiene Biocidal Product.
Uses Advised Against	Not known.
1.3 Details of the supplier of the safe	ety data sheet
Company Identification	INEOS Hygienics Limited
Address of Supplier	School Aycliffe Lane
	Newton Aycliffe
	Co. Durham
	United Kingdom
Postal code	DL5 6EA
Notified in the EU by	INEOS Hygienics Limited
	Shamrockstrasse 88
	44623 Herne
	North Rhine-Westphalia
	Germany
Telephone	+44 (0) 20 3205 2923 / +49 (0) 89 262 033 28
E-mail	ineos.hygienics@ineos.com
Office hours	08:00 - 17:00
1.4 Emergency telephone number	
Company	+44 (0) 20 3205 2923 / +49 (0) 89 262 033 28
National response center, NHS Direct	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

maturo	
Flam. Liq. 2 :Highly flammable liquid a	nd vapour.
Eye Irrit. 2 :Causes serious eye irritatio	n.
According to Regulation (EC) No. 1272,	/2008 (CLP)
INEOS Sanitiser + Moisturiser Unscen	ted for Sensitive
GHS02	GHS07
Danger	
H225: Highly flammable liquid and vapo	our.
H319: Causes serious eye irritation.	
	Danger H225: Highly flammable liquid and vapo

Skin.



Precautionary Statement(s)	P102: Keep out of reach of children. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical advice/attention.
	P403+P235: Store in a well-ventilated place. Keep cool.
	P501: Dispose of contents in accordance with local, state or national legislation.
2.3 Other hazards	
	None known.
2.4 Additional Information	
	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard
INGREDIENT(S)					Pictogram(s)
Ethanol	64-17-5	200-578-6 /	70	Flam. Liq. 2 H225	GHS02
		01-2119457610-43-XXXX		Eye Irrit. 2 H319	GHS07
					<u> </u>

SECTION 4: FIRST AID MEASURES			
4.1 Description of first aid measure	25		
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.		
Skin Contact	Unlikely to cause harmful effects.		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Ingestion	Wash out mouth with water. If symptoms persist, obtain medical attention.		
4.2 Most important symptoms and effects, both acute and delayed			
	Eye Contact: Irritation, Redness.		
4.3 Indication of any immediate medical attention and special treatment needed			
	Unlikely to be required but if necessary treat symptomatically.		
SECTION 5: FIREFIGHTING MEASUR	ES		
5.1 Extinguishing media			
Suitable Extinguishing media	In case of fire: Use water spray, foam, dry powder or $\rm CO_2$ to extinguish.		
Unsuitable extinguishing media	None anticipated.		

5.2 Special hazards arising from the substance or mixture

•	•	
		Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and
		irritant vapours.
5.3 Advice for	firefighters	
		Fire fighters should wear complete protective clothing including self-contained

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Water spray should be used to cool containers.



SECTION 6: ACCIDENTAL RELEASE M	IEASURES
6.1 Personal precautions, protective	equipment and emergency procedures
	Provide adequate ventilation. Use non-sparking ventilation systems, approved
	explosion-proof equipment, and intrinsically safe electrical systems. Wear
	suitable protective clothing, gloves and eye/face protection.
6.2 Environmental precautions	
	Do not release large quantities into the surface water or into drains.
6.3 Methods and material for contai	nment and cleaning up
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to
	a container for disposal.
6.4 Reference to other sections	
	See Also Section 8, 13.
SECTION 7: HANDLING AND STORAG	E
7.1 Precautions for safe handling	
	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking. Keep container tightly closed. Keep out of reach of
	children.
	Handling of larger amounts: Use explosion-proof electrical/ventilating/lighting/
	equipment. Use non-sparking tools. Take action to prevent static discharges.
7.2 Conditions for safe storage, inclu	uding any incompatibilities
	Store in a well-ventilated place. Keep cool.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	Alkali metals, Acid anhydrides.
7.3 Specific end use(s)	
	Human Hygiene Biocidal Product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA	STEL (ppm)	STEL (mg/m³)	Note
			mg/m³)			
Ethanol	64-17-5	1000	1920			

Source: UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection

Wear protective eye glasses for protection against liquid splashes.





111/2	Skin protection	Not normally required.
	Respiratory protection	No personal respiratory protective equipment normally required.
	Thermal hazards	Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Colourless.
Odour	Alcohol odour.
Odour threshold	Not established.
рН	Not available.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	78 °C – 78.5 °C (Ethanol)
Flash Point	13 °C - 23 °C (Ethanol)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive	Not available.
limits	
Vapour pressure	Not available.
Vapour density	Not available.
Density (g/ml)	Not available.
Relative density	789 kg/m ³ - 857 kg/m ³ @ 20°C (Ethanol)
Solubility(ies)	Solubility (Water) : Completely miscible with water.
	Solubility (Other) : Not available.
Partition coefficient: n-octanol/water	-0.35 @ 20°C (Ethanol)
Auto-ignition temperature	Not available.
Decomposition Temperature (°C)	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	

None.

SECTION 10: STABILITY AND REACTIVITY	
10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.



10.3 Possibility of hazardous reactions		
	No hazardous reactions known if used for its intended purpose.	
10.4 Conditions to avoid		
	Heat and direct sunlight.	
10.5 Incompatible materials		
	Alkali metals, Acid anhydrides.	
10.6 Hazardous decomposition proc	ducts	
	No hazardous decomposition products known.	
SECTION 11: TOXICOLOGICAL INFOR	RMATION	
11.1. Information on toxical gial of		
11.1 Information on toxicological ef		
Acute toxicity - Ingestion	Low oral toxicity.	
	Ethanol: LD50 (rat): 7060 mg/kg	
Acute toxicity - Skin Contact	Low acute toxicity.	
	Ethanol: LD50 > 15800 mg/kg	
Acute toxicity - Inhalation	Low acute toxicity.	
	Ethanol: LC50 (rat): 51 mg/l	
Skin corrosion/irritation	Non-irritant.	
Serious eye damage/irritation	Causes serious eye irritation. No data.	
Skin sensitization data	lt is not a skin sensitiser.	
Respiratory sensitization data	Not classified.	
Germ cell mutagenicity	There is no evidence of mutagenic potential.	
Carcinogenicity	No evidence of carcinogenicity.	
Reproductive toxicity	No evidence of reproductive effects.	
Lactation	Not classified.	

Aspiration hazard **11.2 Other information**

STOT - single exposure STOT - repeated exposure

Not known.

Not classified.

None anticipated.

None anticipated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
	Ethanol: LC50 (Fresh water): 5012 mg/l
Toxicity - Fish	Low toxicity to fish.
	Ethanol: LC50: 11200 mg/l
Toxicity - Algae	Low toxicity to algae.
	Ethanol: EC50 (Fresh water): 275 mg/l
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	The product is biodegradable.
	Ethanol: Readily biodegradable.
12.3 Bioaccumulative potential	
	The product has low potential for bioaccumulation.
12.4 Mobility in soil	



Completely miscible with water. The product is predicted to have high mobility in soil.

	soil.
12.5 Results of PBT and vPvB assess	ment
	Not classified as PBT or vPvB.
12.6 Other adverse effects	
	Not known.
SECTION 13: DISPOSAL CONSIDERATI	ONS
13.1 Waste treatment methods	
15.1 Waste treatment methods	Dispose at suitable refuse site.
13.2 Additional Information	Dispose at suitable refuse site.
13.2 Additional information	Disposal should be in accordance with local, state or national legislation.
SECTION 14: TRANSPORT INFORMATI	ON
14.1 UN number	
UN No.	1170
14.2 UN proper shipping name	
UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3 Transport hazard class(es)	
ADR/RID	
ADR/RID Class	3
ADR Classification Code	F1
Special Provisions	144 601
Limited Quantities	1 L
Excepted Quantities	E2
Emergency Action Code	•2YE
Mixed Packing Instructions for	P001 IBC02 R001
Packages	
Special Packing Provisions for	
Packages	
Mixed Packing Instructions for	MP19
Packages	
Packing Instructions for Portable Tanks	
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL 2
ADR Transport Category	
Tunnel Restriction Code Special Provisions for Carriage -	D/E S2 S20
Operation	52 520
ADR HIN	33
IMDG	55
IMDG IMDG Class	3
Special Provisions	144 601
Limited Quantities	1 L
Excepted Quantities	E2
,	



Mixed Packing Instructions for	P001 IBC02 R001
Packages	
Special Packing Provisions for	
Packages	74
Packing Instructions for Portable Tanks	
Special Provisions for Portable Tanks	TP1
	F-E, S-D
Stowage and Handling	Category A
Segregation	
Marine Pollutant	
	ETHANOL
IATA Proper Shipping Name	ETHANOL
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y341
Passenger and Cargo Aircraft Limited	1 L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	353
Instructions	
Passenger and Cargo Aircraft Max net	5 L
Qty	
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60 L
Special Provisions	A3, A58, A180
Emergency Response Guidebook (ERG)	3 L
Code	
Labels	
Labels	3
14.4 Packing group	V
Packing group	II
14.5 Environmental hazards	
Environmental hazards	Not classified as a Marine Pollutant.
14.6 Special precautions for user	
Special precautions for user	Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use Candidate List of Substances of Very Not listed High Concern for Authorisation REACH: ANNEX XIV list of substances Not listed



subject to authorisation		
REACH: Annex XVII Restrictions on the	Ethanol (64-17-5)	
manufacture, placing on the market and		
use of certain dangerous substances,		
mixtures and articles		
Community Rolling Action Plan	Not listed	
(CoRAP)		
Regulation (EC) N° 850/2004 of the	Not listed	
European Parliament and of the Council		
on persistent organic pollutants		
Regulation (EC) N° 1005/2009 on	Not listed	
substances that deplete the ozone layer		
Regulation (EU) N° 649/2012 of the	Not listed	
European Parliament and of the Council		
concerning the export and import of		
hazardous chemicals		
National regulations		
Other	Not known.	
15.2 Chemical Safety Assessment		
	Not applicable	

Not applicable.

SECTION 16: OTHER INFORMATION	
-------------------------------	--

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)		
	GHS02	GHS07
Hazard classification	Flam. Liq. 2 : Flammable liquid, Categor	•
	Eye Irrit. 2 : Serious eye damage/irritati	on, Category 2
Hazard Statement(s)	H225: Highly flammable liquid and vapo	pur.
	H319: Causes serious eye irritation.	
Precautionary Statement(s)	P102: Keep out of reach of children.	
	P210: Keep away from heat, hot surface sources. No smoking.	es, sparks, open flames and other ignition
	P233: Keep container tightly closed.	
	P240: Ground and bond container and r	eceiving equipment.
	P241: Use explosion-proof electrical/ve	ntilating/lighting/equipment.
	P242: Use non-sparking tools.	
	P243: Take action to prevent static disc	harges.
	P264: Wash hands and exposed skin the	oroughly after handling.
	P305+P351+P338: IF IN EYES: Rinse ca	autiously with water for several minutes.

1-16



	Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use water spray, foam, dry powder or CO ₂ to extinguish. P403+P235: Store in a well-ventilated place. Keep cool. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
	EC : European Community IATA : International Air Transport Association IBC : Internediate Bulk Container IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity UN : United Nations
Disclaimers	vPvB : very Persistent and very Bioaccumulative Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. INEOS Hygienics Limited (formerly known as INEOS Compounds Aycliffe Limited / INEOS Solvents Germany GmbH) gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. INEOS Hygienics Limited (formerly known as INEOS Compounds Aycliffe Limited / INEOS Solvents Germany GmbH) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.