(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 1 of 13 Print date: 05/05/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)

Product Code: 871125223310 UFI: 3126-A0W3-Y007-GXC2

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Tyre Repair

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: A.I&E

Address: Adriaan Mulderweg 9-11
City: 5657 EM - Eindhoven
Province: The Netherlands
Telephone: +31(0)40-2501111
Fax: +31(0)40-2517917
E-mail: info@edco.nl
Web: www.edco.nl

1.4 Emergency telephone number: +31(0)40-2501111 (Only available during office hours; Monday-Friday; 08:00-16:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Aerosol 1: Pressurised container: May burst if heated.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Danger

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements:

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

2.3 Other hazards.

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 2 of 13 Print date: 05/05/2022

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification No 127	- Regulation (EC) 2/2008
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 603-027- 00-1 CAS No: 107-21-1 EC No: 203-473-3 Registration No: 01- 2119456816-28-XXXX	[1] [2] ethanediol, ethylene glycol	>= 5% < 10 %	Acute Tox. 4 *, H302	-
CAS No: 68002-80-2 EC No: 268-094-8	Fatty acids, C14-18 and C16-18-unsatd., potassium salts	>=1% < 2,5%	Eye Irrit. 2, H319	-
CAS No: 102-71-6 EC No: 203-049-8 Registration No: 01- 2119486482-31-XXXX	[2] 2,2',2"-nitrilotriethanol	>0,1% < 1%	-	-
Index No: 007-001- 00-5 CAS No: 7664-41-7 EC No: 231-635-3 Registration No: 01- 2119488876-14-XXXX	[1] [2] ammonia, anhydrous	<0,1%	Acute Tox. 3 *, H331 - Aquatic Acute 1, H400 - Flam. Gas 2, H221 - Skin Corr. 1B, H314	-
Index No: 603-140- 00-6 CAS No: 111-46-6 EC No: 203-872-2 Registration No: 01- 2119457857-21-XXXX	[2] 2,2' -oxybisethanol, diethylene glycol	<0,1%	Acute Tox. 4 *, H302	-
Index No: 603-030- 00-8 CAS No: 141-43-5 EC No: 205-483-3 Registration No: 01- 2119486455-28-XXXX	[1] [2] 2-aminoethanol, ethanolamine	<0,1%	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Skin Corr. 1B, H314	STOT SE 3, H335: C ≥ 5 %
Index No: 613-028- 00-9 CAS No: 110-91-8 EC No: 203-815-1 Registration No: 01- 2119496057-30-XXXX	[1] [2] morpholine	<0,1%	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Flam. Liq. 3, H226 - Skin Corr. 1B, H314	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

^{*} See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

^[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 3 of 13 Print date: 05/05/2022

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

In case of fire, as a general hazard, heat can cause containers to explode.

The product is Extremely inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- Flammable vapors or gases.
- Explosions.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Follow the instructions given in the emergency or fire evacuation plan or plans if available. Move containers away from the area if there is no danger in doing so. Keep away from containers and continue cooling them from a safe place.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required.

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 4 of 13 Print date: 05/05/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. Isolate the area and ensure adequate ventilation. Stockpiling in basements, pits or any confined space or depressed area can be hazardous. For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The fumes are heavier than air and can spread across the ground. They can form explosive mixtures with air. Prevent the creation of flammable or explosive fume concentrations in the air; prevent fume concentrations above work exposure limits. The product must only be used in areas where all unprotected flames and other ignition points have been eliminated. Electrical equipment has to be protected according to applicable standards.

The product can be electrostatically charged: always use earth grounds when transferring the product. Operators must use antistatic footwear and clothing, and floors must be conductors.

Keep the container tightly closed and isolated from heat sources, sparks, and fire. Do not use tools that can cause sparks. For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Pressurised gases must be handled by suitably trained and experienced individuals. Use equipment suitable for supply pressure and temperature. Protect containers against physical damage and keep valves clean and in perfect condition. Do not tamper with original packaging.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. It must not be stored under conditions conducive to corrosion of the container. Protect containers against physical damage and inspect them regularly to ensure they are in good condition.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
athanodial athylana alysal	107-21-1	European	Eight hours	20 (skin)	52 (skin)
ethanediol, ethylene glycol	107-21-1	Union [1]	Short term	40 (skin)	104 (skin)

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 5 of 13 Print date: 05/05/2022

		United Kingdom [2]	Eight hours	20 (vapour)	10 (particulate) 52 (vapour)
		9[]	Short term	40 (vapour)	104 (vapour)
		Éire [3]	Eight hours	20	52
			Short term	104	40 5
2,2',2"-nitrilotriethanol	102-71-6	Éire [3]	Eight hours Short term		5
		European	Eight hours	20	14
		Union [1]	Short term	50	36
		United	Eight hours	25	18
ammonia, anhydrous	7664-41-7	Kingdom [2]	Short term	35	25
			Eight hours	20	14
		Éire [3]	Short term	50	36
		United	Eight hours	23	101
2.21	111 46 6	Kingdom [2]	Short term		
2,2' -oxybisethanol, diethylene glycol	111-46-6		Eight hours	23	100
		Éire [3]	Short term		
		European	Eight hours	1 (skin)	2,5 (skin)
		Union [1]	Short term	3 (skin)	7,6 (skin)
		United	Eight hours	1	2,5
		Kingdom [2]	Short term	3	7,6
		Éire [3] United States	Eight hours	1	2,5
2-aminoethanol, ethanolamine	141-43-5		Short term	3	7,6
2 drimocalarior, caramolarime	111 13 3		Eight hours	3	
		[4] (Cal/OSHA)	Short term	6	
		United States	Eight hours	3	6
		[5] (NIOSH)	Short term		
		United States	Eight hours	3	
		[6] (OSHA)	Short term	6	26
		European	Eight hours	10	36 72
		Union [1]	Short term	20	
morpholine	110-91-8	United	Eight hours	10 20	36 72
		Kingdom [2]	Short term	10	36
		Éire [3]	Eight hours Short term	20	72
547.A		(005(1/))	Short term	20	(705(1))

^[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
ethanediol, ethylene glycol	DNEL	Inhalation, Chronic, Local effects	35
CAS No: 107-21-1	(Workers)		(mg/m³)
EC No: 203-473-3			
	DNEL	Inhalation, Chronic, Local effects	5 (mg/m ³)
	(Workers)		
2.21.211 mituil atminth and	DNEL	Inhalation, Chronic, Local effects	1,25
2,2',2"-nitrilotriethanol	(Consumers)		(mg/m³)
CAS No: 102-71-6 EC No: 203-049-8	DNEL	Inhalation, Chronic, Systemic effects	5 (mg/m ³)
EC NO. 203-049-6	(Workers)		,
	DNEL	Inhalation, Chronic, Systemic effects	1,25
	(Consumers)		(mg/m³)

^[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

^[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

^[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

^[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

^[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 6 of 13 Print date: 05/05/2022

	DNEL (Workers)	Dermal, Chronic, Systemic effects	6,3 (mg/kg bw/day)
	DNEL (Consumers)	Dermal, Chronic, Systemic effects	3,1 (mg/kg bw/day)
	DNEL (Consumers)	Oral, Chronic, Systemic effects	13 (mg/kg bw/day)
ammonia, anhydrous CAS No: 7664-41-7	DNEL (Workers)	Inhalation, Chronic, Local effects	14 (mg/m³)
EC No: 231-635-3	DNEL (Workers)	Inhalation, Chronic, Systemic effects	47,6 (mg/m³)
2,2' -oxybisethanol, diethylene glycol CAS No: 111-46-6 EC No: 203-872-2	DNEL (Workers)	Inhalation, Chronic, Local effects	60 (mg/m³)
2-aminoethanol, ethanolamine CAS No: 141-43-5 EC No: 205-483-3	DNEL (Workers)	Inhalation, Chronic, Local effects	3,3 (mg/m³)
morpholine CAS No: 110-91-8	DNEL (Workers)	Inhalation, Chronic, Local effects	36 (mg/m³)
EC No: 203-815-1	DNEL (Workers)	Inhalation, Chronic, Systemic effects	91 (mg/m³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	0,32 (mg/L)
	aqua (marine water)	0,032 (mg/L)
	aqua (intermittent releases)	5,12 (mg/L)
2.21.211 nitrilatriathanal	STP	10 (mg/L)
2,2',2"-nitrilotriethanol CAS No: 102-71-6	sediment (freshwater)	1,7 (mg/kg
EC No: 203-049-8		sediment dw)
LC No. 203-049-0	sediment (marine water)	0,17 (mg/kg
		sediment dw)
	soil	0,151 (mg/kg
		soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Tyre Repair
Breathing protect	
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
Filter Type needed:	A2
Hand protection:	
PPE:	Protective gloves against chemicals.
Characteristics:	«CE» marking, category III.

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Date of compilation: 5/05/2022 Version 1

Page 7 of 13 Print date: 05/05/2022

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Maintenance:

Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or

Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations:

Always use with clean, dry hands.

Breakthrough time Material thickness Material: PVC (polyvinyl chloride) > 480 0,35 (min.): (mm):

Eye protection: PPE: Protective goggles with built-in frame.

«CE» marking, category II. Eye protector with built-in frame for protection against Characteristics:

dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance:

be disinfected periodically following the manufacturer's instructions.

Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, Observations:

scraping etc.

Skin protection:

PPE: Anti-static protective clothing.

«CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics:

order not to obstruct the user's movements.

EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5 CEN standards:

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

the manufacturer.

The protective clothing should offer a level of comfort in line with the level of protection provided in

Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level

of activity and the expected time of use.

PPE: Anti-static safety footwear. Characteristics: «CE» marking, category II.

EN ISO 13287, EN ISO 20344, EN ISO 20346 CEN standards:

Maintenance: The footwear should be checked regularly

The level of comfort during use and acceptability are factors that are assessed very differently depending

Observations: on the user. Therefore, it is advisable to try on different footwear models and, if possible, different

widths.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: White Odour: Caracteristico Odour threshold: Not available Melting point: Not available Freezing point: Not available

Boiling point or initial boiling point and boiling range: 101 °C

Flammability: Not available Lower explosion limit: Not available Upper explosion limit: Not available

Flash point: -79 °C

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: Not available (Substance/mixture is apolar/aprotic).

Kinematic viscosity: Not available Solubility: Not available Hydrosolubility: Not available Liposolubility: Not available

Partition coefficient n-octanol/water (log value): Not available

Vapour pressure: 22.505 Pa (Estimations in base on the Regulation (CE) Nº1272 / 2008 indications.)

Absolute density: Not available

Relative density: 0.75 g/ml (Estimations in base on the Regulation (CE) No1272 / 2008 indications.)

Relative vapour density: Not available

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 8 of 13 Print date: 05/05/2022

Particle characteristics: Not available

9.2 Other information

Viscosity: Not available

Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not available

Blink: Not available

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

If the storage conditions are satisfied, does not produce dangerous reactions.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

Extremely flammable aerosol.

Pressurised container: May burst if heated.

10.4 Conditions to avoid.

Avoid the following conditions:

- High temperature.
- Static discharge.
- Contact with incompatible materials.
- Avoid temperatures near or above the flash point. Do not heat closed containers. Avoid direct sunlight and heat, as these may cause a risk of fire.

10.5 Incompatible materials.

Avoid the following materials:

- Explosives materials.
- Toxic materials.
- Oxidizing materials.

10.6 Hazardous decomposition products.

In case of fire, dangerous decomposition products can be generated, such as carbon monoxide and dioxide and nitrogen fumes and oxides.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) N^0 1272/2008.

Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
		LD50	Rat	5530 mg/kg bw [1]	
		LD50	Rat	6400 mg/kg bw [2]	
	Oral				
		[1] National Technical Information Service. Vol. OTS0516797			
2,2',2"-nitrilotriethanol		[2] Study report, 1966.			
		LD50	Rabbit	> 22500 mg/kg bw [1]	
	Dermal				
		[1] Union (Carbide Data Sh	neet. Vol. 3/18/1965	
	Tulantina				
CAS No: 102-71-6 EC No: 203-049-8	Inhalation				

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 9 of 13 Print date: 05/05/2022

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity				
Name	Туре	Test	Kind	Value	
		LC50 LC50	Carassius auratus Leuciscus idus	>5000 mg/L (24 h) [1] >10000 mg/l (48 h) [2]	
	Fish	[1] Experimental result, Study meets generally accepted scientific principles. however, exposure period only 24 h instead of 96 h according to recent guidelines (e.g. OECD 203). [2] Study meets generally accepted scientific principles. however, exposure period only 48 h instead of 96 h according to recent guidelines (e.g. OECD 203)			
2,2',2"-nitrilotriethanol		EC50 EC50	Artemia salina Daphnia magna	5600 mg/L (24 h) [1]	
	Aquatic invertebrates	petrochemi [2] Results Daphnia m	of the harmful effect	y GT and Conway RA, 1974. ts of water pollutants to eproduction test. Kuehn R,	
	Aquatic plants	EC0 TTC EC50	Colpoda Scenedesmus quadricauda Scenedesmus subspicatus	160 mg/l [1] 715 mg/l (8 d) [2] 750 mg/l (48 h) [3]	

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 10 of 13 Print date: 05/05/2022

CAS No: 102-71-6	EC No: 203-049-8	 [1] Handbook of Environmental Data on Organic Chemicals, 2nd ed. Van Nostrand Reinhold Co., New York, USA: 518-519. [2] Testing of substances for their toxicity threshold: Model organisms Microcystis (Diplocystis) aeruginosa and Scenedesmus quadricauda. [3] Results of the harmful effects of water pollutants to green algae (Scenedesmus subspicatus) in the cell multiplication inhibition test.
------------------	------------------	---

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
	Name		BCF	NOECs	Level
ethanediol, ethylene glycol	ethanediol, ethylene glycol				
CAS No: 107-21-1	EC No: 203-473-3	-1,36	-	-	Very low
2,2',2"-nitrilotriethanol		1			Maradani
CAS No: 102-71-6	EC No: 203-049-8	-1	-	•	Very low
2,2' -oxybisethanol, diethylene glycol		-1,47		_	Very low
CAS No: 111-46-6	EC No: 203-872-2	-1,47	_	-	very low
2-aminoethanol, ethanolamine		4.04			
CAS No: 141-43-5	EC No: 205-483-3	-1,31	-	•	Very low
morpholine		0.96			Vonclous
CAS No: 110-91-8	EC No: 203-815-1	-0,86	-	-	Very low

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 11 of 13 Print date: 05/05/2022

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA

for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN1950

14.2 UN proper shipping name.

Description:

ADR/RID: UN 1950, AEROSOLS, 2.1, (D)
IMDG: UN 1950, AEROSOLS, 2.1 (-79°C)
ICAO/IATA: UN 1950, AEROSOLS, 2.1

14.3 Transport hazard class(es).

Class(es): 2

14.4 Packing group.

Packing group: Not applicable.

14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-D,S-U

14.6 Special precautions for user.

ADR LQ: 1 L IMDG LQ: 120 ml ICAO LQ: Not applicable.



Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) VOC content (p/p): 46,363 % VOC content: 347,723 g/l

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 12 of 13 Print date: 05/05/2022

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H221	Flammable gas.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Classification codes:

Acute Tox. 3: Acute toxicity (Inhalation), Category 3
Acute Tox. 4: Acute toxicity (Dermal), Category 4
Acute Tox. 4: Acute toxicity (Inhalation), Category 4
Acute Tox. 4: Acute toxicity (Oral), Category 4
Aerosol 1: Flammable aerosol, Category 1

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1

Eye Irrit. 2 : Eye irritation, Category 2 Flam. Gas 2 : Flammable gas, Category 2 Flam. Liq. 3 : Flammable liquid, Category 3 Skin Corr. 1B : Skin Corrosive, Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment.

(in accordance with Regulation (EU) 2020/878)

871125223310-DUNLOP TIRE SEALER & INFLATOR BIKE 110cc (75ml)



Version 1 Date of compilation: 5/05/2022

Page 13 of 13 Print date: 05/05/2022

IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.