# WARNING

# **Dangerous to the Environment**

Hazard Classification: 6.9B, 9.1C

#### **Safety Directions**

Dicyclanil may cause damage to the haemopoietic system through prolonged or repeated exposure. Do not breathe vapours/spray. Get medical attention if you feel unwell. When handling this product, avoid contact with eyes and skin, and wash hands after use, as the product may cause mild irritation.

#### **Environmental Protection**

Harmful to aquatic life. Avoid contamination of any water supply with product or empty container.

#### **Emergency Response**

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Bispose of waste safely.

#### Disposa

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Triple rinse empty container and dispose of rinsate away from waterways. Crush or puncture and bury in a suitable landfill. Do NOT use container for any other purpose.

\*For further details see the Safety Data Sheet

# **SHAKE WELL BEFORE USE**



### PLEASE READ LABEL COMPLETELY BEFORE USE

| Bodyweight (kg) | Dose of CLIK<br>(mL) | 20 L<br>Bands x volume<br>in each (mL) |
|-----------------|----------------------|--|
| 10-20           | 20                   | 2 x 10                                 |
| 21-30           | 25.5                 | 3 x 8.5                                |
| 31-50           | 30                   | 3 x 10                                 |
| > 50            | 36                   | 4 x 9                                  |

Application of CLIK for the protection of all areas likely to be struck.



NOTE: To achieve the best results it is very important that CLIK is applied onto all areas to be protected. Where protection of the crutch is particularly important two thirds of the dose should be applied in this area.

Application and dose rate of CLIK at docking for the prevention of flystrike.

Apply between 5 mLs and 10 mLs over the crutch ensuring that sufficient product to cover the area to be protected is applied (see diagram).

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limit of Agricultural Compounds) Food Standards.



# **NET CONTENT 20 Litres**

### **HELPLINE:**

**Phone 0800 ELANCO (0800 352 626)** 

### WITHHOLDING PERIODS

MEAT: Sheep (other than merinos) must not be sold for slaughter during or within 35 days of treatment.
Merino animals producing meat for human consumption must not be sold for slaughter during or within 56 days of treatment.

2. MILK: Milk intended for sale for human consumption must be discarded for 35 days following treatment.

#### **WOOL RESIDUES**

Ensure the time between dipping and subsequent shearing is at least **two months** except in the case of spot treatment of flystrike. For advice on your dipping programme contact your supplier.

### **ACTIVE INGREDIENT**

**CLIK** contains 50 g/L of dicyclanil in the form of a SuspoEmulsion.

### GENERAL INFORMATION

**CLIK** is a ready to use spray-on which will give you long term residual protection (up to 18 weeks) against flystrike caused by all the commonly found strike flies including the Australian blowfly (*Lucilia cuprina*).

A shorter period of protection may occur if **CLIK** is applied incorrectly, if there is excessive fleece soiling or if wool infections such as mycotic dermatitis (fleece rot) are present. Heavy rain following application of this product may diminish the period of protection.

### **DIRECTIONS FOR USE**

Apply CLIK through a suitable **clean** applicator gun in bands (see diagrams) with the gun held 20 cm above the wool during application.

By law, the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product as directed on the label.

#### STORAG

Store in original container, tightly closed, away from direct sunlight, in a cool, dry place, avoiding temperatures below 0°C and above 35°C.

### **CONDITIONS OF SALE**

The manufacturer of this animal remedy extends/grants to the purchaser a warranty that this animal remedy is reasonably fit for the purposes for which its use is recommended, provided that the purchaser uses the remedy only for the purposes for which it is recommended him and strictly in accordance with the directions on this container.

Registered pursuant to the ACVM Act 1997, No. A006606.

See www.foodsafety.govt.nz for registration conditions.

Registered to Elanco Animal Health (Division of Eli Lilly and Company (NZ) Limited), Level 1, 123 Ormiston Road, Botany Junction, Auckland 2016.

Approved pursuant to the HSNO Act 1996, Approval Code: HSR001793. See <u>www.epa.govt.nz</u> for approval conditions. CLiK, Elanco and the diagonal bar logo are trademarks of Eli Lilly and Company or its affiliates.

YL402164X 916800





BATCH No: FXPIRY:

