Product name: Maxiban Revision Date: 18AUG2020 Pack sizes: 25 kg Prepared by: R. Pottie Reason: Formatting changes to text, change WHP wording

Page: 1 of 3 Type of label: Bag, front and back. Country: New Zealand

Text above this line is not included in the actual label.

BAG – Front Panel

DANGER KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY

ELANCO[™] Maxiban [™]

Narasin/nicarbazin (diagonal bar ™) Premix

Net Weight: 25 kg

Containing 80 g of narasin activity and 80 g of nicarbazin activity per kg.

FOR BROILER CHICKEN FEEDS ONLY DO NOT USE IN LAYER HENS

As an aid in the prevention of coccidiosis caused by *Eimeria acervulina*, *E. brunetti*, *E. maxima*, *E. mivat*i, *E. necatrix*, and *E. tenella*.

Elanco Australasia Pty Ltd 27/88 Shortland Street Auckland, 1010, New Zealand HELPLINE: Phone 0800 426 633 www.elanco.co.nz



GENERIC PRODUCT NAME	VERSION	REVISION DATE	ACVM CODE
MAXIBAN	FINAL	22APR2020	A005591

Product name: Maxiban Revision Date: 18AUG2020 Pack sizes: 25 kg Prepared by: R. Pottie **Reason**: Formatting changes to text, change WHP wording

Page: 2 of 3 Type of label: Bag, front and back. Country: New Zealand

Text above this line is not included in the actual label.

BAG – Back Panel

DANGER Toxic if swallowed or inhaled May cause damage to organs Causes serious eve damage Dangerous to the environment Read label before use

Safety Precautions and Directions

Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust. Use only outdoors in a wellventilated area. Wear protective gloves, protective clothing, eye and face protection. Store locked up in a well-ventilated place. Keep container tightly closed.

First Aid

If medical advice is needed, have product container or label at hand. IF SWALLOWED: Immediately call the National Poisons Centre 0800 POISON (0800 764 766) or a doctor. Rinse mouth. DO NOT induce vomiting. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the National Poisons Centre 0800 POISON (0800 764766) or a doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

Environmental Protection

Toxic to aquatic life with long lasting effects. Harmful to the soil environment. Very toxic to terrestrial vertebrates. Avoid release to the environment.

Emergency Response

In case of spillage wear appropriate protective clothing and prevent material from entering waterways. Sweep up solids without creating dust and place in waste containers. Wash area with water and absorb with inert material. Dispose of waste safety. For specialist advice in an emergency call 0800 CHEMCALL (0800 243 622).

Disposal

Preferably dispose of product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Burn empty packaging, if circumstances such as wind direction permit. Otherwise bury in a suitable landf

fill.	RPRIMARE HOUSTRIE
	NEW ZEALAND
	Mingag

GENERIC PRODUCT NAME	VERSION	REVISION DATE	ACVM CODE
MAXIBAN F	FINAL	22APR2020	A005591

Product name: Maxiban Revision Date: 18AUG2020 Pack sizes: 25 kg Prepared by: R. Pottie Reason: Formatting changes to text, change WHP wording

Page: 3 of 3 Type of label: Bag, front and back. Country: New Zealand

Text above this line is not included in the actual label.

MIXING AND FEEDING DIRECTIONS

IMPORTANT: MUST BE THOROUGHLY MIXED IN FEEDS BEFORE USE.

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Mixing Directions:

Thoroughly mix 500-625 g of Maxiban Premix in one tonne to provide 40-50 g narasin activity and 40-50 g of nicarbazin activity per tonne of complete feed.

Feeding Directions:

Broilers: Feed continuously as the only ration for at least 14-28 days.

Do not use in layer hens.

CONTRAINDICATIONS: Poultry consuming narasin should not be treated with products containing tiamulin or oleandomycin. Severe growth depression may occur.

CAUTION: Do not allow horses or other equines access to feeds containing narasin. Ingestion by horses has been fatal. Do not feed to game birds.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD:

Meat: Nil

Eggs: DO NOT USE in birds that are producing or may in the future produce eggs or egg products which may be used or processed for human consumption.

STORAGE: Avoid moisture and excessive heat.

STORE BELOW 30°C

See side of bag for Expiry Date and Batch Number

Safety Data Sheet: If additional hazard information is required, refer to the Safety Data Sheet. For a copy please go to www.elanco.co.nz.

Registered pursuant to the ACVM Act 1997, A005591 See <u>www.foodsafety.govt.nz</u> for registration conditions

Approved pursuant to the HSNO Act 1996, No HSR002035

Maxiban, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

BAG – Side Panel Elanco ™ Maxiban ™ Expiry Date: Batch Number: BAG – Side and Bottom Panel Elanco ™ Maxiban ™ Elanco ™ Maxiban ™ Generic Product NAME VERSION REVISION DATE ACVM CODE MAXIBAN FINAL 22APR2020