

WARNING

Hazard Classification: 6.9B, 9.1C, 9.3C

Safety Directions

Dicyclanil may cause damage to the haemopoietic system through prolonged or repeated exposure. Do not breathe vapours/spray. Get medical attention if you feel unwell. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Environmental Protection

Harmful to aquatic life with long lasting effects. Harmful to terrestrial vertebrates. Avoid release to the environment.

Emergency Response

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Dispose of waste safely.

Disposal

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Triple rinse empty container and dispose of rinsewater away from waterways. Crush or puncture and bury in a suitable landfill. Do NOT use container for any other purpose.

*For further details see the Safety Data Sheet.

SHAKE WELL BEFORE USE

CLiK™

EXTRA SPRAY-ON

PLEASE READ LABEL COMPLETELY BEFORE USE

FOR THE PREVENTION OF BODY AND BREEC STRIKE

Bodyweight (kg)	Total dose volume/sheep (mL)	Bands x volume in each (mL)	No. bands on breech	No. bands on back	No. sheep treated per 5L	No. sheep treated per 20L
10-20	20	2 x 10	1	1	250	1000
21-30	25.5	3 x 8.5	2	1	196	784
31-50	30	3 x 10	2	1	166	666
> 50	36	4 x 9	2	2	138	555

WITHHOLDING PERIODS

MEAT: Sheep producing meat or offal for human consumption must not be sold for slaughter within 21 days of treatment.
MILK: Milk intended for sale for human consumption must be discarded for 35 days following treatment.

Wool Residues

Ensure the time between treatment and subsequent shearing is at least two months.

ACTIVE INGREDIENT

CLiK Extra Spray-On contains 65 g/L of dicyclanil in the form of a suspoemulsion.

Application of CLiK Extra Spray-On for the protection of all areas likely to be struck.



NOTE: To achieve the best results it is very important that CLiK Extra Spray-On is applied onto all the areas to be protected. If only breech OR body protection is needed the required bands should be applied according to the above table.

Application and dose rate of CLiK Extra Spray-On at docking for the prevention of flystrike.

Apply between 5 mL and 10 mL over the crutch ensuring that sufficient product, to cover the area to be protected, is applied (see diagram).

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limit of Agricultural Compounds) Food Standards.

YL402118B 918801



GENERAL INFORMATION

CLiK Extra Spray-On is a ready to use spray-on which will give long term residual protection against flystrike caused by all the commonly found strike flies including the Australian blowfly (*Lucilia cuprina*). In NZ clinical trials the duration of protection observed was between 14 and 26 weeks. It may be used on sheep with any length wool from 4 weeks after shearing. The period of protection may be reduced under conditions of heavy fly pressure or heavy rainfall. A shorter period of protection may occur if CLiK Extra Spray-On is applied incorrectly, if there is excessive fleece soiling or if wool infections such as mycotic dermatitis (fleece rot) are present. It is good agricultural practice to check animals regularly for fly strike.

DIRECTIONS FOR USE

Apply CLiK Extra Spray-On through a suitable clean applicator gun in bands (see diagrams) with the gun held 20 cm above the wool during application.

By law, the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product as directed on the label.

STORAGE

Store below 30°C. Store in original container, tightly closed, away from direct sunlight, in a cool, dry place. Use product within 12 months of opening.

Exclusion of liability

To the extent permitted by legislation, Elanco will not be liable or responsible for any loss, damage or expense where the product is not used as directed.

Registered pursuant to the ACVM Act 1997, No. A011384.

See www.foodsafety.govt.nz for registration conditions.

Registered to Elanco Animal Health (Division of Eli Lilly and Company (NZ) Limited), Level 1, 123 Ormiston Road, Botany Junction, Auckland 2016.

Approved Pursuant to the HSN0 Act 1996, Approval Code: HSR100759.

See www.epa.govt.nz for approval conditions.

CLiK, Elanco and the diagonal bar logo are trademarks of Eli Lilly and Company or its affiliates.

HELPLINE:

Phone 0800 ELANCO (0800 352 626)

BATCH No:

EXPIRY:

Elanco™

NET CONTENT 5 Litres

