

Paper Code: M-EPA-SHCSWAP02ANS3003

Senior Healthcare Support Worker Adult Nursing Support - Mock Test



Information for registered centres

The seal on this examination paper must only be broken by the candidate at the time of the examination.

Under no circumstances should a candidate use an unsealed examination paper.

Information for candidates

Under no circumstances should you, the candidate, use an unsealed examination paper.

This examination consists of **60 multiple-choice** questions.

Part A is the core multiple-choice questions, this contains 40 questions worth a total of **40** marks. Part B is the pathway multiple-choice questions, this contains 20 questions worth a total of **20 marks**.

You must achieve 16 marks on Part A and 8 marks on part B.

The exam is worth 60 marks, with a Pass being 24 marks, and Distinction 45 marks.

The duration of this examination is 90 minutes.

You are **NOT** allowed any assistance to complete the answers.

You must use a pencil to complete the answer sheet - pens must NOT be used.

When completed, please leave the examination answer sheet (EAS) on the desk.

EXAMINATION ANSWER SHEET (EAS) INSTRUCTIONS:

For each question, fill in **ONE** answer **ONLY**.

If you make a mistake, ensure you erase it thoroughly.

You must mark your choice of answer by shading in **ONE** answer circle only.

Please mark each choice like this:

01 A B ANSWER COMPLETED CORRECTLY

Examples of how NOT to mark your examination answer sheet (EAS). These will not be recorded.

DO NOT partially shade the answer circle

ANSWER COMPLETED INCORRECTLY

DO NOT use ticks or crosses

ANSWER COMPLETED INCORRECTLY

1 A B O DO NOT use circles

ANSWER COMPLETED INCORRECTLY

DO NOT shade over more than one answer circle
ANSWER COMPLETED INCORRECTLY

All candidates **MUST** sign the Examination Answer Sheet (EAS) in the bottom right-hand corner of the page before leaving the examination room.



Part A is comprised of the following 40 core questions.

1

You are with a patient who has undergone routine surgery. You are conducting a wound check and note the patient is bleeding. You see blood on the treatment table. The **most** appropriate immediate course of action is to reassure the patient and:

- A. clean the table with warm water
- B. get the blood spillage kit
- C. call for help
- D. stop the bleeding

2

A Waterlow score is a tool used for:

- A. pressure ulcer risk assessment
- B. pain assessment
- C. obesity assessment
- D. mobility risk assessment

3

You have observed a support worker repositioning an overweight individual using their own strength. In your role as the worker's supervisor, you check the wellbeing of both the individual and the staff member. Your next immediate action is to:

- A. ensure a hoist is positioned next to the individual's bed
- B. remind the worker about the agreed ways of working to move individuals safely
- C. update the individual's risk assessment as it must be out of date
- D. put notices by the individual's bed to remind staff of what to do

4

You are assisting the nurse to compile a history of Mrs Wentworth for her care plan. The **key** information needed is:

- A. current conditions and medication including significant past medical history
- B. next of kin, past medical history and home care needs
- C. next of kin, history of wounds and medication
- D. religion, telephone number of next of kin and number of children

5

You are admitting a lady on to a surgical ward for routine minor surgery. On arrival she is anxious and concerned about how she will get home once the surgery is complete. The most appropriate immediate action is to:

- A. provide her with the details of local taxi companies and a telephone
- B. reassure her and advise that you will find the most suitable transport
- C. ask if she has any family or friends that can collect her and take her home
- D. provide her with a copy of the local bus timetable

6

Senior healthcare support workers must follow guidance on how to provide safe and compassionate care, and these standards are **most** likely to be outlined in the:

- A. confidentiality code of practice and e-safety policy
- B. self-assessment report and code of conduct
- C. code of conduct and Care Certificate
- D. health and safety policy and e-safety policy



7

An individual has started forgetting to do everyday tasks relating to their own personal care and is struggling to recall names of staff and relatives. This **most** likely indicates a change to their:

- A. functional mobility
- B. social interactions
- C. cognitive functioning
- D. behavior

8

The decision to undertake CPR when an individual goes into cardiac arrest is provided:

- A. on the DNAR
- B. by the GP
- C. by the family, if the individual lacks capacity
- D. by anyone who knows the individual

9

While traveling home from work you overhear 2 people chatting on the bus, and you notice that it is 2 colleagues from work. You hear the name of the individual that you cared for that day and also confidential information that was shared with the two colleagues. The most appropriate course of action would be to:

- A. do nothing as you are not at work and your duty of care does not apply
- B. join the conversation as you too have looked after the patient and have insights to share
- C. advise that they have the incorrect information
- speak to your manager when you return to work the following day

10

You have observed a support worker using ineffective communication when providing personal care to an individual. In your role as their supervisor, your **most** immediate action is to:

- A. speak to the worker immediately so the individual they are supporting is aware that you are undertaking your tasks effectively
- 3. wait until all individuals are up, washed and dressed, then undertake a formal supervision with the worker
- C. stop the worker when appropriate, making sure the individual is safe and comfortable, and then retire to a private area with the worker and clearly outline the issues observed
- D. leave a request for the manager to deal with it when they are next on duty

11

Being open and honest when something goes wrong with an individual's treatment or care, or when something has the potential to cause harm or distress, is known as:

- A. demonstrating your duty of care
- B. demonstrating your duty of candour
- C. a safeguarding precaution
- D. offering equality and inclusion

12

The most appropriate source of information about your own role and responsibilities in relation to protecting individuals from all types of abuse is the:

- A. NHS's health and safety policy
- B. local safeguarding policy
- C. organisation's policy on e-safety
- D. national helpline for modern slavery



13

Makaton is a method of communication that uses:

- A. British Sign Language
- B. written language
- C. technological aids
- D. gestured signs and symbols

14

You have been completing a care plan with an individual. The individual is struggling to make decisions and loses interest in your conversation. The **most** appropriate action to take to ensure the individual is engaged is to:

- A. speak to your manager for advice on what to do next
- B. adapt your communication method according to their preferences
- C. stop the interaction, leave for a while and try again when you are next on shift
- D. see if another colleague can communicate more effectively with the individual

15

Patients have a legal right to request that their information is not shared and must be informed that if they make this choice it may affect their care or treatment. This is most likely stated within the:

- A. confidentiality code of practice
- accessible information and communication policy
- C. cybersecurity policy
- D. clinical audit code of practice

16

You are supporting the discharge of a long-term patient from the ward. You have been trying to contact a family member to plan the discharge but the number on file is not working. Thinking about professional boundaries, the **most** appropriate way to contact the family is to:

- A. search on social media and private message 2 people with the same name
- B. locate their contact details in the patient's records, visit their address and speak to a family member directly
- C. find their contact details in the patient's records and arrange for a letter to be sent to them
- D. continue organising the discharge and hope the family visit before the discharge date

17

You have been asked to mentor a new member of staff. You used to work with this person and they tended to ignore instructions. The most appropriate action to take in response to this request is to:

- A. refuse to be the person's mentor as you do not like their approach
- B. ask one of the other senior members of staff to be their mentor
- C. mentor the staff member but enforce stricter instructions to ensure they follow procedure
- D. mentor the individual and maintain professional boundaries

18

The most important reason for moving and positioning individuals and equipment according to legislation and agreed ways of working is to:

- avoid harm or injury to the individual, yourself and others
- B. decrease the risk of litigation
- C. increase patient satisfaction
- D. demonstrate that procedures are implemented



19

You sustain a needle stick injury from a used needle. You have bled and cleaned the area. The **most** appropriate action is to:

- A. report to the nurse in charge and complete an untoward incident report
- B. complete an untoward incident report and keep this for your own CPD records
- C. follow guidelines, report to the nurse in charge and seek occupational health advice
- D. inform the patient whom you were assisting

20

An individual is displaying signs of depression and anxiety. The most appropriate service the individual should be referred to is the:

- A. local drug and alcohol misuse service
- B. psychological therapies service through their GP
- C. occupational therapy and physiotherapy service
- D. Samaritans

21

You are caring for an individual who is in constant pain and is taking pain relief medication. You notice that the pain relief medication does not appear to be effective as the individual cries out in pain when moved. The most appropriate immediate action is to:

- A. record all information in the care plan
- B. contact their GP or consultant with their agreement
- C. talk to the individual about it
- D. report it to the family

22

An individual whose mobility is deteriorating and requires aids to mobilise in their own home, would be assessed by the:

- A. physiotherapist
- B. occupational therapist
- C. care manager
- D. general practitioner

23

You are supporting an individual who has limited speech. You need to obtain their consent to re-dress a wound. The most appropriate way to establish consent is to:

- A. ask if they are happy for you to re-dress the wound and observe their non-verbal response
- B. assume consent has been given already as the wound has been dressed previously
- C. use non-verbal communication to ask questions and await their response
- D. ask a colleague to distract the individual while you change the dressing

24

An individual explains that the available food options are not meeting their religious needs. Responding to this feedback and ensuring the menus are more diverse shows that the service is adhering to:

- A. health and safety legislation
- B. food safety legislation
- C. equality legislation
- D. data protection legislation



25

The setting is short staffed and a senior colleague asks you to undertake a task that you are not trained to undertake. The **most** appropriate action is to:

- A. refuse and report to your manager
- B. complete the task as you used to do it in your previous employment
- C. refuse and explain that you are not yet competent to perform the task
- D. complete the task as it shows that you are eager

26

You are unsure how to support an individual who has a condition you are unfamiliar with. The most appropriate action to take is to:

- A. request to have further training, information or guidance
- B. ask the individual about the condition
- C. observe the individual, identifying any care needs
- D. speak to the family as they have been looking after the individual

27

You have been mentoring a new healthcare worker and they are struggling to understand their role and responsibilities. The **best** way to support their development is to:

- A. advise that they read their job description again until they understand their role
- recommend that they talk to other colleagues about their roles and responsibilities
- suggest that learning on-the-job is the best way to understand and learn from mistakes
- D. report to your manager to express your concerns about the new worker

28

You have noticed a cleaner not wearing personal protective equipment (PPE) when using a chemical to clean. The risk of harm in this situation is to:

- A. nobody
- B. both you and the cleaner
- C. everyone
- D. you

29

You notice that chemicals have been left out. The most appropriate way to store chemicals is:

- A. according to the manager's instructions
- B. above the cupboards, out of general reach
- C. in a cupboard accessible to all
- D. according to COSHH requirements

30

A method of finding out if local healthcare practice is in line with national standards and benchmarks is known as:

- A. clinical audit
- B. contingency planning
- C. clinical governance
- D. commissioning



31

An individual on the ward is unable to mobilise and is becoming increasingly uncomfortable in the chair they are sat in. The **most** appropriate action to take is to:

- A. wait until family support is available to move the individual
- B. move the individual yourself, carefully and slowly to avoid any further discomfort
- C. speak to a colleague and wait until they are able to support you to move the individual
- D. contact a physiotherapist to assist with moving the individual

32

You are supporting an individual to mobilise and need to gain consent. The individual has limited verbal communication. The most appropriate way to obtain consent in this situation is to:

- A. adapt your communication using alternative, suitable methods
- B. ask the family if they can consent on the individual's behalf
- C. assume they are happy to mobilise and that you do not need consent
- D. ask the physiotherapist if they have already consented to mobilising

33

You receive a call from someone asking for information on a patient. You explain that you are not allowed to give information to a third party. This is stated in the:

- A. General Data Protection Regulation
- B. Freedom of Information Act
- C. Human Rights Act
- D. Care Act

34

Being decisive and confident about your actions, demonstrating calmness under pressure and showing positive leadership to others are characteristics **most** associated with:

- A. an authoritarian
- B. a support worker
- C. an individual needing support
- D. a role model

35

A patient with severe hearing problems and learning disabilities is becoming increasingly anxious and is struggling to understand the complex procedure that has been outlined by the specialist. The most appropriate action to take in order to support this individual is to:

- A. ask the specialist if they can explain the procedure to the individual again
- B. ask their carer to explain the details of the procedure to the individual
- C. reassure the individual and work with them and their carer to describe the procedure without using jargon
- D. provide the carer with a leaflet that they can give to the individual to read

36

You are supporting an individual who has dementia with their daily tasks. The individual seems to struggle to understand what you are verbalising. The **best** way to support them to understand is to:

- A. ask others to be involved in the conversation to see if they can help the individual understand
- adapt your communication method by using verbal and non-verbal communication, using hand gestures, pictures and simple words
- C. continue with their care as they will realise how you are trying to support them
- D. repeat what you are saying without adapting your techniques, they may understand eventually



37

You are caring for an individual who appears to have a low mood, feels hopeless and is becoming socially withdrawn. These symptoms are often associated with depression. Depression can be classified as:

- A. an eating disorder
- B. a mood disorder
- C. a psychotic disorder
- D. a type of dementia

38

Patients' information may be accessible electronically to unauthorised others if staff members:

- A. send an encrypted email
- B. leave devices logged in and unattended
- C. have their own log-in details for the shared drive
- D. only work in secure and private office spaces

39

A rare cause of infection is:

- A. chlamydia
- B. staphylococcus aureus
- C. clostridium difficile
- D. leprosy

40

The **most** appropriate way to establish consent to transfer an individual in severe pain is to:

- A. avoid transferring the individual until the pain is managed
- B. assume consent is not needed as the individual is in severe pain
- C. use their preferred method of communication and check their understanding of the move requirements
- D. use sign language with the individual as they will not listen when in pain



Part B is comprised of the following **20** pathway questions.

41

The most appropriate definition of hypertension is:

- A. high blood pressure
- B. low blood pressure
- C. fluctuating blood pressure
- D. blood pressure that rises when standing

42

A hypertensive blood pressure reading would be:

- A. 110/50mmHg
- B. 120/60mmHg
- C. 130/60mmHg
- D. 140/90mmHg

43

Two organisations that could be notified of an individual's discharge from hospital include:

- A. GP surgery and PALS office
- B. outpatients department and GP surgery
- C. GP surgery and district nursing team
- D. ambulance service and GP surgery

44

The **most** appropriate definition of NHS continuing healthcare is providing a package of care for people who are assessed as having:

- A. healthcare needs, arranged and funded by the local authority
- temporary healthcare needs, arranged and funded by the NHS
- C. significant ongoing healthcare needs, arranged and funded by the NHS
- D. both health and social care needs, arranged and funded jointly by the NHS and the local authority

45

Two factors to promote rest and sleep include:

- A. sleeping at regular times and having less sensory stimulation before bed
- B. keeping a sleep diary and undertaking exercise before bed
- C. taking a warm bath and eating a heavy meal before bed
- relaxation exercises before bed and watching television in bed

46

A patient has poor mobility. To improve their mobility before discharge, the most appropriate service to refer them to would be:

- A. occupational health
- B. physiotherapy
- C. social services
- D. district nursing services

47

Two of the most common symptoms of pyrexia include:

- A. shivering and increased appetite
- B. muscle aches and increased thirst
- C. irritability and weight loss
- D. chills and headache



48

You have been asked to complete a set of physiological measurements for Mr Herbert. However, Mr Herbert appears unusually drowsy, almost unresponsive when you approach him. The **most** appropriate and immediate course of action would be to:

- A. press the emergency buzzer to alert the senior staff on the ward
- B. continue taking the observations as the nurse will need these details
- C. try to elicit a response from Mr Herbert by painful stimulus
- D. leave the observations until Mr Herbert has awoken a little more

49

The most important reason for calibrating equipment used for physiological measurements is to:

- A. ensure that you do not have to keep repeating measurements
- B. prevent electrocution from the device when it is
- C. ensure accurate readings are guaranteed at every use
- D. avoid time wasting when taking measurements

50

The most appropriate way to help someone who is unable to attend to their own personal hygiene needs is to:

- A. complete an assessment that states you will support them fully with all of their personal care needs
- B. talk to the patient about their care throughout the procedure
- C. make a referral to their general practitioner
- D. assess their individual needs and liaise with an occupational therapist to see what equipment may assist them

51

The **most** important aspect of helping an individual to mobilise is to:

- A. ask where they would like to move to
- B. demonstrate how to stand and achieve balance
- C. consider their and your own safety throughout the procedure
- D. assess how many staff need to be present

52

Narcis has had treatment for a broken leg and needs help to transfer to a commode. It is most important to:

- A. check the care plan and risk assessment for the best way to help him transfer
- B. ask your colleague for assistance as he is a heavy man
- C. help him transfer with a banana board as you have been trained
- D. tell him he will have to wait while you get the physiotherapist to advise

53

When setting up for a clinic where you will need a range of equipment, you discover that the ECG machine is showing an error message. The most appropriate course of action would be to:

- A. leave it as you should be able to borrow one if you have a patient needing an ECG
- B. put an out of order note on it and report it to the nurse who is in charge of the clinic
- C. try to fix it yourself as it should just require rebooting
- D. cancel the clinic until the ECG machine is working again properly



54

Mrs Khan has advanced dementia and struggles to communicate verbally. When helping Mrs Khan to dress, the **most** appropriate considerations are to:

- A. keep chatting to Mrs Khan so she does not feel alone and she knows you are with her
- B. maintain privacy and dignity, and always give choices to Mrs Khan using clear verbal communication, gestures and pictures
- C. avoid speaking to her as she may feel more confused by your verbal communication
- always work in pairs when with her so one of you might get through to her

55

Mrs Khan has advanced dementia and is at high risk of weight loss. The **most** appropriate steps to take to prevent this are to:

- A. supply enriched food and fluids and encourage her family to force her to eat
- B. encourage Mrs Khan to drink but avoid setting targets as they are inappropriate
- C. avoid talking about eating and drinking with Mrs Khan as it only focuses on the negative
- D. monitor Mrs Khan's food and fluid intake and assess the level of support she needs to eat and drink

56

The normal pulse rate for an adult is considered to be between:

- A. 40 80BPM
- B. 80 120BPM
- C. 60 100BPM
- D. 70 110BPM

57

When coordinating a complex discharge, the **most** appropriate legislation relating to a patient's right to make their own decision is the:

- A. Carers (Equal Opportunities) Act
- B. Health and Social Care Act
- C. Care Act
- D. Mental Capacity Act

58

The most important consideration when supporting someone who has a diagnosis of dementia is to:

- A. focus on their strengths and their remaining skills
- B. encourage them to remember what happened yesterday
- C. stop the individual going out alone as soon as they are diagnosed
- D. concentrate on helping them regain lost skills

59

Rheumatoid arthritis primarily affects the:

- A. joints
- B. brain
- C. kidneys
- D. liver

60

The **most** important reason for checking the plan of care and risk assessments prior to helping an individual have a bath is to:

- A. assemble the correct toiletries
- B. keep the individual warm
- C. ensure you do no harm
- D. assess the level of privacy needed





Level

Highfield ICON First Point **Balby Carr Bank** Doncaster South Yorkshire DN4 5JQ United Kingdom

01302 363277 info@highfield.co.uk www.highfieldqualifications.com