

Detailed Global Refinish System Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
D711	Single-Stage Ctg	8.31	996	4.55	545	4.54	545	54.7	0	0	0	0	60.8	0.6	
D740		7.95	953	5.79	694	5.79	694	73	0	0	0	0	78.7	0.74	
D741		7.9	947	5.91	709	5.91	708	74.9	0	0	0	0	80.6	0.59	
D744		7.9	947	6.05	725	6.05	725	76.6	0	0	0	0	82.6	0.55	
D746		7.92	949	6.01	720	6.01	720	75.9	0	0	0	0	82.5	0.53	
D747		7.94	951	5.8	695	5.79	694	73.1	0	0	0	0	79.3	0.94	
D748		7.9	947	5.78	692	5.77	692	73.1	0	0	0	0	78.7	0.58	
D749		7.98	956	5.75	689	5.75	689	72.1	0	0	0	0	77.8	1.12	
D750		7.92	949	5.78	692	5.78	692	73	0	0	0	0	78.9	0.88	
D751		8.16	978	5.6	671	5.6	671	68.7	0	0	0	0	77.2	0.54	
D752		7.96	954	5.75	689	5.75	689	72.3	0	0	0	0	78.6	0.81	
D753		10.75	1288	5.39	646	5.39	646	50.2	0	0	0	0	73	0.6	
D754		7.85	941	5.91	709	5.91	708	75.4	0	0	0	0	80.7	0.62	
D756		7.9	947	5.75	689	5.75	689	72.8	0	0	0	0	78.6	0.7	
D757		7.88	944	6.01	720	6.01	720	76.3	0	0	0	0	81.7	0.5	
D759		8.07	967	6.02	721	6.02	721	74.6	0	0	0	0	82.8	0.65	
D760		7.94	951	5.72	686	5.72	686	72.1	0	0	0	0	78.1	1.07	
D761		7.91	948	5.78	692	5.78	692	73.1	0	0	0	0	79	0.94	
D762		7.93	950	5.38	645	5.38	645	67.9	0	0	0	0	74.5	1.3	
D763		8.14	975	5.58	668	5.57	668	68.6	0	0	0	0	76.9	0.56	
D764		8.02	961	5.57	667	5.57	667	69.4	0	0	0	0	75.9	0.64	
D765		8.23	986	5.65	677	5.65	677	68.7	0	0	0	0	77.9	0.52	
D767		7.86	942	6.06	727	6.06	726	77.2	0	0	0	0	83.1	0.51	
D768		7.85	941	6.07	728	6.07	727	77.3	0	0	0	0	83.3	0.46	
D769		7.92	949	6.02	721	6.02	721	76	0	0	0	0	82.6	0.52	
D770		7.66	918	5.86	702	5.86	702	76.5	0.1	0	0	0	80.4	0.52	
D771		7.91	948	6.07	728	6.07	728	76.8	0	0	0	0	83.4	0.49	
D772		7.88	944	6.06	726	6.06	726	77	0	0	0	0	83.1	0.47	
D774		7.94	951	5.84	700	5.84	700	73.6	0	0	0	0	79.9	1.07	
D776		7.97	955	5.87	704	5.87	704	73.7	0	0	0	0	79.7	0.59	
D777		8.15	977	5.8	695	5.8	694	71.2	0	0	0	0	78.9	0.93	
D778		8.95	1072	5.62	674	5.62	674	62.9	0	0	0	0	76.8	0.64	
D779		8.33	998	5.79	694	5.79	694	69.6	0	0	0	0	79.1	0.76	
D780		8.23	986	5.54	664	5.54	664	67.4	0	0	0	0	75.6	0.62	
D789		7.83	938	5.82	697	5.82	697	74.3	0	0	0	0	79.3	0.68	
D790		8.23	986	5.75	689	5.75	689	69.9	0	0	0	0	78.4	0.56	
D792		7.99	957	5.29	634	5.29	634	66.2	0	0	0	0	72.2	0.65	
D793		8.14	975	5.59	670	5.59	669	68.7	0	0	0	0	77.1	0.55	
D794		10.92	1309	5.35	641	5.35	641	49.1	0	0	0	0	73.1	0.71	
D797		8.03	962	5.86	702	5.86	702	73	0	0	0	0	80.2	1.06	
D8001		12.58	1507	4.21	505	4.21	505	33.5	0	0	0	0	57.6	1.43	
D8005		12.42	1488	4.17	500	4.17	500	33.6	0	0	0	0	56.9	1.47	
D8007		11.8	1414	4.15	497	4.15	497	35.2	0	0	0	0	56.9	1.36	
D802		8.1	971	4.94	592	4.94	591	61	0	0	0	0	67.4	0.49	

Detailed Global Refinish System Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
D8035		12.75	1528	3.01	361	2.69	322	30.3	0	9.2	0	10.8	48.4	2.23	8.6
D8080		7.2	863	3.66	438	2.78	333	60.9	0.1	22.2	0.1	24	75	0.08	
D8081		12.89	1545	2.07	248	1.21	145	42.8	0	33.4	0	41.7	58.2	0.41	29
D8085		12.69	1521	2.1	252	1.25	149	43.1	0	33.2	0	40.8	58	0.47	28.9
D8087		13.19	1581	2.06	247	1.23	147	41	0	31.6	0	40.3	57	0.21	27.5
D8099		7.57	907	6.15	737	6.14	736	81.3	0.2	0	0.1	0	89.7	0.94	
D8115		8.81	1056	4.17	499	4.17	499	47.3	0	0	0	0	0	0.5	
D8117		8.61	1032	4.28	513	4.28	513	49.7	0	0	0	0	0	0.34	
D8126	Clear Ctg	8.36	1002	2.93	351	2.08	250	55	0.1	30	0.1	28.9	58.8	0	17
D8150		7.98	956	3.31	396	2.83	339	47.5	0	12	0	14.3	54.1	1.63	
D8152		8.11	972	3.7	443	3.46	415	47.9	0	5.1	0	6.2	53.8	2.55	
D8170	Clear Ctg	9.74	1167	2.73	328	1.46	175	68.5	0	53.5	0	46.6	67.3	0.79	53
D8188	Clear Ctg	9.94	1191	1.94	233	0.98	117	65.8	0	55.9	0	49.7	63.1	0	55.6
D820	Adhesion Promoter	7.24	868	6.96	834	6.96	834	96.2	0	0	0	0	96.9	6.4	
D822		12.85	1540	3.33	398	3.32	398	25.9	0	0	0	0	47.6	1.37	
D8226	Clear Ctg (Hardener)	10.18	1220	0	0	0	0	36.5	0	36.5	0	33.2	33.2	0	36.1
D823		8.49	1017	1.85	222	1.48	177	33.4	0.1	15.9	0.1	20.3	41.7	0.7	
D8239		8.62	1033	4.12	494	4.12	494	47.8	0	0	0	0	0	2.25	
D825		12.78	1531	4.14	496	4.14	496	32.4	0	0	0	0	57	1.43	
D8272	Clear Ctg (Hardener)	9.25	1108	1.09	131	1.09	131	11.8	0	0	0	0	14.9	0	
D8273	Clear Ctg (Hardener)	9.24	1107	1.09	130	1.09	130	11.8	0	0	0	0	14.9	0.14	
D8274	Clear Ctg (Hardener)	9.24	1107	1.1	132	1.1	132	11.9	0	0	0	0	15	0.14	
D8275	Clear Ctg (Hardener)	9.29	1113	1.09	131	1.09	131	11.7	0	0	0	0	14.5	0	
D8291		8.13	974	4.29	514	4.29	514	52.8	0	0	0	0	60.7	2.36	
D8295		8.12	973	4.37	523	4.37	523	53.8	0	0	0	0	60.5	1.12	
D8370		8.74	1047	2.3	275	2.3	275	26.3	0	0	0	0	32.7	0.6	
D8371		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	32.7	0.6	
D8372		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	32.7	0.6	
D8373		9.03	1082	2.32	279	2.32	278	25.8	0	0	0	0	29.9	0	
D8382	Clear Ctg (Hardener)	9.39	1125	2.27	272	1.82	218	43	0	23.6	0	19.8	45.2	0.38	23.4
D8383	Clear Ctg (Hardener)	9.37	1123	2.28	273	1.83	219	43.1	0	23.5	0	19.7	45.3	0.28	23.3
D8384	Clear Ctg (Hardener)	9.31	1116	2.26	271	1.83	219	42.7	0	23.1	0	19.2	45.3	0	22.9
D8385	Clear Ctg (Hardener)	9.55	1144	2.27	272	1.79	214	43.7	0	24.9	0	21.3	44.9	0.12	24.7
D839		12.96	1553	4.13	495	4.13	495	32	0.1	0	0.1	0	57	1.17	
D870		6.94	832	6.94	832	6.94	831	100	0.1	0	0.1	0	100	3.85	
D871		7.09	850	7.09	850	7.09	849	100	0.1	0	0.1	0	100	3.1	
D872		7	839	7	839	7	838	100	0.1	0	0.1	0	100	2.01	
D873		7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77	
D8764	Clear, Single-Stage Ctg Primer (Thinner), Adhesion Promoter	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0	62.4
D8767	Clear, Single-Stage Ctg Primer (Thinner), Adhesion Promoter	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0	99
D8774	Clear, Single-Stage Ctg Primer (Thinner), Adhesion Promoter	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0	82.8

Detailed Global Refinish System Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTf by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
D884	Single-Stage Ctg (Hardener)	8.95	1072	1.44	172	1.44	172	16.1	0	0	0	0	21.2	0	
D887		8.9	1066	1.43	172	1.43	172	16.1	0	0	0	0	21.4	1.42	
D888		8.81	1056	1.64	196	1.64	196	18.6	0	0	0	0	24.4	1.62	
D893		8.04	963	4.12	494	3.92	469	54.3	0	5.6	0	5	59.6	2.18	3.5
D894		7.94	951	4.03	483	4.03	483	50.8	0	0	0	0	56.7	2.82	
D895		7.75	929	5.72	685	5.72	685	73.8	0	0	0	0	78.4	0.83	
D899		6.84	820	6.57	787	6.57	787	96	0	0	0	0	96.6	0	
D9020		8.06	966	5.54	664	5.54	664	68.8	0	0	0	0	76.4	0.54	
D9021		8.1	971	5.58	669	5.58	669	68.9	0	0	0	0	76.9	0.55	
D9022		8.11	972	5.58	669	5.58	669	68.9	0	0	0	0	77	0.55	
D9023		8.1	971	5.57	668	5.57	668	68.8	0	0	0	0	76.9	0.55	
D9024		8.06	966	5.56	666	5.56	666	69	0	0	0	0	76.7	0.55	
D9050		8.04	963	6.32	758	6.32	757	78.7	0	0	0	0	84.5	0	
D942		7.93	950	5.83	698	5.83	698	73.5	0	0	0	0	80.1	0.48	
D943		8.17	979	5.62	673	5.61	673	68.8	0	0	0	0	77.4	0.53	
D944		7.9	947	6.07	727	6.07	727	76.8	0	0	0	0	83.4	0.5	
D945		8.16	978	5.61	672	5.61	672	68.8	0	0	0	0	77.4	0.54	
D946		7.94	951	6.05	725	6.05	724	76.2	0	0	0	0	82.9	0.51	
D947		7.85	941	6.06	727	6.06	726	77.3	0	0	0	0	83.2	0.51	
D952		7.86	942	6.02	721	6.02	721	76.6	0	0	0	0	82.7	0.52	
D953		7.87	943	5.97	716	5.97	716	75.9	0	0	0	0	82.1	0.53	
D954		7.7	923	5.8	695	5.8	695	75.4	0	0	0	0	80	0.53	
D955		8.21	984	5.65	677	5.64	676	68.8	0	0	0	0	77.8	0.53	
D956		8.23	986	5.63	675	5.63	674	68.4	0	0	0	0	77.6	0.52	
D957		8.09	969	5.57	667	5.57	667	68.9	0	0	0	0	76.8	0.57	
D958		8.06	966	5.55	666	5.55	665	68.9	0	0	0	0	76.6	0.58	
D959		10.1	1210	5.55	666	5.55	665	55	0	0	0	0	75.6	0.82	
D960		8.12	973	5.57	668	5.57	667	68.6	0	0	0	0	76.9	0.56	
D964		8.06	966	5.89	706	5.89	706	73.1	0	0	0	0	79.8	0.54	
D965		8.16	978	5.61	672	5.61	672	68.7	0	0	0	0	77.3	0.54	
D966		8.96	1074	5.64	676	5.64	676	63	0	0	0	0	76.9	0.71	
D967		8.4	1007	5.86	703	5.86	702	69.9	0	0	0	0	80.1	0.64	
D968		8.63	1034	5.65	677	5.65	677	65.5	0	0	0	0	77.2	0.77	
D969		8.58	1028	5.75	689	5.75	689	67	0	0	0	0	78.5	0.68	
D970		8.49	1017	5.75	689	5.74	688	67.7	0	0	0	0	78.4	0.69	
D9700		7.69	921	6.04	724	6.04	724	78.6	0	0	0	0	82.9	1.73	
D971		8.51	1020	5.73	687	5.73	687	67.4	0	0	0	0	78.3	0.72	
D973		8.21	984	5.64	676	5.64	676	68.7	0	0	0	0	77.8	0.52	
D976		7.9	947	5.98	717	5.98	717	75.7	0	0	0	0	81	0.76	
D977		8.1	971	6.13	734	6.13	734	75.7	0	0	0	0	80.7	0.65	
D978		7.96	954	5.91	709	5.91	708	74.3	0	0	0	0	80.3	0.48	
D979		7.88	944	6.07	728	6.07	728	77.1	0	0	0	0	82.5	0.42	
D980		8.13	974	5.96	714	5.96	714	73.3	0	0	0	0	81	0.68	
D981		7.86	942	5.77	691	5.77	691	73.4	0	0	0	0	78.8	1	

Detailed Global Refinish System Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product	Percent of PCBTF by Weight
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr								
D983		7.88	944	6.02	722	6.02	721	76.5	0	0	0	0	82.9	0.74	
D985		7.81	936	6.01	720	6	719	76.9	0	0	0	0	82.4	0.73	
D986		8.11	972	5.59	669	5.58	669	68.9	0	0	0	0	77	0.55	
D989		7.94	951	6	719	6	719	75.6	0	0	0	0	82.1	0.47	
D990		9.47	1135	5.66	678	5.66	678	59.8	0	0	0	0	77.8	1.05	
D991		7.88	944	5.73	686	5.73	686	72.7	0	0	0	0	78.2	0.92	
DG913818		10.61	1271	3.78	452	3.78	452	35.6	0	0	0	0	50.7	0.43	