Liquid PVDF

STANDARD	SOLVENTBORNE OR WATERBORNE		PRODUCT NAME	PRODUCT IDENTIFIER	CHEMISTRY	KEY PRODUCT FEATURES	POTENTIAL UNIQUE BENEFIT	DURABILITY	UV CLASS	ALUMINUM	STEEL
FGIA/AAMA 2605-certified	Solventborne	Topcoat	Duranar®	IF	70% PVDF, Solid colors	 Outstanding UV durability (color and chalk resistance) Superior corrosion resistance High flexibility with a tough and hard finish Intermix capabilities Non-flammable 	Maintains quality and aesthetics for a long time Reduces coatings failure and warranty claims Reduces damages during handling and installation Fast delivery/color availability	****	RUV4	•	•
FGIA/AAMA 2605-certified	Solventborne	Topcoat	Duranar	IF Sunstorm®	70% PVDF, Special effect colors	Mica formulations for pearlescent/metalescent finish Intermix capabilities	Eliminates cost of aluminum flakes or additional coats Fast delivery/color availability	****	RUV4	•	•
FGIA/AAMA 2605-certified	Solventborne	Clearcoat	Duranar	IF XL/MXL	70% PVDF with PVDF clearcoat or mica-tinted PVDF clearcoat	Additional corrosion protection when used over Duranar topcoats Good stain resistance Intermix capabilities Non-flammable	Protects and extends aesthetics of metallic colors Reduces maintenance time and costs Fast delivery/color availability	****	RUV4	•	•

