

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
BDL1724H		8.65	1036	0	0	0	0	0	0	0	0	0	0	0
BDL301169		9	1078	0	0	0	0	0	0.1	0	0.1	0	0	0
CAT133	Truck Bed Liner Ctg, Underbody Ctg, Other	9.2	1102	0	0	0	0	0	0	0	0	0	0	0
F3110	Single-Stage Ctg	8.55	1025	2.05	245	2.05	245	23.9	0	0	0	0	29.8	0.33
F3115	Single-Stage Ctg	8.46	1014	1.9	228	1.9	228	22.5	0	0	0	0	27.2	0.03
F3117	Single-Stage Ctg	8.49	1017	2.07	248	2.07	248	24.4	0	0	0	0	29.6	0
F3118	Single-Stage Ctg	9.43	1130	2.29	275	1.4	167	50.2	0.1	35.3	0.1	39	58.8	0
F3125	Color Ctg	8.43	1010	1.85	222	1.85	222	22	0	0	0	0	26.2	0
F3135	Color Ctg	7.31	876	2.93	351	2.93	351	40.2	0.1	0	0.1	0	43.5	0.04
F3140		7.38	884	6.42	769	6.42	769	87	0	0	0	0	90.3	0
F3150		8.22	985	4.18	501	4.17	499	51	0.3	0	0.3	0	57.2	0
F3160		8.4	1007	3.75	449	3.75	449	44.7	0	0	0	0	51.1	0.9
F3175		7.73	926	4.19	502	4.19	502	54.3	0	0	0	0	62.2	2.06
F3200	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener)	9.1	1090	1.35	162	1.35	162	14.8	0	0	0	0	18.4	0
F3210	Clear Ctg (Hardener)	9.96	1193	0.58	69	0.43	52	32.2	0	27.9	0	24.8	30.7	0
F3211	Clear Ctg (Hardener)	9.96	1193	0.58	69	0.43	52	32.2	0	27.9	0	24.8	30.7	0
F3215		9.21	1104	1.27	153	1.27	153	13.8	0	0	0	0	18.7	0
F3240		8.95	1072	1.44	172	1.44	172	16.1	0	0	0	0	21.2	0
F3259	Color Ctg (Hardener)	10.35	1240	0	0	0	0	44.3	0	44.3	0	41	41	0
F3260	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener)	9.24	1107.2	1.34	160	1.34	160	14.5	0	0	0	0	18.3	0
F3270		8.29	993	4.52	542	4.52	541	54.6	0	0	0	0	61.1	0
F3275		8.87	1063	2.05	245	2.05	245	23.1	0	0	0	0	30.1	0
F3310	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	6.93	830	7.25	869	3.12	373	100	0.3	54.7	0.2	56.8	100	0
F3311	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	6.61	792	6.55	785	3.56	427	100	0.2	45.9	0.2	45.4	100	1.41
F3320	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.03	842	7.03	842	7.02	842	100	0	0	0	0	100	0
F3321	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	6.91	828	6.91	828	6.91	828	100	0	0	0	0	100	1.31
F3330	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.12	853	7.12	853	7.12	853	100	0	0	0	0	100	0.01
F3331	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.12	853	7.12	853	7.12	853	100	0	0	0	0	100	1.17
F3340	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.12	854	100	0	0	0	0	100	0.01

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F3341	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.12	853	100	0.1	0	0.1	0	100	1.17
F3350	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100	0	0	0	0	100	0.01
F3351	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77
F3360	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100	0	0	0	0	100	0
F3385	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0
F3390	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0
F3395	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0
F3400	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0
F3405	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.15	977	8.07	968	8.05	965	99.2	0.1	0.2	0.1	0.2	99.2	0
F3410	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	100	0
F3415	Clear Ctg (Additive)	8.18	980	7.65	916	7.63	914	93.5	0.1	0.2	0.1	0.2	94	0
F3440	Color Ctg (Additive)	8.49	1017	0.02	3	0	0	98.7	0.2	98.4	0.2	97.8	98.8	0
F3441	Color Ctg (Additive)	8.69	1041	0.02	2	0	0	99.4	0.2	99.1	0.2	98.5	99.4	0
F3442	Color Ctg (Additive)	10.07	1207	0	0	0	0	99.6	0.1	99.5	0.1	99.3	99.5	0
F3475		9.71	1164	7.93	950	1.4	167	99.8	0.1	85.3	0.1	82.3	99.8	0
F3476		9.71	1164	8	958	1.4	167	99.9	0.1	85.5	0.1	82.5	99.9	0
F3477		9.71	1164	8.02	962	1.4	167	100	0.1	85.5	0.1	82.5	100	0
F3478		9.71	1164	8.04	963	1.4	167	100	0.1	85.6	0.1	82.5	100	0
F3500	Color Ctg, Single-Stage Ctg	9.36	1122	3.66	439	3.62	434	39.7	1	0	1.1	0	48.7	0
F3501	Color Ctg, Single-Stage Ctg	8.8	1054	3.6	432	3.57	427	41.5	0.9	0	1	0	48.3	0
F3502	Color Ctg, Single-Stage Ctg	8.64	1035	4.03	483	3.99	478	47.1	0.9	0	1	0	54	0
F3503	Color Ctg, Single-Stage Ctg	8.96	1074	3.54	424	3.5	420	40	0.9	0	1	0	47.4	0
F3504	Color Ctg, Single-Stage Ctg	8.78	1052	3.96	475	3.96	474	45.2	0.1	0	0.1	0	52.2	0
F3505	Color Ctg, Single-Stage Ctg	9.61	1152	3.92	469	3.91	468	40.9	0.2	0	0.2	0	51.8	0
F3506	Color Ctg, Single-Stage Ctg	8.79	1053	4.26	511	4.25	510	48.7	0.3	0	0.3	0	56.6	0
F3507	Color Ctg, Single-Stage Ctg	8.79	1053	3.86	462	3.85	461	44	0.2	0	0.2	0	50.8	0
F3508	Color Ctg, Single-Stage Ctg	9.59	1149	3.94	472	3.93	471	41.2	0.2	0	0.2	0	51.8	0
F3509	Color Ctg, Single-Stage Ctg	8.8	1054	3.9	467	3.86	463	44.8	0.9	0	1	0	52.3	0
F3510	Color Ctg, Single-Stage Ctg	8.75	1048	4.1	492	4.09	490	47	0.3	0	0.4	0	54.6	0

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F3511	Color Ctg, Single-Stage Ctg	8.53	1022	4.5	540	4.46	535	53.2	0.8	0	0.9	0	60.4	0
F3512	Color Ctg, Single-Stage Ctg	8.51	1020	4.47	536	4.43	531	52.9	0.8	0	0.9	0	60	0
F3513	Color Ctg, Single-Stage Ctg	8.81	1056	3.59	430	3.55	426	41.3	1	0	1.1	0	47.8	0
F3514	Color Ctg, Single-Stage Ctg	8.77	1051	3.99	478	3.98	477	45.6	0.2	0	0.2	0	52.5	0
F3515	Color Ctg, Single-Stage Ctg	8.8	1054	3.38	405	3.34	400	39.2	1.2	0	1.3	0	44.9	0
F3516	Color Ctg, Single-Stage Ctg	8.27	991	3.49	419	3.49	418	42.3	0.1	0	0.1	0	50.6	0
F3517	Color Ctg, Single-Stage Ctg	8.91	1068	3.18	381	3.13	376	36.4	1.2	0	1.3	0	42.3	0
F3518	Color Ctg, Single-Stage Ctg	8.99	1077	3.29	394	3.24	389	37.3	1.2	0	1.3	0	43.6	0
F3519	Color Ctg, Single-Stage Ctg	8.8	1054	3.27	391	3.22	386	37.8	1.2	0	1.3	0	43.5	0
F3520	Color Ctg, Single-Stage Ctg	15.9	1905	3.54	425	3.52	422	22.5	0.3	0	0.5	0	47.5	0.04
F3521	Color Ctg, Single-Stage Ctg	10.08	1208	3.99	479	3.99	478	39.7	0.1	0	0.1	0	52.7	0
F3522	Color Ctg, Single-Stage Ctg	15.05	1803	3.38	405	3.36	403	22.6	0.3	0	0.5	0	44.4	0
F3523	Color Ctg, Single-Stage Ctg	8.98	1076	3.83	459	3.82	458	42.8	0.2	0	0.3	0	50.4	0
F3530	Color Ctg, Single-Stage Ctg	9.26	1110	3.98	477	3.96	475	43.2	0.4	0	0.4	0	52.9	0
F3531	Color Ctg, Single-Stage Ctg	9.88	1184	3.54	424	3.54	424	35.8	0	0	0	0	46.5	0
F3532	Color Ctg, Single-Stage Ctg	9.61	1152	3.59	430	3.58	429	37.4	0.2	0	0.2	0	47.5	0
F3533	Color Ctg, Single-Stage Ctg	13.27	1590	2.85	342	2.82	338	21.9	0.6	0	1	0	36.8	0
F3534	Color Ctg, Single-Stage Ctg	8.85	1060	3.62	434	3.58	430	41.5	0.9	0	1	0	48.4	0
F3535	Color Ctg, Single-Stage Ctg	8.71	1044	3.73	446	3.69	442	43.3	1	0	1.1	0	49.8	0
F3536	Color Ctg, Single-Stage Ctg	8.87	1063	3.99	479	3.96	474	45.5	0.9	0	1	0	51.8	0
F3537	Color Ctg, Single-Stage Ctg	13.04	1563	3.35	402	3.32	398	26.1	0.6	0	1	0	43.8	0
F3538	Color Ctg, Single-Stage Ctg	12.95	1552	3.41	408	3.37	404	26.7	0.6	0	1	0	44.7	0
F3539	Color Ctg, Single-Stage Ctg	12.54	1503	3.29	394	3.25	390	26.6	0.7	0	1	0	43.6	0
F3540	Color Ctg, Single-Stage Ctg	9.17	1099	3.51	421	3.48	417	38.9	1	0	1.1	0	46.8	0
F3541	Color Ctg, Single-Stage Ctg	9.2	1102	3.62	433	3.58	429	39.9	1	0	1.1	0	48.1	0.12
F3542	Color Ctg, Single-Stage Ctg	10.79	1293	3.19	382	3.15	377	30.1	0.9	0	1.1	0	42.2	0
F3543	Color Ctg, Single-Stage Ctg	8.96	1074	3.22	386	3.18	382	36.7	1.1	0	1.2	0	42.8	0.13
F3544	Color Ctg, Single-Stage Ctg	11	1318	3.33	399	3.29	394	30.8	0.9	0	1.1	0	44.2	0
F3545	Color Ctg, Single-Stage Ctg	8.9	1066	3.56	427	3.53	423	40.7	1	0	1.1	0	47.4	0
F3546	Color Ctg, Single-Stage Ctg	9	1078	3.42	410	3.38	405	38.6	1	0	1	0	45.7	0
F3547	Color Ctg, Single-Stage Ctg	8.92	1069	3.23	387	3.2	384	36.7	0.8	0	0.8	0	42.6	0.15
F3548	Color Ctg, Single-Stage Ctg	12.39	1485	3.64	437	3.63	435	29.5	0.2	0	0.3	0	48	0
F3549	Color Ctg, Single-Stage Ctg	8.5	1019	4.32	518	4.29	514	51.1	0.7	0	0.7	0	57.8	0
F3550	Color Ctg, Single-Stage Ctg	8.5	1019	4.25	509	4.2	504	50.4	1	0	1	0	56.9	0
F3552	Color Ctg, Single-Stage Ctg	16.71	2002	2.68	321	2.68	321	16	0	0	0	0	33.7	0
F3554	Color Ctg, Single-Stage Ctg	10.98	1316	3.25	390	3.22	385	30.1	0.9	0	1.1	0	43.3	0.01
F3555	Color Ctg, Single-Stage Ctg	7.61	912	5.94	712	5.94	711	78	0	0	0	0	81.4	1.02
F3556	Color Ctg, Single-Stage Ctg	9.66	1158	3.47	415	3.45	414	36.1	0.3	0	0.3	0	46	0
F3558	Color Ctg, Single-Stage Ctg	8.75	1048	3.83	459	3.83	459	43.8	0	0	0	0	50.2	0

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F3600	Color Ctg, Single-Stage Ctg	9.41	1128	3.8	456	3.76	451	40.9	0.9	0	1	0	51.7	0
F3601	Color Ctg, Single-Stage Ctg	9.44	1131	3.7	443	3.66	439	39.7	0.9	0	1	0	49.5	0
F3602	Color Ctg, Single-Stage Ctg	9.61	1152	3.52	422	3.49	418	37.1	0.8	0	0.9	0	47.8	0
F3603	Color Ctg, Single-Stage Ctg	9.37	1123	3.67	440	3.63	435	39.7	0.9	0	1	0	49.8	0
F3604	Color Ctg, Single-Stage Ctg	9.47	1135	3.45	414	3.42	410	37	0.9	0	1	0	47.1	0
F3605	Color Ctg, Single-Stage Ctg	9.38	1124	3.63	435	3.59	430	39.2	0.9	0	1	0	49.2	0
F3607	Color Ctg, Single-Stage Ctg	9.09	1089	3.74	448	3.7	443	41.7	1	0	1.1	0	51	0
F3608	Color Ctg, Single-Stage Ctg	9.09	1089	3.67	440	3.63	435	40.9	1	0	1.1	0	50.1	0
F3611	Color Ctg, Single-Stage Ctg	9.41	1128	3.61	433	3.58	429	38.9	0.9	0	1	0	48.9	0
F3700	Color Ctg, Single-Stage Ctg	8.91	1068	3.7	443	3.66	439	42.1	1	0	1	0	49.6	0
F3701	Color Ctg, Single-Stage Ctg	9.73	1166	3.7	443	3.66	438	38.5	0.9	0	1.1	0	49.4	0
F3702	Color Ctg, Single-Stage Ctg	8.73	1046	4	479	4	479	45.8	0	0	0	0	54.6	0.33
F3710	Color Ctg, Single-Stage Ctg	7.7	923	3.85	462	3.85	462	50	0	0	0	0	59	0
F3800	Color Ctg, Single-Stage Ctg	19.3	2313	1.93	231	1.93	231	10	0	0	0	0	30.5	0
F3801	Color Ctg, Single-Stage Ctg	19.75	2367	1.98	237	1.98	237	10	0	0	0	0	31.3	0
F3802	Color Ctg, Single-Stage Ctg	21.82	2615	2.18	261	2.18	261	10	0	0	0	0	34.5	0
F3803	Color Ctg, Single-Stage Ctg	20.16	2416	2.02	242	2.02	242	10	0	0	0	0	31.9	0
F3804	Color Ctg, Single-Stage Ctg	19.75	2367	1.98	237	1.98	237	10	0	0	0	0	31.3	0
F3805	Color Ctg, Single-Stage Ctg	19.97	2393	2	239	2	239	10	0	0	0	0	31.6	0
F3806	Color Ctg, Single-Stage Ctg	25.82	3094	2.58	309	2.58	309	10	0	0	0	0	40.9	0
F3807	Color Ctg, Single-Stage Ctg	17.91	2146	1.79	215	1.79	215	10	0	0	0	0	28.4	0
F3808	Color Ctg, Single-Stage Ctg	19.99	2395	2	240	2	240	10	0	0	0	0	31.6	0
F3809	Color Ctg, Single-Stage Ctg	21.01	2518	2.1	252	2.1	252	10	0	0	0	0	33.3	0
F3810	Color Ctg, Single-Stage Ctg	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	32.6	0
F3811	Color Ctg, Single-Stage Ctg	19.75	2367	1.98	237	1.98	237	10	0	0	0	0	31.3	0
F3812	Color Ctg, Single-Stage Ctg	25.87	3100	2.46	294	2.46	294	9.5	0	0	0	0	38.9	0
F3813	Color Ctg, Single-Stage Ctg	20.4	2444	2.04	244	2.04	244	10	0	0	0	0	32.3	0
F3814	Color Ctg, Single-Stage Ctg	20.4	2444	2.04	244	2.04	244	10	0	0	0	0	32.3	0
F3817	Color Ctg, Single-Stage Ctg	21.65	2594	2.16	259	2.16	259	10	0	0	0	0	34.3	0
F3818	Color Ctg	9.39	1125	1.5	180	1.5	180	16	0	0	0	0	21.9	0
F3905		8.12	973	3.34	400	3.34	400	41.1	0	0	0	0	47.3	1.93
F3905SF		8.12	973	3.34	400	3.34	400	41.1	0	0	0	0	47.3	1.93
F3906		8.12	973	3.34	400	3.34	400	41.1	0	0	0	0	47.3	1.93
F3906JT		8.12	973	3.35	401	3.34	401	41.2	0	0	0	0	47.4	1.93
F3911		7.73	926	4.19	502	4.19	502	54.3	0	0	0	0	62.2	2.06
F3915		8.86	1062	3.55	426	3.55	426	40.1	0.1	0	0.1	0	48.8	0.41
F3920		8.08	968	3.36	402	3.36	402	41.6	0	0	0	0	46.7	0.02
F3921	Clear Ctg	9.21	1104	2.7	324	1.51	181	64.7	0	48.3	0	44	65.2	1.01
F3921JT	Clear Ctg	9.21	1104	2.7	324	1.51	181	64.7	0	48.3	0	44	65.2	1.01

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F3921JT	Clear Ctg	9.21	1104	2.7	324	1.51	181	64.7	0	48.3	0	44	65.2	1.01
F3930		8.11	972	4.12	494	4.12	494	50.9	0	0	0	0	55.7	0.03
F3946	Pretreatment Ctg	8.74	1047	5.33	638	3.84	461	69	0.1	24.9	0.1	27.7	83.5	0.25
F3947	Pretreatment Ctg (Hardener)	9.56	1146	6.16	738	0.94	112	98.1	0.4	87.9	0.5	84.3	98.9	0
F3950		10.44	1251	3.13	375	2.6	311	35.8	0.1	10.8	0.1	16.9	54.6	1.85
F3951		8.05	965	2.92	350	2.92	350	36.3	0	0	0	0	41.1	2.21
F3960		8.62	1033	5.4	648	5.4	647	62.7	0.1	0	0.1	0	80.4	1.16
F3961		7.04	844	6.86	822	6.72	805	98	2.5	0	2.1	0	99.1	1.26
F3963		7.57	907	6.15	737	6.14	736	81.3	0.2	0	0.1	0	89.7	0.95
F3964		7.04	844	6.82	817	6.62	793	97.6	3.5	0	2.9	0	98.9	2.69
F3970	Primer	13.43	1609	1.55	185	1.38	166	15.6	0	5.3	0.1	10.6	30.6	0
F3970BK	Primer	13.44	1610	1.59	190	1.39	166	17.1	0	6.8	0.1	12.4	32.2	0
F3970WH	Primer	13.68	1639	1.54	184	1.37	164	15.4	0	5.4	0.1	11	30.9	0
F3971	Primer (Hardener)	8.71	1044	2.26	271	2.26	271	26	0	0	0	0	33.3	0
F3975		11.38	1364	4.29	514	4.29	514	37.7	0	0	0	0	59.1	1.4
F39755FB		11.39	1365	4.29	514	4.29	514	37.7	0	0	0	0	59	1.4
F3980		11.77	1410	3.72	446	3.44	412	33.6	0	4.3	0.1	7.6	56.4	1.09
F3981		7.8	935	1.46	175	1.46	175	18.8	0.1	0	0	0	21.9	1.4
F3983		12.74	1527	3.42	410	3.42	410	26.9	0	0	0	0	48.9	1.35
F3984		8.49	1017	1.85	222	1.48	177	33.4	0.1	15.9	0.1	20.3	41.7	0.7
F3985		13.19	1581	2.78	333	2.76	330	21.4	0	0.5	0	1	41.1	0.74
F3986		12.69	1521	2.76	331	2.74	328	22.1	0	0.4	0	0.8	40.6	0.83
F3987		12.39	1485	2.72	326	2.7	324	22.3	0	0.5	0	0.8	40.2	0.67
F3993		12.11	1451	4.01	480	4.01	480	33.1	0	0	0	0	56.5	1.39
F3995		12.59	1509	3.96	475	3.96	475	31.5	0	0	0	0	56	1.57
F3996		7.45	893	4.75	570	4.75	569	63.8	0.1	0	0.1	0	66.6	1.56
F3997		11.33	1358	4.15	498	4.15	498	36.7	0	0	0	0	58.8	1.49
F3998	Primer	13.65	1636	1.34	161	1.2	144	14	0	5.1	0.1	10.5	28	0.51
F3998BK3	Primer	13.39	1604	1.55	186	1.4	167	15.4	0	5	0.1	9.9	29.8	0.48
F3999	Primer (Hardener)	8.66	1038	1.72	206	1.49	179	27.4	0.1	10.1	0.1	13.1	35.1	0.23
F3ED1		12.24	1467	1.85	222	1.31	157	32.4	0	21.7	0.1	28.9	47.6	0.01
F3GSP		12.08	1448	4.23	507	4.23	507	35	0	0	0	0	60	1.56
F3KME		8.51	1020	1.7	204	1.7	204	20	0	0	0	0	24.8	0.84
F4921	Primer	13.34	1598	1.83	219	1.31	157	31.3	0	21.4	0	28.3	46.2	0.53
F4921BK	Primer	13.45	1612	1.83	220	1.31	157	31.1	0	21.4	0	28.5	46.3	0.54
F4921WH	Primer	13.55	1624	1.85	221	1.33	160	30.7	0	20.9	0	27.9	46	0.53
F4922	Primer (Hardener)	8.27	991	2.69	322	2.43	291	42.3	0	12.9	0	9.5	42.4	1.54
F4930	Primer	14.08	1687	2.11	252	1.5	180	33.4	0	22.7	0	28.6	49.7	0.65
F4931	Primer (Hardener)	9.75	1168	1.4	168	0.99	119	43.4	0	33.2	0	28.9	43.5	0

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F4932	Primer	14.11	1691	2.05	245	1.44	173	33.6	0	23.3	0	29.5	49.7	0.59
F4932BK	Primer	13.92	1668	2	240	1.26	151	38.9	0	29.8	0	37.1	54.8	0.56
F4932WH	Primer	14.2	1702	2.03	243	1.44	172	33.2	0	23.1	0	29.3	49.5	0.63
F4933	Primer (Hardener)	10.11	1211	2.07	248	1.09	131	63.1	0	52.3	0	47.3	61.8	0.35
F4935	Primer	12.23	1465	2.18	262	1.78	214	30.3	0	15.7	0	18.3	44.3	1.42
F4936	Primer	11.88	1424	2.24	268	1.84	220	31.2	0	15.7	0	17.7	44.4	1.43
F4937		11.44	1371	2.32	278	1.87	224	33.3	0	17	0	19.5	46.3	1.3
F4938	Primer (Hardener)	9.8	1174	1.83	220	0.94	113	65.2	0	55.6	0	48.8	62.4	0.42
F4940		10.32	1237	2.77	331	1.3	156	59.1	0.1	46.3	0.1	52.8	71.6	0.26
F4941		9.18	1100	5.94	711	0.69	82	98.2	0.5	90.3	0.5	88	99	0
F4943	Primer Sealer	12.48	1495	1.89	226	1.17	140	41	0	31.7	0	38.2	54.3	0.44
F4943BK	Primer Sealer	12.84	1539	1.84	221	1.15	138	39.3	0	30.3	0	37.6	53.5	0.43
F4943WH	Primer Sealer	12.64	1515	1.85	222	1.13	135	40.7	0	31.8	0	38.9	54.4	0.39
F4945	Primer	8.65	1036	5.14	616	3.68	441	68.8	0.1	26.1	0.1	28.3	81.6	0.24
F4946	Primer (Hardener)	9.56	1146	6.16	738	0.94	112	98.1	0.4	87.9	0.5	84.3	98.9	0
FBC500		7.9	947	5.42	649	5.39	646	68.7	0.5	0	0.5	0	74.8	0
FBCH500	Uniform Finish Ctg	8.2	983	3.83	459	3.82	458	47	0.4	0	0.4	0	52.8	0
FBCH75482	Color Ctg	8.63	1034	4.12	494	4.11	493	47.9	0.2	0	0.2	0	57	0
FBCH91777	Color Ctg	9.24	1107	4.08	489	4.07	488	44.3	0.2	0	0.3	0	57.1	0
FD909508LG		8.79	1053	3.28	393	2.96	355	43.2	0.3	9.3	0.3	9.4	51.2	0.01
FDG46172LF		10.5	1258	3.43	411	3.41	409	32.8	0.3	0	0.4	0	45.8	0.46
FDG500		8.36	1002	4.18	501	4.15	498	50.3	0.6	0	0.6	0	56.7	0
FDG9000		8.65	1036	3.51	420	3.49	419	40.8	0.4	0	0.4	0	47.1	0.54
FDGH35913		8.63	1034	3.2	384	3.19	382	37.4	0.4	0	0.4	0	44.3	0.02
FDGH500	Uniform Finish Ctg	8.45	1013	3.31	396	3.29	394	39.4	0.5	0	0.5	0	45.4	0
FDGH8717		11.01	1319	3.05	365	3.04	365	27.7	0	0	0	0	42.3	0
FDGH9000		8.52	1021	3.21	385	3.2	384	37.9	0.3	0	0.3	0	44.2	0.01
FDGH9000SF		8.52	1021	3.21	385	3.2	384	37.9	0.3	0	0.3	0	44.2	0.01
FDGH906299		8.55	1025	3.14	377	3.13	375	37	0.4	0	0.4	0	43.1	0.01
FDGH91327		10.93	1310	3.17	380	3.17	380	29	0	0	0	0	44.1	0
FDGH915874		9.32	1117	3.18	381	3.16	379	34.4	0.1	0.3	0.1	0.4	43.5	0
FDGH915950		10.15	1216	3.18	381	3.18	381	31.4	0.1	0	0.2	0	43.5	0
FDGH915951		9.63	1154	3.12	374	3.11	373	32.7	0.3	0	0.4	0	43.3	0
FDGH915952		8.86	1062	3.09	370	3.08	369	35.2	0.5	0	0.5	0	42.7	0.02
FDGH91777		11.03	1322	3.28	392	3.27	392	29.7	0	0	0	0	44.9	0
FDGU26627	Single-Stage Ctg	8.81	1056	2.91	349	2.53	303	41.8	0.5	12.6	0.5	12.6	48	0.26
FDGU500	Uniform Finish Ctg	8.55	1025	2.93	351	2.65	318	41	0.4	9.6	0.4	9.1	46	0
FDGU90419	Single-Stage Ctg	10.77	1291	2.29	274	1.82	218	33.8	0.1	16.8	0.1	20.2	45.2	0
FDGU90631	Single-Stage Ctg	10.72	1285	2.88	345	2.88	345	26.9	0	0	0	0	39.7	0

Detailed Delfleet Evolution Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
FDGU911678	Single-Stage Ctg	9.37	1123	2.72	326	1.8	216	51	0.3	31.5	0.3	33.6	58.4	0.01
FDGU91327		11.32	1356	2.07	248	1.62	194	31.5	0	17.1	0.1	21.6	44.2	0
FDGU915493	Single-Stage Ctg	9.49	1137	2.77	332	2.31	276	40.1	0.4	15.4	0.4	16.3	48.7	0.27
FDGU915494	Single-Stage Ctg	8.65	1036	2.96	354	2.78	333	38.5	0.1	6.2	0.1	6	43.9	0
FDGU92559	Single-Stage Ctg	10.77	1291	2.82	338	2.82	338	26.2	0	0	0	0	38.8	0
FDGU940395	Single-Stage Ctg	11.27	1350	2.08	250	1.64	196	31.6	0.1	17	0.1	21.4	44.2	0
FDSH91776		10.44	1251	3.28	393	3.28	393	31.4	0	0	0	0	45.5	0.14
NEWF3510		8.76	1050	4.2	504	4.19	502	48.2	0.3	0	0.3	0	55.9	0