

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P100-2020		8.67	1039	3.31	397	3.31	397	38.2	0	0	0	0	0.64
P100-2021	Clear Ctg, Single-Stage Ctg, Primer (Additive)	9.75	1168	1.8	215	1.3	156	45.1	0	31.8	0	27.7	0
P110-5000N		7.25	869	3.69	442	2.8	335	60.9	0.1	22.2	0.1	24.1	0.08
P170-5670		9.78	1172	3.66	438	3.66	438	37.4	0	0	0	0	1.28
P190-1002		8.35	1001	4.5	539	3.15	377	70	0.1	32.2	0.1	29.9	0.09
P190-478		7.44	892	6.14	736	6.14	736	82.5	0	0	0	0	3.44
P190-542		8.1	971	4.01	481	4.01	481	49.6	0	0	0	0	0.12
P190-5440		8.57	1027	4.61	552	4.35	521	58.2	0	7.4	0	5.7	1.92
P190-5520		8.3	995	3.9	468	3.9	467	47	0	0	0	0	0.58
P190-596		7.99	957	4.77	572	4.77	572	59.7	0	0	0	0	0.38
P190-6100		7.67	919	4.29	515	3.45	413	62.1	0	17.2	0	19.8	2.43
P190-6330		7.99	957	3.31	397	2.84	340	47.5	0.1	11.9	0.1	14.3	1.62
P190-639		7.9	947	5.02	602	5.02	602	63.6	0	0	0	0	2.4
P190-643		8.2	983	4.09	490	4.09	490	49.8	0	0	0	0	0.39
P190-6490	Clear Ctg	8.36	1002	2.93	351	2.08	249	55	0.1	30	0.1	28.9	0
P190-6530		9.15	1096	3.46	415	2.5	299	61.3	0	34.1	0	27.9	0.01
P190-6659		8.15	977	3.63	435	3.56	427	45.2	0	1.4	0	1.7	2.2
P190-6690		8.15	977	3.63	435	3.57	427	45.2	0	1.4	0	1.7	2.2
P190-6720	Clear Ctg	9.47	1135	2.5	299	1.48	177	63	0	47.4	0	40.9	1.16
P190-6730	Clear Ctg	9.94	1191	1.94	233	0.98	117	65.8	0	55.9	0	49.7	0
P190-6759	Clear Ctg	9.42	1129	1.98	237	1.39	166	50.3	0	35.6	0	30.1	1.02
P190-678		8.37	1003	4.6	551	4.6	551	55	0	0	0	0	1.9
P190-6790	Clear Ctg	9.42	1129	1.98	238	1.39	166	50.4	0	35.6	0	30.1	1.02
P190-6800	Clear Ctg	8.6	1031	2.23	267	1.15	138	63.1	0.1	49.7	0.1	48.3	0
P190-6920	Clear Ctg	9.35	1120	1.18	142	0.7	84	51.5	0.2	43.8	0.2	40.6	0
P190-6930	Clear Ctg	9.83	1178	0	0	0	0	19	0	50.6	0	46.6	0
P190-6950	Clear Ctg	9.76	1170	0.96	116	0.5	60	56.8	0	51.7	0	47.7	0.33
P192-475		8	959	5.69	682	5.69	682	71.1	0	0	0	0	0.64
P192-500		7.59	909	6.33	758	6.33	758	83.4	0	0	0	0	2.71
P192-5600		7.77	931	6.07	727	6.07	727	78.1	0	0	0	0	2.52
P196-2371		8.05	965	4.22	506	4.22	506	52.5	0	0	0	0	0.04
P196-2373		8.61	1032	2.44	292	2.44	292	28.3	0	0	0	0	0.18
P196-2374		8.62	1033	2.47	296	2.47	296	28.7	0	0	0	0	0.18
P196-2376		8.15	977	4.7	563	4.7	563	57.7	0	0	0	0	0.15

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P196-2377		8.26	990	5.66	679	5.66	678	68.6	0	0	0	0	0.72
P196-2378		7.75	929	6.05	725	6.05	724	78.1	0	0	0	0	2.52
P196-2476		8.24	987	4.01	481	4.01	481	48.7	0	0	0	0	0.43
P196-2477		9.1	1090	6.47	776	6.47	775	71.2	0.1	0	0.1	0	0.73
P210-5170		8.83	1058	2.64	317	2.64	317	30	0	0	0	0	2.17
P210-5185		8.83	1058	2.63	315	2.63	315	29.8	0	0	0	0	2.3
P210-5260		8.25	989	4.33	519	4.33	519	52.5	0	0	0	0	0.74
P210-5275		8.28	992	4.35	521	4.35	521	52.5	0	0	0	0	0.84
P210-5290		8.48	1016	4.29	514	4.29	514	50.6	0	0	0	0	1.43
P210-5375	Primer (Hardener)	10.37	1243	1.23	147	0.55	66	64.6	0	59.3	0	55	0.02
P210-5475	Primer, Primer Sealer (Hardener), Adhesion Promoter	10.48	1256	0.7	84	0.3	36	63.4	0	60.5	0	56.7	0.14
P210-5476	Primer, Primer Sealer (Hardener), Adhesion Promoter	10.37	1243	0.65	77	0.28	34	63.8	0	61.1	0	56.7	0.14
P210-5585		8.13	974	4.29	514	4.29	514	52.8	0	0	0	0	2.35
P210-5595		8.12	973	4.37	523	4.37	523	53.8	0	0	0	0	1.12
P210-6270		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	0.6
P210-6285		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	0.6
P210-6295		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	0.6
P210-6370		8.95	1072	2.4	288	2.4	288	26.8	0	0	0	0	0
P210-6385		8.96	1074	2.4	288	2.4	288	26.8	0	0	0	0	0
P210-6395		8.96	1074	2.41	288	2.41	288	26.9	0	0	0	0	0
P210-6475	Clear Ctg (Hardener)	10.25	1228	0	0	0	0	48.4	0	48.4	0	44.3	0
P210-6485	Clear Ctg (Hardener)	10.26	1229	0	0	0	0	48.8	0	48.8	0	44.8	0
P210-6495	Clear Ctg (Hardener)	10.12	1213	0.39	47	0.23	28	47.1	0	44.8	0	40.5	0
P210-6565	Clear Ctg (Hardener)	9.36	1122	2.26	271	1.81	217	43	0	23.6	0	19.7	0.37
P210-6575	Clear Ctg (Hardener)	9.37	1123	2.28	273	1.83	219	43.1	0	23.5	0	19.7	0.28
P210-6585	Clear Ctg (Hardener)	9.31	1116	2.26	271	1.83	219	42.7	0	23.1	0	19.2	0
P210-6595	Clear Ctg (Hardener)	9.51	1140	2.26	271	1.78	213	43.7	0	24.9	0	21.2	0.12
P210-6875	Clear Ctg (Hardener)	9.94	1191	0.73	87	0.51	62	38.4	0	33.2	0	29.5	0
P210-6895	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	0
P210-6975	Clear Ctg (Hardener)	9.95	1192	0.39	47	0.3	36	30.3	0	27.3	0	24.3	0
P210-788		7.66	918	6.16	738	6.15	738	80.3	0	0	0	0	3.06
P210-796		8.25	989	4.59	550	4.59	550	55.7	0	0	0	0	0.97
P210-798		8.27	991	4.61	552	4.61	552	55.8	0	0	0	0	2.63
P210-832		8.21	984	4.64	556	4.64	556	56.5	0	0	0	0	2.2

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P210-842		8.19	981	4.63	555	4.63	555	56.5	0	0	0	0	2.2
P210-855		8.41	1008	3.49	418	3.49	418	41.5	0	0	0	0	0.39
P210-856		8.61	1032	3.58	428	3.58	428	41.5	0	0	0	0	1.76
P210-857		8.98	1076	2.93	351	2.93	351	32.6	0	0	0	0	2.22
P210-872		8.91	1068	2.29	275	2.29	275	25.7	0	0	0	0	0.24
P210-875		8.91	1068	2.27	272	2.27	272	25.5	0	0	0	0	0.35
P210-877		9.09	1089	2.34	280	2.34	280	25.8	0	0	0	0	1.31
P210-8860	Clear Ctg (Hardener)	8.83	1058	2.67	320	2.67	320	30.3	0	0	0	0	1.57
P210-9120	Color Ctg, Underbody Ctg (Hardener)	8.82	1057	3	360	3	360	34.1	0	0	0	0	0.71
P210-9136	Single-Stage Ctg (Hardener)	9.04	1083	2.49	298	2.49	298	27.5	0	0	0	0	0.79
P214-2350		8.58	1028	4.33	518	4.33	518	50.4	0	0	0	0	0.54
P214-2362		8.35	1001	4.39	525	4.38	525	52.5	0	0	0	0	0.84
P214-2451		8.23	986	4.32	517	4.32	517	52.5	0	0	0	0	1.45
P214-2452		8.29	993	4.32	518	4.32	518	52.1	0	0	0	0	1.06
P251-2010		8.15	977	4.41	529	4.41	529	54.2	0	0	0	0	0.8
P251-2011		8.43	1010	4.44	532	4.44	532	52.7	0	0	0	0	0.83
P251-2012		10.48	1256	3.96	474	3.96	474	37.8	0	0	0	0	0.72
P251-2013		8.23	986	4.45	533	4.45	533	54	0	0	0	0	1.14
P251-2014		8.15	977	4.38	525	4.38	524	53.7	0	0	0	0	0.8
P251-2017		8.13	974	4.28	512	4.27	512	52.6	0	0	0	0	0.7
P251-2020		8.2	983	4.27	512	4.27	512	52.1	0	0	0	0	0.75
P251-2021		8.26	990	4.13	495	4.13	495	50	0	0	0	0	0.41
P251-2022		8.06	966	4.32	517	4.32	517	53.6	0	0	0	0	0.71
P251-2023		8.66	1038	4.31	517	4.31	517	49.8	0	0	0	0	0.73
P251-2024		8.31	996	4.5	539	4.5	539	54.2	0	0	0	0	0.67
P251-2025		8.19	981	4.35	521	4.35	521	53.1	0	0	0	0	0.76
P251-2026		8.24	987	4.28	513	4.28	513	52	0	0	0	0	0.6
P251-2027		8.83	1058	4.35	521	4.35	521	49.3	0	0	0	0	0.76
P251-2029		8.26	990	4.79	574	4.79	574	58	0	0	0	0	0.63
P251-2030		8.04	963	4.32	518	4.32	518	53.7	0	0	0	0	0.61
P251-2031		8.07	967	4.17	500	4.17	499	51.7	0	0	0	0	0.73
P251-2071		8.05	965	6.08	728	6.08	728	75.5	0	0	0	0	1.51
P251-2072		7.98	956	6.11	732	6.1	732	76.5	0	0	0	0	1.53
P251-2074		8.12	973	5.11	613	5.11	613	63	0	0	0	0	0.56

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P251-2075		8.12	973	5.11	613	5.11	613	63	0	0	0	0	0.56
P251-2081		8.12	973	5.11	613	5.11	613	63	0	0	0	0	0.56
P251-2082		8.14	975	5.1	612	5.1	612	62.7	0	0	0	0	0.56
P251-2083		8.17	979	5.1	611	5.1	611	62.5	0	0	0	0	0.55
P251-2085		8.2	983	5.82	698	5.82	697	71	0	0	0	0	1.48
P251-2086		8.16	978	5.79	694	5.79	694	71	0	0	0	0	1.52
P251-2087		8.19	981	5.82	697	5.81	697	71	0	0	0	0	1.48
P251-2088		8.31	996	5.82	697	5.82	697	70	0	0	0	0	1.44
P251-2089		8.19	981	5.82	697	5.81	697	71	0	0	0	0	1.48
P251-2097		10.42	1249	4.1	491	4.1	491	39.4	0	0	0	0	0.91
P251-2099		10.4	1246	4.08	489	4.08	489	39.3	0	0	0	0	1
P251-2115		8.37	1003	4.11	492	4.11	492	49.1	0	0	0	0	2.03
P254-2060		8.07	967	4.35	521	4.35	521	53.9	0	0	0	0	0.35
P254-2061		10.19	1221	4.3	515	4.3	515	42.2	0	0	0	0	0.4
P254-2069		10.73	1286	4.02	482	4.02	482	37.5	0	0	0	0	1.09
P273-1050		7.17	859	7.05	845	7.05	845	98.4	0	0	0	0	0.18
P273-1051		7.64	915	6.74	807	6.19	741	88.2	0.1	7.1	0.1	8.1	1.35
P273-1060	Adhesion Promoter	7.16	858	6.97	835	6.97	835	97.4	0	0	0	0	0.4
P273-1086		7.23	866	7.15	857	7.15	857	99	0	0	0	0	7.12
P273-1333		7.04	844	6.39	765	6.33	759	91	1	0	0.8	0	0.19
P273-1444	Solvent (Substrate Cleaner)	8.24	987	3.05	365	0.06	7	99.8	99.1	0	98.1	0	0
P273-5255		6.89	826	6.76	810	6.2	743	100	10.1	0	8.3	0	0
P273-5260	Solvent (Substrate Cleaner)	7.11	852	0	0	0	0	100	35.5	64.5	30.3	68.7	0
P273-901	Solvent (Substrate Cleaner)	7.04	844	6.39	765	6.33	759	91	1	0	0.8	0	0.19
P275-124		7.06	846	6.82	818	6.78	812	96.8	0.8	0	0.7	0	4.67
P275-2040		7.4	887	4.82	577	4.82	577	65.1	0	0	0	0	3.61
P275-2045		7.2	863	5.94	712	5.94	712	82.6	0.1	0	0.1	0	2.08
P275-2085		8.46	1014	1.82	219	1.82	219	21.6	0	0	0	0	1.66
P275-210		6.95	833	6.7	803	6.64	795	96.6	1.2	0	1	0	0
P275-2157	Primer (Additive)	11.16	1337	0	0	0	0	98.8	0	98.8	0	98.5	0
P275-2200	Clear Ctg (Additive)	9.01	1080	1.54	184	0.66	80	65.9	0.1	58.4	0.1	56.7	0.66
P275-232		7.11	852	6.83	819	6.6	791	96.8	3.9	0	3.4	0	0.01
P275-310		8.2	983	6.2	742	6.18	741	75.7	0.1	0.1	0.1	0.1	0
P275-321		7.54	903	6.46	774	6.46	774	85.7	0	0	0	0	2.48

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P275-350		7.71	924	5.04	604	5.04	604	65.4	0	0	0	0	2.02
P275-5521		7.54	903	6.46	774	6.46	774	85.7	0	0	0	0	2.49
P275-61		7.13	854	6.77	811	6.54	783	95.7	4	0	3.5	0	4.16
P275-9090	Pretreatment Ctg (Hardener)	9.56	1146	6.16	738	0.94	112	98.1	0.4	87.9	0.5	84.3	0
P300-9000		7.2	863	6.7	803	6.7	803	93.1	0	0	0	0	5.61
P300-9001	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	7.36	882	7.22	865	7.22	865	98.1	0	0	0	0	0
P300-9002	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	8.15	977	8.01	960	7.99	957	98.3	0.1	0.2	0.1	0.2	0
P300-9003	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	0
P300-9004		7.23	866	7.15	857	7.15	857	99	0	0	0	0	7.12
P300-9005		7.83	938	4.15	497	4.15	497	53	0	0	0	0	0.78
P304-1150		7.97	955	3.56	427	3.56	427	44.7	0	0	0	0	1.1
P315-3500		8.8	1054	1.57	189	1.57	189	17.9	0	0	0	0	0.94
P315-3511		9.01	1080	1.49	179	1.49	179	16.6	0	0	0	0	0
P315-3512		8.93	1070	2.38	285	2.38	285	26.7	0	0	0	0	1.66
P315-3513		8.91	1068	2.47	295	2.47	295	27.7	0	0	0	0	1.75
P315-3531		8.6	1031	3.28	393	3.28	393	38.1	0	0	0	0	2.86
P315-3532		8.56	1026	3.26	391	3.26	391	38.1	0	0	0	0	2.12
P315-3533		8.57	1027	3.28	393	3.28	393	38.2	0	0	0	0	2.19
P315-3534		8.79	1053	3.29	394	3.28	393	37.4	0.1	0	0.1	0	0
P315-3700		8.01	960	5.12	613	5.12	613	63.9	0	0	0	0	1.65
P315-3900	Primer, Primer Sealer (Hardener)	9.74	1167	1.4	167	0.99	119	43.4	0	33.2	0	28.9	0
P315-4400	Clear Ctg (Hardener)	10.14	1215	0.58	69	0.36	43	46.1	0	42.6	0	38.6	0
P315-4401	Clear Ctg (Hardener)	10.1	1210	0.55	66	0.35	42	43.1	0	39.6	0	35.8	0
P315-4500	Clear Ctg (Hardener)	9.23	1106	1.62	194	1.55	185	22.2	0	5.4	0	4.5	0
P315-4501	Clear Ctg (Hardener)	9.22	1105	1.62	194	1.55	185	22.2	0	5.4	0	4.5	0
P315-4502	Clear Ctg (Hardener)	9.36	1122	1.39	167	1.33	159	19.7	0	5.5	0	4.6	0
P315-4600	Clear Ctg (Hardener)	9.71	1164	0.54	65	0.44	53	25.2	0	20.6	0	17.9	0
P315-4601	Clear Ctg (Hardener)	9.72	1165	0.54	65	0.44	53	25.2	0	20.6	0	17.9	0
P315-4602	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	0
P315-4700	Single-Stage Ctg, Underbody Ctg, Color Ctg (Hardener)	9.7	1162	0.52	62	0.45	54	20.2	0	15.6	0	13.5	0
P330-1100		7.38	884	6.16	739	5.97	715	84.5	3.6	0	3.2	0	1.1
P330-1101		6.87	823	6.69	802	6.34	760	98.6	6.4	0	5.3	0	0.32
P330-1200		11.8	1414	4.16	499	4.16	499	35.3	0	0	0	0	1.45

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P330-1201		7.69	921	5.14	616	5.13	614	66.9	0.1	0.2	0	0.2	0.08
P330-1300		10	1198	4.45	533	4.08	489	46.4	0.2	5.4	0.2	8.1	2.77
P330-1400		10.2	1222	4.03	483	4.03	483	39.5	0	0	0	0	1.29
P330-1500		11.62	1392	3.65	437	3.65	437	31.4	0	0	0	0	3.62
P330-1600		12.63	1513	4.01	481	4.01	481	31.8	0	0	0	0	1.46
P330-1700		12.08	1448	3.99	478	3.8	456	34.1	0	2.6	0	4.6	2.5
P330-1800	Adhesion Promoter	7.24	868	6.97	835	6.97	835	96.2	0	0	0	0	6.41
P330-1900	Primer, Primer Sealer	14.08	1687	2.11	252	1.5	180	33.4	0	22.7	0	28.6	0.65
P330-2200	Primer	12.51	1499	1.72	206	1.32	158	27.6	0	17	0.1	23.4	0.39
P330-2201	Primer (Hardener)	8.86	1062	2.8	335	2.2	264	51.9	0	27	0	21.4	1.29
P330-2400		12.71	1523	2.18	262	1.48	177	38.3	0	26.6	0	32.4	0.7
P350-3000	Color Ctg, Underbody Ctg, Single-Stage Ctg	13.04	1563	4.2	504	4.2	504	32.2	0	0	0	0	2.59
P350-3001	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.89	1065	4.2	503	4.2	503	47.2	0	0	0	0	3.24
P350-3002	Color Ctg, Underbody Ctg, Single-Stage Ctg	8	959	4.41	529	4.41	529	55.2	0	0	0	0	3.65
P350-3003	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.74	927	4.58	549	4.58	549	59.2	0	0	0	0	2.63
P350-3004	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	4.46	535	4.46	535	53.2	0	0	0	0	2.97
P350-3005	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.22	985	4.42	530	4.42	530	53.8	0	0	0	0	3.77
P350-3006	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.96	954	4.45	533	4.45	533	55.9	0	0	0	0	4.32
P350-3007	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.95	953	4.48	537	4.48	537	56.3	0	0	0	0	4.34
P350-3008	Color Ctg, Underbody Ctg, Single-Stage Ctg	11.71	1403	4.14	497	4.14	497	35.4	0	0	0	0	3.44
P350-3009	Color Ctg, Underbody Ctg, Single-Stage Ctg	13.65	1636	4.03	483	4.03	483	29.5	0	0	0	0	3.58
P350-3010	Color Ctg, Underbody Ctg, Single-Stage Ctg	14.5	1737	3.93	470	3.93	470	27.1	0	0	0	0	3.39
P350-3011	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.03	962	4.33	519	4.33	519	54	0	0	0	0	3.68
P350-3012	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.9	947	4.46	535	4.46	535	56.5	0	0	0	0	3.21
P350-3013	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.83	938	4.44	532	4.44	532	56.7	0	0	0	0	2.99
P350-3014	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.95	953	4.45	534	4.45	534	56	0	0	0	0	3.78
P350-3015	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.91	948	4.43	531	4.43	531	56	0	0	0	0	3.23
P350-3016	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.92	949	4.49	538	4.49	538	56.7	0	0	0	0	3.51
P350-3017	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.81	936	4.59	550	4.59	550	58.7	0	0	0	0	3.12
P350-3018	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.81	936	4.49	537	4.49	537	57.5	0	0	0	0	3.16
P350-3019	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.98	956	4.49	538	4.49	538	56.3	0	0	0	0	3.66
P350-3020	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.97	955	4.43	531	4.43	531	55.6	0	0	0	0	3.23
P350-3021	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.1	971	4.52	541	4.52	541	55.8	0	0	0	0	2.79
P350-3022	Color Ctg, Underbody Ctg, Single-Stage Ctg	8	959	4.53	543	4.53	543	56.7	0	0	0	0	3.92

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P350-3023	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.98	956	4.5	540	4.5	540	56.4	0	0	0	0	3.74
P350-3025	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.44	532	4.44	532	53.6	0	0	0	0	2.28
P350-3040	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.16	978	4.2	503	4.2	503	51.5	0	0	0	0	2.81
P350-3041	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.2	983	4.22	505	4.22	505	51.4	0	0	0	0	2.76
P350-3042	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	4.29	514	4.29	514	51.6	0	0	0	0	2.61
P350-3043	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.23	986	4.17	499	4.17	499	50.6	0	0	0	0	2.8
P350-3044	Color Ctg, Single-Stage Ctg	8.25	989	4.11	493	4.11	493	49.9	0	0	0	0	2.78
P350-3050	Color Ctg, Underbody Ctg, Single-Stage Ctg	21.58	2586	2.16	259	2.16	259	10	0	0	0	0	0
P350-3051	Color Ctg, Underbody Ctg, Single-Stage Ctg	20.61	2470	2.06	247	2.06	247	10	0	0	0	0	0
P350-3052	Color Ctg, Underbody Ctg, Single-Stage Ctg	25.87	3100	2.72	326	2.72	326	10.5	0	0	0	0	0
P350-3053	Color Ctg, Underbody Ctg, Single-Stage Ctg	19.73	2364	1.97	236	1.97	236	10	0	0	0	0	0
P350-3054	Color Ctg, Underbody Ctg, Single-Stage Ctg	21	2516	2.1	252	2.1	252	10	0	0	0	0	0
P350-3055	Color Ctg, Underbody Ctg, Single-Stage Ctg	21.58	2586	2.16	259	2.16	259	10	0	0	0	0	0
P350-3056	Color Ctg, Underbody Ctg, Single-Stage Ctg	23.7	2840	2.37	284	2.37	284	10	0	0	0	0	0
P350-3057	Color Ctg, Underbody Ctg, Single-Stage Ctg	29.15	3493	2.91	349	2.91	349	10	0	0	0	0	0
P350-3058	Color Ctg, Underbody Ctg, Single-Stage Ctg	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	0
P350-3060	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.99	1197	5.14	616	5.14	616	51.5	0	0	0	0	0
P350-3061	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.51	1020	4.59	550	4.32	517	55.5	0	4.7	0	6	3.84
P350-3067		7.81	936	4.47	535	4.47	535	57.2	0	0	0	0	3.15
P350-3070	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	4.3	515	4.3	515	50.9	0	0	0	0	3.82
P350-3071	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.74	1047	4.09	490	4.09	490	46.7	0	0	0	0	3.46
P350-3072	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.14	975	4.26	511	4.26	511	52.4	0	0	0	0	3.87
P350-3073	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.18	980	4.21	505	4.21	505	51.5	0	0	0	0	3.2
P350-3100		8.1	971	4.18	501	4.18	501	51.7	0	0	0	0	2.27
P350-3199	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.18	980	6.55	785	6.55	785	80.1	0	0	0	0	0.31
P350-3200		7.86	942	4.88	584	4.8	575	62.4	0	1.3	0	1.5	2.59
P350-3250	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.88	944	4.38	525	4.38	525	55.6	0	0	0	0	3.84
P350-3300		7.49	897	6.4	767	6.4	767	85.5	0.1	0	0.1	0	0.96
P350-3500	Color Ctg	8.2	983	0.45	54	0.13	16	67.8	0.2	65.9	0.2	70.2	0
P350-3600	Color Ctg	8.22	985	0.53	64	0.16	19	68.6	0.2	66.5	0.2	70.5	0
P350-3700	Single-Stage Ctg, Underbody Ctg	9.03	1082	1.67	200	1.46	175	31.4	0	15.3	0	12.3	1.31
P350-3900	Color Ctg	8.31	996	0.51	61	0.16	19	66.4	0.2	64.3	0.2	68.9	0
P352-3077		8.3	995	4.16	498	4.16	498	50.1	0	0	0	0	2.82
P352-3079	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.26	511	4.26	511	51.5	0	0	0	0	2.65

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P352-3080	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.03	962	4.79	574	4.79	574	59.6	0	0	0	0	3.66
P352-3081	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.98	956	4.45	533	4.45	533	55.7	0	0	0	0	3.15
P352-3082	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.22	985	4.25	509	4.25	509	51.7	0	0	0	0	4.06
P352-3083	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.44	532	4.44	532	53.6	0	0	0	0	2.28
P352-3084	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.84	939	4.88	585	4.42	530	64.4	0	8	0	9.3	3.93
P352-3085	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.89	945	4.84	579	4.26	511	64.1	0.1	10	0.1	11.8	3.93
P352-3086	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.1	1090	4.79	574	4.79	574	52.7	0	0	0	0	4.25
P352-3087	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.36	1002	4.19	502	4.19	502	50.2	0	0	0	0	2.98
P352-3088	Color Ctg	8.31	996	4.16	498	4.16	498	50.1	0	0	0	0	2.82
P352-3089	Color Ctg	7.61	912	5.71	685	5.71	684	75	0	0	0	0	2.47
P352-3090	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.59	1269	4.57	547	4.57	547	43.1	0	0	0	0	2.74
P352-3091	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.94	951	4.6	551	4.6	551	57.9	0	0	0	0	3.47
P352-3092	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.27	991	4.16	498	4.16	498	50.3	0	0	0	0	2.79
P352-3093	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.25	989	4.23	507	4.23	507	51.3	0	0	0	0	2.72
P352-3094	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.27	991	4.17	500	4.17	500	50.4	0	0	0	0	2.78
P352-3095	Color Ctg	10.23	1226	2.03	244	0.55	66	80	0	74.5	0.1	72.7	0
P352-3096	Color Ctg	7.45	893	3.92	470	1.6	192	76.8	0	55.3	0	59.2	1.56
P352-3097	Color Ctg	8.43	1010	4.19	502	4.19	502	49.7	0	0	0	0	2.66
P352-3098	Color Ctg	8.41	1008	4.19	502	4.19	502	49.8	0	0	0	0	2.67
P352-3099	Color Ctg	8.12	973	4.23	507	4.23	507	52.1	0	0	0	0	2.56
P352-3101	Color Ctg	8.3	995	4.15	498	4.15	498	50	0	0	0	0	2.82
P352-3102		8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P352-3103		8.32	997	4.15	498	4.15	498	50	0	0	0	0	2.82
P352-3104	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P352-3105	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P352-3106	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P352-3108	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P352-3400		7.49	897	6.39	766	6.39	766	85.4	0.1	0	0.1	0	0.95
P390-4000		8.03	962	4.13	494	3.87	464	55	0	6.8	0	6.2	2.93
P390-4001		7.99	957	4.13	494	3.93	471	54.3	0	5	0	4.7	2.84
P390-4002		7.62	913	4.47	536	3.59	431	64.4	0.1	17.1	0.1	19.5	2.55
P390-4003		7.63	914	4.36	522	3.49	418	63.2	0.1	17.4	0.1	19.9	2.54
P390-4004	Clear Ctg, Primer Sealer	8.62	1033	2.59	310	1.53	183	60.5	0.1	42.7	0.1	41	0.74
P390-4005	Clear Ctg, Primer Sealer	9.3	1114	2.4	287	0.65	78	81.9	0.1	74.8	0.1	72.7	0.36



Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P420-903		8.13	974	4.45	533	4.45	533	54.8	0	0	0	0	0.42
P420-904		8.05	965	4.19	502	4.19	502	52	0	0	0	0	0.6
P420-905		8.84	1059	4.3	515	4.3	515	48.6	0	0	0	0	0.97
P420-907		8.96	1074	4.13	495	4.13	495	46.1	0	0	0	0	0.7
P420-908		8.12	973	4.3	516	4.3	516	53	0	0	0	0	0.67
P420-910		8.06	966	4.32	518	4.32	518	53.6	0	0	0	0	0.41
P420-918		8.07	967	4.28	512	4.28	512	53	0	0	0	0	0.63
P420-926		8.25	989	4.52	542	4.52	542	54.8	0	0	0	0	0.84
P420-930		8.21	984	4.43	531	4.43	531	54	0	0	0	0	0.71
P420-933		8.03	962	4.22	506	4.22	506	52.6	0	0	0	0	0.79
P420-938		8.75	1048	4.28	513	4.28	513	49	0	0	0	0	0.72
P420-942		8.91	1068	4.18	501	4.18	501	47	0	0	0	0	0.73
P420-952		8.32	997	4.28	513	4.28	513	51.5	0	0	0	0	0.82
P420-960		8.06	966	4.26	510	4.26	510	52.8	0	0	0	0	0.62
P420-974		8.16	978	4.24	508	4.24	508	52	0	0	0	0	0.72
P420-975		8.18	980	4.86	582	4.86	582	59.4	0	0	0	0	1.07
P420-977		8.18	980	4.53	543	4.53	543	55.4	0	0	0	0	0.71
P420-978		8.16	978	4.47	535	4.47	535	54.7	0	0	0	0	0.71
P420-981		8.17	979	4.39	526	4.39	526	53.7	0	0	0	0	0.61
P420-982		9.05	1084	4.37	523	4.37	523	48.3	0	0	0	0	0.63
P420-983		8.18	980	4.73	566	4.72	566	57.8	0	0	0	0	0.58
P420-JBO1		8.34	999	4.35	521	4.35	521	52.2	0	0	0	0	0.03
P421-993		8.16	978	4.79	574	4.79	574	58.7	0	0	0	0	0.61
P421-995		8.2	983	4.73	567	4.73	567	57.7	0	0	0	0	0.62
P421-996		8.17	979	4.83	579	4.83	579	59.1	0	0	0	0	0.61
P425-900		10.94	1311	4.01	480	4.01	480	36.6	0	0	0	0	1.1
P425-919		8.26	990	4.56	547	4.56	547	55.3	0	0	0	0	0.74
P425-921		8.16	978	4.52	542	4.52	542	55.4	0	0	0	0	0.71
P425-922		8.25	989	4.51	541	4.51	541	54.7	0	0	0	0	2.72
P425-925		11.04	1323	4.11	492	4.11	492	37.2	0	0	0	0	1.06
P425-927		11.56	1385	4.22	506	4.22	506	36.6	0	0	0	0	1.29
P425-928		11.22	1344	4.18	501	4.18	501	37.3	0	0	0	0	0.95
P425-941		8.48	1016	4.09	490	4.09	490	48.3	0	0	0	0	0.86
P425-948		8.1	971	4.42	530	4.42	530	54.6	0	0	0	0	0.67

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P425-950		8.29	993	4.35	521	4.35	521	52.5	0	0	0	0	0.06
P425-954		8.94	1071	4.86	583	4.86	583	54.4	0	0	0	0	0.85
P425-956		8.51	1020	4.7	563	4.7	563	55.2	0	0	0	0	2.62
P425-957		8.21	984	4.3	516	4.3	516	52.4	0	0	0	0	0.75
P425-971		8.31	996	4.73	567	4.73	567	56.9	0	0	0	0	0.06
P425-984		8.35	1001	5.87	704	5.87	703	70.4	0	0	0	0	1.44
P425-985		8.14	975	5.93	711	5.93	711	72.9	0	0	0	0	1.45
P425-986		8.33	998	5.85	701	5.85	701	70.3	0	0	0	0	1.43
P425-987		8.33	998	5.84	700	5.84	700	70.2	0	0	0	0	1.44
P425-988		8.16	978	5.93	711	5.93	711	72.7	0	0	0	0	1.41
P425-989		8.03	962	6	719	6	719	74.8	0	0	0	0	1.4
P425-991		8.15	977	6.01	721	6.01	720	73.9	0	0	0	0	1.38
P425-992		8.25	989	5.84	699	5.84	699	70.8	0	0	0	0	1.41
P425-998		8.26	990	5.87	703	5.86	703	71	0	0	0	0	1.42
P425-EBO3		14.66	1757	2.91	349	2.16	258	34.5	0	19.8	0	25.9	1.75
P426-HEO2		8.31	996	5.9	707	5.9	706	71	0	0	0	0	1.65
P426-HEO5		7.97	955	6.08	729	6.08	729	76.4	0	0	0	0	0.75
P426-HEO6		7.98	956	6.03	722	6.02	722	75.6	0	0	0	0	0.75
P426-HEO7		7.89	945	6.05	725	6.05	724	76.7	0	0	0	0	0.72
P426-HEO1		8.15	977	5.91	708	5.9	708	72.5	0	0	0	0	1.52
P426-HEO3		7.9	947	5.74	688	5.74	688	72.8	0	0	0	0	1.68
P426-HEO4		8.1	971	5.93	710	5.92	710	73.2	0	0	0	0	1.4
P426-PP10		8.2	983	5.85	701	5.85	701	71.4	0	0	0	0	1.52
P426-PP60		8.29	993	5.78	693	5.78	693	69.8	0	0	0	0	1.54
P426-PP61		8.25	989	5.85	700	5.84	700	70.8	0	0	0	0	1.52
P426-PP62		8.28	992	5.88	704	5.88	704	71	0	0	0	0	1.53
P426-PP63		8.25	989	5.86	702	5.86	702	71	0	0	0	0	1.53
P426-PP64		8.25	989	5.83	699	5.83	699	70.7	0	0	0	0	1.51
P426-PP65		8.25	989	5.78	692	5.78	692	70	0	0	0	0	1.54
P426-PP68		8.42	1009	4.94	592	4.94	592	58.7	0	0	0	0	0.94
P426-PPO5		8.17	979	5.76	691	5.76	691	70.6	0	0	0	0	1.53
P426-PPO6		8.2	983	5.78	693	5.78	693	70.5	0	0	0	0	1.5
P426-PPO7		8.12	973	5.77	692	5.77	692	71.1	0	0	0	0	1.54
P426-PPO8		8.21	984	5.78	692	5.77	692	70.3	0	0	0	0	1.52

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P426-PPO9		8.31	996	5.74	688	5.74	688	69.1	0	0	0	0	1.53
P429-914		7.9	947	5.95	713	5.95	713	75.3	0	0	0	0	0.57
P429-923		8.11	972	6.11	733	6.11	732	75.4	0	0	0	0	0.77
P429-937		9.44	1131	4.4	527	4.4	527	46.6	0	0	0	0	0.72
P429-943		8.03	962	5.97	715	5.97	715	74.4	0	0	0	0	1.05
P429-961		7.69	921	5.69	681	5.68	681	73.9	0	0	0	0	0.34
P429-967		9.39	1125	7.29	873	7.28	873	77.6	0	0	0	0	0.13
P429-972		9.14	1095	3.51	421	3.51	420	38.4	0	0	0	0	0.04
P429-973		8.2	983	4.29	514	4.29	514	52.3	0	0	0	0	2.25
P429-976		8.38	1004	4.1	491	4.1	491	48.9	0	0	0	0	2.06
P429-980		8.85	1060	3.98	477	3.98	477	45	0	0	0	0	0.56
P433-XR10		8.73	1046	4.87	584	4.87	584	55.8	0	0	0	0	0.92
P433-XR11		8.52	1021	4.92	590	4.92	590	57.8	0	0	0	0	0.94
P433-XR12		8.57	1027	4.92	590	4.92	590	57.5	0	0	0	0	0.95
P433-XR13		8.59	1029	4.89	586	4.89	586	57	0	0	0	0	0.93
P433-XR14		8.56	1026	4.95	593	4.95	593	57.8	0	0	0	0	0.93
P433-XR15		8.55	1025	4.94	592	4.94	592	57.8	0	0	0	0	0.92
P433-XR16		8.58	1028	4.96	594	4.96	594	57.8	0	0	0	0	0.93
P433-XR17		8.54	1023	4.93	591	4.93	591	57.8	0	0	0	0	0.92
P433-XR18		8.55	1025	4.94	592	4.94	592	57.8	0	0	0	0	0.92
P434-CS31		8.15	977	4.92	590	4.92	590	60.4	0	0	0	0	0.92
P434-CS32		8.2	983	4.96	594	4.95	594	60.4	0	0	0	0	0.93
P434-CS33		8.26	990	4.93	591	4.93	590	59.7	0	0	0	0	0.93
P434-CS34		8.26	990	4.93	591	4.93	590	59.7	0	0	0	0	0.93
P434-CS35		8.18	980	4.94	592	4.94	592	60.4	0	0	0	0	0.92
P435-GF37		8.07	967	5	599	4.99	598	61.9	0	0	0	0	0.95
P440-FX20		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX21		8.06	966	5.79	694	5.79	693	71.8	0	0	0	0	0.48
P440-FX22		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX23		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX24		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX25		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX26		8.07	967	5.79	694	5.79	694	71.8	0	0	0	0	0.48
P440-FX51		8.07	967	4.98	596	4.97	596	61.7	0	0	0	0	0.96

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P471-9900	Single-Stage Ctg	11.7	1402	2.65	317	2.65	317	22.6	0	0	0	0	0.49
P471-9904	Single-Stage Ctg	8.2	983	2.97	355	2.97	355	36.2	0	0	0	0	0
P471-9905	Single-Stage Ctg	9.31	1116	3.3	395	3.3	395	35.4	0	0	0	0	0.03
P471-9907	Single-Stage Ctg	9.13	1094	3.01	361	3.01	361	33	0	0	0	0	0.05
P471-9908	Single-Stage Ctg	8.25	989	3	360	3	360	36.4	0	0	0	0	0
P471-9910	Single-Stage Ctg	8.21	984	2.95	353	2.95	353	35.9	0	0	0	0	0
P471-9918	Single-Stage Ctg	8.27	991	2.98	357	2.98	357	36	0	0	0	0	0
P471-9920	Single-Stage Ctg	8.4	1007	3.02	362	3.02	362	36	0	0	0	0	0.09
P471-9921	Single-Stage Ctg	8.58	1028	3.01	361	3.01	361	35.1	0	0	0	0	0.06
P471-9930	Single-Stage Ctg	8.45	1013	3.01	361	3.01	361	35.7	0	0	0	0	0.06
P471-9941	Single-Stage Ctg	8.97	1075	2.93	351	2.93	351	32.6	0	0	0	0	0.07
P471-9948	Single-Stage Ctg	8.42	1009	2.99	359	2.99	359	35.6	0	0	0	0	0.03
P471-9950	Single-Stage Ctg	8.38	1004	2.94	353	2.94	353	35.1	0	0	0	0	0.04
P471-9954	Single-Stage Ctg	8.83	1058	3.02	362	3.02	362	34.2	0	0	0	0	0.08
P471-9957	Single-Stage Ctg	8.69	1041	2.98	357	2.98	357	34.3	0	0	0	0	0.07
P471-9969	Single-Stage Ctg	8.6	1031	2.99	358	2.99	358	34.8	0	0	0	0	0.06
P471-9976	Single-Stage Ctg	8.67	1039	3.03	363	3.03	363	34.9	0	0	0	0	0.05
P472-KTO1		9.11	1092	2.75	329	2.75	329	30.2	0	0	0	0	0.06
P472-KTO2		11.02	1320	2.77	332	2.77	332	25.2	0	0	0	0	0.06
P472-KTO3		8.88	1064	2.91	349	2.91	349	32.8	0	0	0	0	0.07
P540-401		11.51	1379	4	479	3.99	479	34.7	0	0	0	0	2.87
P540-402		11.4	1366	3.97	475	3.97	475	34.8	0	0	0	0	3.06
P540-404		10.17	1219	4.31	516	4.31	516	42.4	0	0	0	0	2.84
P562-100		10.32	1237	0.58	70	0.26	31	47.5	45	0	55.7	0	0
P565-2910		13.03	1561	4.02	481	4.02	481	30.8	0	0	0	0	1.94
P565-2960		12	1438	3.24	388	3.24	388	27	0	0	0	0	0.6
P565-3011		13.04	1563	3.45	413	3.44	413	26.5	0.1	0	0.2	0	1.32
P565-3015		12.74	1527	3.5	419	3.49	418	27.5	0.1	0	0.2	0	1.42
P565-3111		13.51	1619	2.42	290	1.68	202	37.6	0.1	25.1	0.1	30.3	0.35
P565-3115		13.24	1587	2.48	297	1.79	215	36.9	0.1	23.3	0.1	27.6	0.46
P565-3121	Primer Sealer	12.26	1469	3.07	368	2.34	281	39.4	0	20.2	0	23.7	1.03
P565-3125	Primer Sealer	12.08	1448	3.1	371	2.36	283	40.4	0	20.9	0	23.8	1.08
P565-3127	Primer Sealer	12.17	1458	2.95	353	2.28	273	38.1	0	19.4	0	22.6	0.85
P565-3141	Primer Sealer	12.49	1497	2.01	241	1.09	131	48.4	0	39.6	0	45.6	0.12

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P565-3145	Primer Sealer	12.47	1494	2.01	241	1.08	129	49	0	40.3	0	46.3	0.13
P565-3147	Primer Sealer	12.34	1479	2.01	241	1.09	131	49.1	0	40.3	0	45.7	0.17
P565-3181		13.18	1579	1.03	123	0.55	65	42.7	0	38.6	0	46.9	0.1
P565-3185		13.27	1590	1.01	121	0.55	66	41.6	0	37.4	0	45.7	0.1
P565-3187		13.16	1577	1.04	125	0.58	69	40.9	0	36.5	0	44.5	0.1
P565-357		12	1438	3.24	388	3.24	388	27	0	0	0	0	0.6
P565-358		12.26	1469	3.24	388	3.24	388	26.4	0	0	0	0	0.4
P565-5005		12.65	1516	2.97	356	2.66	319	30.1	0	9	0	10.6	2.19
P565-510		12.62	1512	3.87	464	3.87	464	30.7	0	0	0	0	1.98
P565-511		12.66	1517	3.88	464	3.88	464	30.6	0	0	0	0	1.97
P565-5201	Primer	14.13	1693	1.91	229	1.28	153	35.3	0	26.2	0	33.1	0.02
P565-5205	Primer	14.05	1684	2	239	1.35	161	35.5	0	25.9	0	32.6	0.23
P565-5301		12.93	1549	3.64	436	3.64	436	28.1	0	0	0	0	0.78
P565-5305		12.56	1505	3.82	458	3.82	458	30.4	0	0	0	0	0.77
P565-5401	Primer	13.55	1624	2.32	278	1.4	167	43.2	0	32.9	0	39.9	0.78
P565-5405	Primer	13.6	1630	2.25	270	1.36	163	42.6	0	32.6	0	39.7	0.76
P565-5407	Primer	13.08	1567	2.36	283	1.41	169	45.1	0	34.3	0	40	0.82
P565-554		8.32	997	5.68	681	5.68	681	68.3	0	0	0	0	1.1
P565-597		8.1	971	5.59	670	5.57	668	69.1	0.4	0	0.4	0	0.2
P565-625		8.54	1023	5.51	660	5.51	660	64.5	0	0	0.1	0	1.21
P565-660		8.46	1014	2.87	344	2.87	344	33.9	0	0	0	0	0.83
P565-668		11.73	1406	3.94	472	3.94	472	33.6	0	0	0	0	1.63
P565-693		12.66	1517	4.07	488	4.07	488	32.2	0	0	0	0	1.99
P565-713		9.29	1113	5.44	651	5.44	651	58.6	0	0	0	0	1.01
P565-761		13.15	1576	3.95	474	3.95	474	30.1	0	0	0	0	2.14
P565-768		8.49	1017	2.88	345	2.88	345	33.9	0	0	0	0	0.83
P565-779		8.12	973	4.47	536	4.47	536	55.1	0	0	0	0	0.39
P565-888		13.5	1618	3.9	467	3.89	467	28.9	0	0	0	0	0.96
P565-889		13.39	1604	3.92	469	3.92	469	29.3	0	0	0	0	0.84
P565-9081N		6.86	822	5.44	652	4.26	511	83.3	0.2	20.9	0.2	21.5	0.27
P565-9086		6.82	817	5.48	657	4.24	509	84.4	0.3	21.9	0.2	22.4	0.22
P565-9086N		6.77	811	5.43	651	4.22	506	84.5	0.2	21.9	0.2	22.2	0.27
P565-9880	Pretreatment Ctg	8.64	1035	5.14	616	3.68	441	68.8	0.1	26.1	0.1	28.3	0.24
P572-2000		6.46	774	6.27	751	6.27	751	97	0	0	0	0	3.58

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P572-2001	Adhesion Promoter	7.3	875	6.95	833	6.95	833	95.3	0	0	0	0	6.75
P572-4000		6.02	721	5.81	696	5.8	696	96.4	0	0	0	0	0.9
P572-4001	Adhesion Promoter	7	839	6.64	796	6.64	796	94.8	0	0	0	0	1.49
P580-2400		11.12	1332	4.21	505	4.21	505	37.9	0	0	0	0	4.01
P580-2450		10.17	1219	4.83	579	4.83	578	47.5	0	0	0	0	0.54
P580-2850		11.91	1427	2.83	340	2.8	336	24.3	0.8	0	1.1	0	1.87
P586-2311		13.24	1587	3.95	473	3.95	473	29.9	0	0	0	0	2.14
P586-2335		11.98	1436	3.28	393	3.28	393	27.4	0	0	0	0	0.39
P830-2034	Primer, Clear Ctg, Color Ctg, Single-Stage Ctg, Underbody Ctg.	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.6	0
P830-2035	Primer, Clear Ctg, Color Ctg, Single-Stage Ctg, Underbody Ctg.	11.2	1342	0	0	0	0	100	0	100	0	100.1	0
P830-2036	Primer, Clear Ctg, Color Ctg, Single-Stage Ctg, Underbody Ctg.	11.2	1342	0	0	0	0	100	0	100	0	100	0
P830-2065		6.58	788	6.56	787	5.45	654	100	0.1	17.1	0.1	16.8	1.82
P830-2066		6.36	762	6.36	762	6.36	762	100	0	0	0	0	0.09
P830-2075		6.83	818	6.83	818	6.83	818	100	0	0	0	0	1.71
P830-2077		6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	5.6
P830-2078	Solvent (Applicator Cleaner)	6.79	814	4.8	575	0.2	24	100	0.5	96.6	0.4	95.4	0.2
P830-2085		6.81	816	6.81	816	6.81	816	100	0	0	0	0	1.17
P830-2095		6.82	817	6.82	817	6.82	817	100	0	0	0	0	1.43
P830-2097		6.97	835	7	838	6.28	753	100	0.1	9.7	0.1	10.1	1.94
P830-2099		6.82	817	6.82	818	6.82	818	100	0	0	0	0	0.21
P830-2100		6.65	797	6.52	781	1.13	135	100	0.4	82.7	0.3	82.4	0.12
P850-1041		7.28	872	7.28	872	7.28	872	100	0	0	0	0	0.25
P850-14		5.97	715	5.97	715	5.97	715	100	0	0	0	0	0
P850-1401		7.27	871	6.97	835	6.96	835	95.9	0.1	0	0	0	3.93
P850-1402		6.16	738	6.16	738	6.16	738	100	0	0	0	0	0
P850-1491		7.38	884	7.38	884	7.38	884	100	0	0	0	0	1.47
P850-1691		6.71	804	6.72	805	5.03	603	100	0.2	24.9	0.1	25	2.33
P850-1692		6.82	817	6.82	817	6.81	817	100	0.1	0	0	0	2.82
P850-1693		6.82	817	6.82	817	6.81	817	100	0	0	0	0	3.39
P850-1694		6.83	818	6.83	818	6.82	818	100	0.1	0	0	0	2.56
P850-1695		6.94	832	6.94	832	6.94	832	100	0.1	0	0	0	2.41

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P850-1696		6.95	833	6.95	833	6.95	833	100	0	0	0	0	2.3
P850-1770		8.24	987	0	0	0	0	100	0.2	99.8	0.2	100.1	0
P850-1772	Clear Ctg, Primer, Primer Sealer (Thinner), Adhesion Promoter	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	0
P850-1775	Clear Ctg, Primer, Primer Sealer (Thinner), Adhesion Promoter	11.2	1342	0	0	0	0	100	0	100	0	100.1	0
P850-2367		7.02	841	7.02	841	7.02	841	100	0	0	0	0	4.48
P850-2378		6.46	774	6.46	774	6.46	774	100	0	0	0	0	0.7
P850-2577		7.3	875	7.29	874	7.29	874	100	0	0	0	0	2.49
P850-2578		7.22	865	7.22	865	7.22	865	100	0	0	0	0	0.51
P850-2579		7.23	866	7.23	866	7.23	866	100	0	0	0	0	1.46
P850-2585		7.54	903	7.54	904	7.54	903	100	0	0	0	0	0.93
P850-2588		7.18	860	7.18	861	7.18	861	100	0	0	0	0	3.13
P850-2589		7.18	860	7.18	861	7.18	860	100	0	0	0	0	0.74
P850-2590		7.17	859	7.33	878	5.56	666	100	0.1	22.4	0.1	24.1	2
P850-2591		6.92	829	7.13	854	3.81	456	100	0.2	44.8	0.2	46.4	3.12
P850-2599		8.08	968	8.08	968	8.08	968	100	0	0	0	0	0.16
P850-2801		7.46	894	7.46	894	7.46	894	100	0	0	0	0	4.46
P850-2802		7.08	848	7.08	848	7.07	847	100	0.1	0	0	0	4.7
P850-6910	Clear Ctg (Thinner)	8.64	1035	6.75	809	3.88	465	100	0	55	0	42.5	3.51
P850-6911	Clear Ctg (Thinner)	8.7	1042	6.83	819	3.91	469	100	0	55	0	42.8	1.47
P850-6912	Clear Ctg (Thinner)	8.9	1066	7.11	853	4	480	100	0	55	0	43.7	1.19
P850-6913		8.82	1057	7.01	840	3.97	475	100	0	55	0	43.4	1.37
P850-6914	Clear Ctg (Thinner)	8.12	973	7.1	850	3.93	471	99	0.1	50.5	0.1	44.6	1
P850-930		7	839	7	839	7	839	100	0	0	0	0	4.33
P852-1681	Clear Ctg (Thinner)	8.12	973	7.27	871	0.62	75	99.7	0.2	91.8	0.2	91.2	0.41
P852-1683	Clear Ctg (Thinner)	9.83	1178	7.22	865	0.63	75	99.8	0	93.4	0	91.3	0.41
P852-1689		7.68	920	7.62	913	7.61	912	99.2	0.1	0.1	0.1	0.1	0.62
P852-1893	Single-Stage Ctg (Thinner)	7.18	860	7.18	860	7.17	859	100	0.1	0	0	0	0.84
P852-1894	Single-Stage Ctg (Thinner)	7.2	863	7.2	863	7.19	862	100	0.1	0	0	0	0.58
P872-1000		10.2	1222	0	0	0	0	0	0	0	0	0	0
P910-5510	Clear Ctg	8.66	1038	1.53	183	0.76	91	57.1	48.3	0	50.2	0	0
P935-1135	Underbody Ctg, Color Ctg	8.35	1001	2.31	277	0.78	94	75.4	66.1	0	66.2	0	0
P935-1136	Single-Stage Ctg	8.35	1001	2.31	277	0.78	94	75.4	66.1	0	66.2	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P935-1250	Color Ctg (Additive)	8.46	1014	1.79	215	0.34	40	84	80	0	81.3	0	0
P935-1255		8.9	1066	3.03	363	3.03	363	34.1	0	0	0	0	2.29
P935-2019	Color Ctg (Hardener)	8.73	1046	3.84	460	3.84	460	44	0	0	0	0	1.04
P950-5505	Primer	10.94	1311	0.68	82	0.31	37	44.8	41.9	0.1	55.1	0.1	0
P980-251	Solvent (Substrate Cleaner)	8.18	980	6.64	795	0.57	69	100	93	0	91.4	0	0
P980-5000	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.31	996	7.52	901	0.17	20	100	98	0	97.8	0	0
P980-5085	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.33	998	1.28	153	0.17	20	89	87	0	87	0	0
P980-8212	Solvent (Applicator Cleaner)	8.31	996	7.47	895	0.17	21	100	97.9	0	97.7	0	0
P990-8900	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.27	1231	2.13	256	0.8	96	58.5	50.7	0	62.6	0	0.13
P990-8904	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	3	360	0.74	89	84.6	75.6	0	75.3	0	0
P990-8908	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	3	359	0.78	93	82.8	73.5	0	74	0	0
P990-8910	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.31	996	2.92	350	0.69	83	84.7	76.4	0	76.2	0	0
P990-8918	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.37	1003	2.91	349	0.82	98	81.3	71.6	0	71.9	0	0
P990-8933	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.87	343	0.79	95	81.1	71.7	0	72.4	0	0
P990-8948	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	2.34	280	0.44	53	86.3	81	0	81.1	0	0
P990-8950	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	2.85	341	0.67	80	84.9	76.8	0	76.5	0	0
P990-8953	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.44	1011	2.59	310	0.74	88	79.3	70.6	0	71.5	0	0
P990-8954	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.45	293	0.75	89	76.1	67.4	0	69.5	0	0
P990-8957	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.6	312	0.62	74	82.4	75.1	0	76.3	0	0
P990-8999	Color Ctg, Underbody Ctg, Single-Stage Ctg, Uniform Finish Ctg	8.29	993	3.06	366	0.77	93	84.4	75	0	74.7	0	0
P991-8905	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.7	1042	2.68	321	0.72	87	78.2	69.9	0	73	0	0
P991-8907	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.73	327	0.72	87	77.2	69	0	73.5	0	0
P991-8916	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.66	318	0.65	78	82.7	75	0	75.6	0	0
P991-8920	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.32	997	2.9	348	0.71	85	84.2	75.7	0	75.6	0	0
P991-8921	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.55	306	0.72	87	79.6	71	0	71.7	0	0
P991-8930	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.63	316	0.74	89	80.1	71.2	0	71.8	0	0
P991-8942	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.76	331	0.66	79	82	74.3	0	76.1	0	0
P991-8952	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.67	319	0.76	91	78.7	69.7	0	71.4	0	0.14
P991-8975	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.71	325	0.63	76	83.6	76	0	76.6	0	0
P991-8979	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.57	308	0.6	72	83.2	76	0	76.5	0	0
P991-8984	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.43	1010	2.78	334	0.61	73	84.3	77.1	0	78	0	0



Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P992-8901	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.9	1066	2.48	297	0.75	90	73.6	65.2	0	69.7	0	0
P992-8911	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.35	282	0.56	67	80.9	74.4	0	76.4	0	0
P992-8935	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.56	306	0.77	92	78	68.9	0	70	0	0.18
P992-8960	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	2.43	291	0.59	71	81.6	74.6	0	75.7	0	0
P992-8964	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.64	317	0.72	87	80.7	72.1	0	72.7	0	0
P992-8965	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	2.38	285	0.73	87	77.3	68.7	0	69.4	0	0
P992-8971	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.7	324	0.8	96	79.4	69.8	0	70.3	0	0
P992-8978	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.55	306	0.72	86	79.8	71.3	0	72	0	0
P992-8983	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.87	344	0.72	86	83	74.5	0	75.1	0	0
P992-HE02		9.06	1086	2.3	276	0.7	83	71.9	64.2	0	69.8	0	0
P993-8941	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	1.9	228	0.63	75	71.3	64.1	0	67.2	0	0
P993-8963	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.85	1060	1.75	210	0.44	53	75.2	70.2	0	74.6	0	0
P993-8970	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.67	1159	2.36	283	0.63	76	69.6	63	0	73.2	0	0
P993-8972	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.63	1154	2.6	311	0.76	91	69.1	61.3	0	70.8	0	0
P994-8917	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.6	312	0.61	73	83.4	76.1	0	76.6	0	0
P994-8943		8.43	1010	2.82	338	0.85	102	79.1	69	0	69.8	0	0
P994-8961		8.39	1005	2.81	336	0.78	94	80.9	71.6	0	72.1	0	0
P994-8977		8.35	1001	2.73	327	0.62	74	84.7	77.3	0	77.5	0	0
P994-8990		8.61	1032	2.4	287	0.83	100	72.8	63.2	0	65.3	0	0
P994-AN50	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.05	245	0.42	50	83.8	78.8	0	79.6	0	0
P995-HE03	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.51	1020	2.83	339	0.76	92	80.4	71.5	0	73	0	0
P995-HE04	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	3.16	379	0.86	104	82.2	71.9	0	72.7	0	0
P995-HE05	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	3.2	384	0.88	106	81.7	71.3	0	72.4	0	0
P995-HE07		8.34	999	2.96	355	0.78	93	83.1	73.8	0	73.8	0	0
P995-PP05	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.62	1033	2.85	342	0.78	94	79.2	70.1	0	72.6	0	0
P995-PP06	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.83	339	0.75	90	80.3	71.5	0	73.5	0	0
P995-PP07	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.58	1028	2.83	339	0.74	88	80.4	71.8	0	73.9	0	0
P995-PP09	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.81	336	0.73	87	80.6	72.2	0	74.2	0	0
P995-PP60	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.83	339	0.75	90	80.3	71.5	0	73.5	0	0
P995-PP61	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.81	336	0.73	87	80.6	72.2	0	74.2	0	0
P995-PP63	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.84	340	0.74	88	80.5	71.9	0	74	0	0
P995-PP64	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.8	335	0.67	80	82	74.2	0	76.1	0	0
P995-PP65	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.84	340	0.74	88	80.5	71.9	0	74	0	0
P996-PP08	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.72	326	0.74	89	76.8	68.4	0	72.9	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P996-PP10	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.91	1068	2.8	336	0.84	101	74.8	65.4	0	69.9	0	0
P996-PP62	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.96	1074	2.72	326	0.76	91	75.6	67.2	0	72.2	0	0
P996-PP66	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.82	338	0.73	87	80.6	72.1	0	74.2	0	0
P996-PP67	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.81	336	0.73	87	80.6	72.2	0	74.2	0	0
P996-PP68	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.9	348	0.78	94	79.7	70.6	0	73	0	0
P997-FX20		8.53	1022	2.89	346	0.82	98	79.6	70	0	71.7	0	0
P997-FX21		8.54	1023	2.89	347	0.82	98	79.6	70	0	71.8	0	0
P997-FX22		8.54	1023	2.9	347	0.82	98	79.6	70	0	71.8	0	0
P997-FX23		8.54	1023	2.89	347	0.82	98	79.6	70	0	71.8	0	0
P997-FX24		8.54	1023	2.89	347	0.82	98	79.6	70	0	71.8	0	0
P997-FX25		8.54	1023	2.89	347	0.82	98	79.6	70	0	71.8	0	0
P997-FX26		8.54	1023	2.89	347	0.82	98	79.6	70	0	71.8	0	0
P997-LA01	Color Ctg	8.28	992	3.03	363	0.78	93	84.2	74.6	0.2	74.2	0.2	0
P997-LA05	Color Ctg	8.25	989	2.97	355	0.77	92	84.2	74.6	0.3	73.9	0.3	0
P997-SF18	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	2.61	313	0.43	51	87.3	82.3	0	83.7	0	0
P998-8981		8.54	1023	3.18	381	0.87	104	81	70.8	0	72.6	0	0
P998-8985	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3.06	367	0.83	99	81.6	71.9	0	73.1	0	0
P998-8986	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3.01	360	0.82	98	81.2	71.6	0	72.8	0	0
P998-8987	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.12	374	0.87	104	81	70.8	0	72.2	0	0
P998-8988	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.12	374	0.87	104	81	70.9	0	72.3	0	0
P998-8989	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.05	366	0.84	100	81.4	71.5	0	72.6	0	0
P998-8991	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	2.03	243	0.49	59	78.1	72.5	0	75.9	0	0
P998-8992	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.48	1016	3.09	370	0.83	100	81.5	71.7	0	73	0	0
P998-8993	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.06	367	0.82	98	82	72.3	0	73.3	0	0
P999-C531	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.52	1021	2.73	328	0.72	87	80.4	71.9	0	73.6	0	0
P999-C532	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.77	332	0.72	87	80.4	71.9	0	73.9	0	0
P999-C533	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.68	321	0.75	89	78.9	70.2	0	72.2	0	0
P999-C534	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.79	335	0.73	87	80.4	71.9	0	74	0	0
P999-C535	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.75	330	0.72	87	80.4	71.9	0	73.7	0	0
P999-GF37	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.32	997	3.23	387	0.65	78	87.8	80	0	79.9	0	0
P999-XR10	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.1	1090	2.67	320	0.8	96	72.9	64.1	0	70	0	0
P999-XR11	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	2.68	321	0.8	96	72.9	64.1	0	70	0	0
P999-XR12	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.12	1093	2.76	331	0.75	90	74.8	66.5	0	72.9	0	0
P999-XR13	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.14	1095	2.67	320	0.82	98	72.2	63.3	0	69.4	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P999-XR14	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.83	339	0.73	87	80.4	72	0	74.3	0	0
P999-XR15	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.83	339	0.73	87	80.4	72	0	74.3	0	0
P999-XR16	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.85	341	0.73	87	80.4	72	0	74.4	0	0
P999-XR17		8.6	1031	2.83	339	0.73	87	80.4	72	0	74.3	0	0
P999-XR18		8.64	1035	2.83	339	0.73	88	80	71.6	0	74.2	0	0
VU-O122		7.88	944	4.7	563	4.67	559	59.9	0	0.7	0	0.8	3.04
VU-WT57		9.66	1158	4.62	553	4.58	549	48	0	0.5	0	0.8	2.71