

Detailed OneChoice Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
CFX-1000		7.86	942	3.38	406	3.15	377	46	0	5.9	0	6.9	52.7	0
CFX1972	Other, Additive	8.4	1007	4.93	591	4.93	591	58.8	0	0	0	0	66.4	0
CFX200		7.24	868	6.79	814	6.77	811	93.9	0.1	0.3	0.1	0.3	95.4	0.4
CFX240		7.27	871	6.97	835	6.96	834	95.9	0.1	0	0	0	96.7	3.93
CFX435LV	Solvent (Substrate Cleaner)	8.37	1003	5.07	608	0.41	49	96.4	91.5	0	92	0	97.4	0
CFX436	Solvent (Substrate Cleaner)	6.36	762	6.36	762	6.36	762	100	0	0	0	0	100	0.09
CFX437		6.94	832	6.94	832	6.94	832	100	0	0	0	0	100	4.63
CFX700		8.51	1020	3.16	379	3.16	379	37.2	0	0	0	0	48.2	0.04
CFX744		9.59	1149	0	0	0	0	65.3	65.3	0	75.2	0	75.2	0
CFX849	Single-Stage Ctg., Primer (Additive)	8.17	979	7.78	932	7.76	929	95.2	0.1	0.2	0.1	0.2	95.5	0
CFX881		7.24	868	7.1	850	7.1	850	98.1	0	0	0	0	98.4	7.09
SB10		7.45	893	6.56	786	6.56	786	88	0	0	0	0	92.1	4.74
SB11		7.49	897	6.41	768	6.41	768	85.6	0	0	0	0	90.1	4.56
SB12		7.51	900	6.4	767	6.4	767	85.2	0	0	0	0	89	5.59
SB13		7.56	906	6.53	783	6.53	783	86.4	0	0	0	0	91.1	5.67
SB14		7.7	923	6.36	762	6.36	762	82.6	0.1	0	0.1	0	88.7	5.42
SB15		7.34	880	6.18	741	6.18	741	84.3	0	0	0	0	88.5	0.28
SB16		7.51	900	6.52	781	6.52	781	86.8	0	0	0	0	90.6	5.67
SB17		7.44	892	6.38	765	6.38	765	85.7	0	0	0	0	89.5	1.19
SB18		8.03	962	6.13	735	6.13	735	76.4	0	0	0	0	85.4	5.28
SB19		7.68	920	6.42	770	6.42	770	83.7	0	0	0	0	89.6	5.45
SB20		7.49	897	6.19	742	6.19	742	82.6	0	0	0	0	87.1	1.15
SB21		7.36	882	6.23	747	6.23	747	84.6	0	0	0	0	88.8	0.13
SB22		7.51	900	6.5	779	6.5	779	86.6	0.1	0	0.1	0	90.5	5.58
SB23		7.51	900	6.46	774	6.46	774	86	0.1	0	0.1	0	89.8	5.33
SB24		8.1	971	5.83	698	5.83	698	72	0	0	0	0	79.3	4.52
SCA400		6.22	745	5.22	626	3.47	416	91.9	0.2	35.8	0.2	33.3	94.5	0
SL1999	Single-Stage Coating (Additive)	7.85	941	0	0	0	0	0	0	0	0	0	0	0
SL814		7.68	920	5.06	607	5.06	606	65.9	0	0	0	0	70.1	4.99
SL84	Single-Stage Ctg, Primer (Additive)	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0
SL87	Single-Stage Ctg, Primer (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	100	0
SL93LV	Clear Ctg, Primer, Single-Stage Ctg (Additive)	11.16	1337	0	0	0	0	98.8	0	98.8	0	98.6	98.4	0
SLV4985	Color Ctg, Clear Ctg	10.23	1226	2	240	0.54	65	80	0	74.6	0.1	72.8	80.5	0
SLV73	Clear Ctg, Color Ctg, Single-Stage Ctg (Additive)	9.98	1196	1.92	230	0.07	8	98	0.1	97.2	0.1	96.3	97.5	0
SLV814	Clear Ctg, Single-Stage Ctg, Primer (Additive)	10.25	1228	1.01	121	0.36	44	73.4	0	69.9	0	64	68.9	0
SLV840	Uniform Finish Ctg	8.82	1057	4.19	502	0.39	46	96.5	0.2	91.9	0.2	90.6	96.7	0
SLV898	Clear Ctg, Single-Stage Ctg, Color Ctg (Thinner)	11.14	1335	0	0	0	0	99	0	99	0	98.6	98.5	0
ST1202		9.35	1120	2.59	310	2.11	253	37.9	0	15.3	0	18.7	45.3	0.82
SU1081	Solvent (Substrate Cleaner)	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0

Detailed OneChoice Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
SU1280	Primer	9.81	1175	0.01	1	0	1	24.1	0.1	23.9	0.1	35.1	35.8	0
SU470LV	Adhesion Promoter	10.59	1269	4.24	508	0.71	85	94.6	0	87.9	0	83.3	93	0
SU481LV	Adhesion Promoter	10.1	1210	4.26	511	1.53	183	71.3	0.1	56.1	0.1	64	85.5	0.01
SU485LV	Adhesion Promoter	10.07	1207	4.31	516	1.19	143	79.9	0.1	67.9	0.1	72.2	89	0.01
SU487LV	Adhesion Promoter	10.07	1207	4.32	518	1.19	143	79.9	0.1	68	0.1	72.3	89	0.01
SU4901	Solvent (Substrate Cleaner)	8.31	996	2.27	272	0.09	10	97.4	96.4	0	96.2	0	97.5	0
SU4902	Adhesion Promoter	7.14	856	6.99	838	6.93	831	98.1	1	0	0.9	0	98.4	0.48
SU4903	Adhesion Promoter	6.94	832	6.58	788	6.58	788	94.8	0	0	0	0	95.5	1.47
SU4985		8.3	995	5.63	674	5.63	674	67.9	0	0	0	0	76.4	0.99
SUA1045		6.94	832	4.19	502	2.31	276	79.6	0.2	46.2	0.2	44.8	92.2	0.11
SUA1080		7.3	875	3.77	452	2.82	337	61.8	0.1	23.1	0.1	25.3	76.3	0.08
SUA1280		6.94	832	4.01	481	2.78	333	69.6	0.2	29.5	0.1	30.6	81.5	0
SUA470LV		8.05	965	5.39	645	3.17	380	96.5	0	57.1	0	41.2	96.6	0
SUA4903	None	5.98	717	5.77	691	5.77	691	96.4	0	0	0	0	97.3	0.89
SUA5000		6.3	755	6.17	739	6.17	739	97.9	0	0	0	0	98.6	1.7
SWX100	Solvent (Applicator Cleaner)	8.31	996	7.55	905	0.17	21	100	97.9	0	97.7	0	100	0
SWX350	Solvent (Substrate Cleaner)	8.13	974	4.89	586	0.19	23	99.1	89.8	6.9	87.6	8.4	99.1	0
SWX360	Solvent (Substrate Cleaner)	8.18	980	5.73	687	0.5	60	99.1	93	0	91.3	0	99	0
SX1002		11.26	1349	1.08	129	0.35	41	53.3	50.2	0	67.9	0	72.8	0
SX1009	Solvent (Substrate Cleaner)	9.07	1087	6.46	774	2.89	346	100	0	68.2	0	55.3	100	0
SX103	Solvent (Substrate Cleaner)	6.57	787	6.54	784	6.47	775	99.9	1.4	0	1.1	0	99.9	0
SX1047	Primer	10.24	1227	1.74	209	0.68	81	56.3	49.7	0	61.1	0	69.8	0
SX1050	Adhesion Promoter	6.84	820	6.57	787	6.53	783	96.1	0	0.5	0	0.5	96.9	3.41
SX1056		11.89	1425	3.72	446	3.72	446	31.3	0	0	0	0	51.8	1.68
SX1057		11.92	1428	4.41	528	4.41	528	37	0	0	0	0	61.2	1.3
SX1058		9.02	1081	1.44	173	1.44	173	16	0	0	0	0	21.6	1.43
SX1060		12.47	1494	4.17	499	4.01	481	34.2	0	2	0	3.7	59	1.54
SX1061		8.1	971	4.94	592	4.94	591	61	0	0	0	0	67.4	0.49
SX1071	Pretreatment Ctg	8.65	1036	5.14	616	3.68	441	68.8	0.1	26.1	0.1	28.3	81.6	0.24
SX1072	Pretreatment Ctg (Hardener)	9.56	1146	6.16	738	0.94	112	98.1	0.4	87.9	0.5	84.3	98.9	0
SX320	Solvent (Substrate Cleaner)	6.32	757	6.32	757	6.32	757	100	0	0	0	0	100	0
SX330	Solvent (Substrate Cleaner)	6.36	762	6.36	762	6.36	762	100	0	0	0	0	100	0.09
SX394	Solvent (Substrate Cleaner)	8.07	967	6.88	824	1.34	160	99.7	83.2	0	80.6	0	99.8	0
SX440	Solvent (Substrate Cleaner)	6.46	774	6.46	774	6.46	774	100	0	0	0	0	100	0.75
SX501		8.35	1001	0	0	0	0	99.4	99.4	0	99.6	0	0	0
SX503		8.43	1010	0.03	3	0	0	97.9	97.9	0	99.1	0	0	0
SX520		9.43	1130	0.02	3	0	0	84	84	0	95.1	0	86.9	0
SX533	Solvent (Substrate Cleaner)	8.95	1072	4.22	506	0.9	108	83.3	73.2	0	78.6	0	90.5	0
SX579		9.63	1154	4.45	533	1.93	231	69	49.1	0	56.7	0	81.4	0.95

Detailed OneChoice Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
SX840	Uniform Finish Ctg	7.27	871	6.97	835	6.96	834	95.9	0.1	0	0	0	96.7	3.93
SXA103		5.89	706	5.88	705	5.87	703	99.9	0.3	0	0.2	0	99.9	0
SXA1030		6.15	737	5.1	611	2.8	336	94.4	0	48.8	0	45	96.3	0.78
SXA1031		6.56	786	5.24	628	3.89	466	85.5	0	26.3	0	25.8	95	0.62
SXA1041		5.54	664	4.49	538	3.22	386	92.2	0	34	0	28.2	84.9	1.48
SXA1044		6.86	822	5.02	601	3.98	477	78.1	0	20	0	20.6	92.4	1.13
SXA1050		5.94	712	5.61	673	4.91	589	96.7	0	14	0	12.5	99.1	1.32
SXA1081		9.44	1131	4.25	509	0.71	85	100	0.1	92.5	0.1	83.3	100	0
SXA1083		7.31	876	4.35	522	2.56	307	76	0	41	0	41.2	69.3	0.73
SXA330		5.78	693	5.78	692	5.78	692	100	0	0	0	0	100	0.06
SXA840		7.04	844	5.47	655	3.21	385	98	0.1	52.3	0.1	41.2	98.5	0
SXA9000		6.28	753	5.4	647	3.81	457	91.9	0	31.3	0	29.5	96.3	1.45