



Canadian National Rule
 VOC Concentration Limits for Automotive Refinishing Products Regulations
Canada Gazette Part II, Volume 143, No 14
 Published: 6/18/2009 | Effective: 6/18/2010



Coating Category	g/L(lbs/U.S. gal) Limit: VOC Regulatory (Less Water Less Exempts).	
Solvent (Surface Cleaner)*	50 (0.42)	*VOC concentration of a Surface Cleaner applies to this category.
Pre-Treatment Wash Primer	660 (5.5)	
Primer Surfacer	250 (2.1)	
Primer Sealer	340 (2.8)	
Single Stage Coating	420 (3.5)	
Colour Coating	420 (3.5)	
Underbody Coating	430 (3.6)	
Clear Coating	250 (2.1)	
Uniform Finish Coating	540 (4.5)	
Adhesion Promoter	840 (7.0)	

Product Code & Name	Hardener/Activator	Reducer	Mix Ratio	VOC Content
Solvent (Surface Cleaner)				Limit: 50 g/L (0.42 lbs/U.S. gal)
P850-1402 Spirit Wipe - Slow*	-	-	-	750 (6.26)
SWX350 H ₂ O-S0-CLEAN [®] Wax & Grease Remover	-	-	-	20 (0.17)
*If used as a spot cleaner only, dispensed in a hand-held spray bottle.				

Product Code & Name	Hardener/Activator	Reducer	Additives	Mix Ratio	Applied VOC Less Water Less Exempt
Pre-Treatment Coatings					Limit: 660 g/L (5.5 lbs/U.S. gal)
SX1071 ECOBASE [®] 5.5 Etch Prime	SX1072	-	-	1:1	657 (5.48)
SXA1031 Etch Primer - Gray	-	-	-	Aerosol	N/A
Primer Surfacer					Limit: 250 g/L (2.1 lbs/U.S. gal)
P565-540X HS Plus Primer Surfacer	P210-5475	P850-1775	-	4:1	249 (2.08)
P565-540X HS Plus Primer Surfacer	P210-5475	P850-1775	-	4:1:1	249 (2.08)
P565-540X HS Plus Primer Surfacer	P210-5475	P850-1775	P275-2157	4:1:1 + 10%	250 (2.09)
P950-5505 Waterborne Primer Surfacer	-	P980-5000	-	1:13%	86 (0.72)
DPLV 2.1 Epoxy Primer	DP401LV	D8764, D8774, D8767	-	2:1:1	2.09 (250)
Primer Sealer (apply over previously coated surfaces)					Limit: 340 g/L (2.8 lbs/U.S. gal)
P565-312X HS+ Wet-On-Wet Sealer	P210-5475	P850-1775	-	3:1:1	2.75 (329)
Single Stage Coating					Limit: 420 g/L (3.5 lbs/U.S. gal)
P989 AQUABASE [®] Plus Interior System	P210-9136	P980-5000	-	100:15:15	334 (2.79)
Basecoat for Multi Stage Topcoat System					Limit: 420 g/L (3.5 lbs/U.S. gal)
P989 Aquabase Plus Basecoat	-	P980-5000	-	100:10	401 (3.35)
P989 Aquabase Plus Basecoat	-	P980-5000	-	100:20	407 (3.40)
P989 Aquabase Plus Basecoat	-	P980-5000	-	100:30	419 (3.50)
P989 Aquabase Plus Basecoat	-	-	P935-1250	100:10	403 (3.36)
P989 Aquabase Plus Basecoat	-	P980-5000	P935-1250	100:10:10	405 (3.38)
P989 Aquabase Plus Basecoat	-	P980-5000	P935-1250	100:20:10	3.40 (407)
P989 Aquabase Plus Basecoat	P210-9120	P980-5000	-	100:10:10	336 (3.05)
P989 Aquabase Plus Basecoat	P210-9120	P980-5000	-	100:10:20	370 (3.09)
P989 Aquabase Plus Basecoat	P210-9120	P980-5000	-	100:10:30	373 (3.11)



Canadian National Rule

VOC Concentration Limits for Automotive Refinishing Products Regulations

Canada Gazette Part II, Volume 143, No 14

Published: 6/18/2009 Effective: 6/18/2009



Product Code & Name	Hardener/Activator	Reducer	Additives	Mix Ratio	Applied VOC Less Water Less Exempt
Underbody Coatings (Specialty)					Limit: 430 g/L (3.6 lbs/U.S. gal)
P989 Aquabase Plus Engine Bay Color	P210-9120	P980-5000	-	100:15:15	3.08 (369)
Clear Coating					Limit: 250 g/L (2.1 lbs/U.S. gal)
P190-6490 Scratch Resistant Clearcoat	P210-8490	-	-	2:1	2.00 (240)
P190-6730 HS Plus Clearcoat	P210-65XX	P850-1775	-	3:1:10%	2.05 (246)
P190-6759 Express Clearcoat LV	P210-87X	P850-1775	-	3:1:1.5	2.08 (249)
P190-6759 Express Clearcoat LV	P210-87X	P850-1775	P275-2200	3:1:1:5%	2.08 (249)
P190-6759 Express Clearcoat LV	P210-87X	P850-1775	P275-2200	3:1:1.5:5%	2.08 (249)
P190-6759 Express Clearcoat LV	P210-87X	P850-1775	-	3:1:1	2.08 (249)
P190-6790 HS Clearcoat LV	P210-87X	P850-1775	-	3:1:1	2.08 (249)
P190-6790 HS Clearcoat LV	P210-87X	P850-1775	-	3:1:1.5	2.08 (249)
P190-6800 HS Express Clearcoat	P210-6875 P210-6875	P850-1775 P852-1683	-	4:1:1 4:1:1	1.90 (228) 2.08 (249)
P190-6930 Performance Clearcoat	P210-6975	P850-691X	-	3:1:1	1.94 (232)
P190-6950 Extended Performance Clearcoat	P210-6975	P850-691X	-	3:1:1	2.01 (241)
P910-5510 Waterborne Clearcoat	P210-8860	P980-5000	-	5:2:2	2.09 (250)

Additional Products (listing not intended to be all inclusive)		
P100-2021 Flexible Additive	SU470LV 1K Compliant Adhesion Promoter	SX1050 Plastic Adhesion Promoter
P572-2001 1K Adhesion Primer for Plastics	SU4901 Clean and Scuff Sponge	SXA1050 Plastic Adhesion Promoter (Aerosol)
SLV4985 Universal Flattening Agent	SU4902 Plastic Prep Wipe	SX1047 High Build WB Flexible Surfacer
SLV73 Fisheye Eliminator	SU4903 Advanced Plastic Bond	SXA1044 High Build Flexible Surfacer (Aerosol)
SLV814 Universal Flexibilizer	SUA4903 Advanced Plastic Bond (Aerosol)	SWX100 Waterborne Gun Cleaner
SLV840 Uniform Finish Blender	SXA840 Uniform Finish Blender (Aerosol)	
SLV898 Retarder	SXA1030 Black Guide Coat (Aerosol)	

This "Canadian National Rule PPG Nexa Autocolor" wall chart is intended to provide INFORMATION to PPG's customers. In providing this wall chart, PPG makes no separate or additional warranties, express or implied, and assumes no liability or responsibility arising out of its use. It is the responsibility of each customer, RE-SELLER AND END USER of PPG's products to independently ascertain that their practices are legal, appropriate and constitute sound product stewardship. This "Canadian National Rule PPG Nexa Autocolor" wall chart does not include all currently compliant PPG Nexa Autocolor products. The representative products listed are compliant with Canadian National Rule VOC limits as of the date of this wall chart; however, subsequent changes in the Canadian National Rule may change the compliance status of the listed products. It is the responsibility of the end user to review and comply with current regulations, including applicable coating category VOC limits, as of the date of product purchase and/or use. This document is not INTENDED to define or create legal rights or obligations. It is the responsibility of each customer, RE-SELLER AND END USER to comply with all applicable federal, state and local laws.

Nexa Autocolor, Aquabase, Ecobase, and H₂O-So-Clean are trademarks of PPG Industries of Ohio, Inc.