

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P100-2020N		8.65	1036	3.31	397	3.31	397	38.3	0	0	0	0	0.63
P100-2021	Clear Ctg, Single-Stage Ctg, Primer (Additive)	9.75	1168	1.8	215	1.3	156	45.1	0	31.8	0	27.7	0
P110-5000N		7.25	869	3.69	442	2.8	335	60.9	0.1	22.2	0.1	24.1	0.08
P170-5670		9.78	1172	3.66	438	3.66	438	37.4	0	0	0	0	1.28
P190-1002		8.35	1001	4.5	539	3.15	377	70	0.1	32.2	0.1	29.9	0.09
P190-542		8.1	971	4.01	481	4.01	481	49.6	0	0	0	0	0.12
P190-5520		8.3	995	3.9	468	3.9	467	47	0	0	0	0	0.58
P190-6100		7.67	919	4.29	515	3.45	413	62.1	0	17.2	0	19.8	2.43
P190-6330		7.99	957	3.31	397	2.84	340	47.5	0.1	11.9	0.1	14.3	1.62
P190-643		8.2	983	4.09	490	4.09	490	49.8	0	0	0	0	0.32
P190-6659		8.15	977	3.63	435	3.56	427	45.2	0	1.4	0	1.7	2.2
P190-6720	Clear Ctg	9.47	1135	2.5	299	1.48	177	63	0	47.4	0	40.9	1.16
P190-6730	Clear Ctg	9.94	1191	1.94	233	0.98	117	65.8	0	55.9	0	49.7	0
P190-6759	Clear Ctg	9.42	1129	1.98	238	1.39	166	50.3	0	35.6	0	30.1	1.02
P190-6790	Clear Ctg	9.42	1129	1.98	238	1.39	166	50.4	0	35.6	0	30.1	1.02
P190-6800	Clear Ctg	8.6	1031	2.23	267	1.15	138	63.1	0.1	49.7	0.1	48.3	0
P190-6920	Clear Ctg	9.3	1114	1.2	144	0.73	87	50.4	0	42.5	0	39.4	0
P190-6930	Clear Ctg	9.83	1178	0.82	99	0.44	53	55.1	0	50.6	0	46.6	0
P190-6950	Clear Ctg	9.76	1170	0.97	116	0.5	60	56.9	0	51.7	0	47.8	0.33
P192-475		6.93	830	5.3	635	5.3	635	76.5	0	0	0	0	0.56
P192-5600		6.35	761	5.8	694	5.79	694	91.3	0	0	0	0	2.06
P196-2376		8.15	977	4.7	563	4.7	563	57.7	0	0	0	0	0.15
P196-2377		8.26	990	5.66	679	5.66	678	68.6	0	0	0	0	0.72
P210-5260		8.25	989	4.33	519	4.33	519	52.5	0	0	0	0	0.74
P210-5275		8.28	992	4.35	521	4.35	521	52.5	0	0	0	0	0.84
P210-5290		8.48	1016	4.29	514	4.29	514	50.6	0	0	0	0	1.43
P210-5475	Primer, Primer Sealer (Hardener), Adhesion Promoter	10.45	1252	0.7	83	0.3	36	63.4	0	60.5	0	56.5	0.14
P210-5476	Primer, Primer Sealer (Hardener), Adhesion Promoter	10.37	1243	0.64	77	0.28	33	63.8	0	61.1	0	56.7	0.14
P210-5585		8.13	974	4.29	514	4.29	514	52.8	0	0	0	0	2.36
P210-5595		8.12	973	4.37	523	4.37	523	53.8	0	0	0	0	1.12

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P210-6270		8.74	1047	2.3	275	2.3	275	26.3	0	0	0	0	0.6
P210-6285		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	0.6
P210-6295		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	0.6
P210-6575	Clear Ctg (Hardener)	9.37	1123	2.28	273	1.83	219	43.1	0	23.5	0	19.7	0.28
P210-6585	Clear Ctg (Hardener)	9.31	1116	2.26	271	1.83	219	42.7	0	23.1	0	19.2	0
P210-6875	Clear Ctg (Hardener)	9.96	1193	0.73	88	0.51	62	38.4	0	33.2	0	29.5	0
P210-6895	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	0
P210-6975	Clear Ctg (Hardener)	9.94	1191	0.39	47	0.3	36	30.3	0	27.3	0	24.2	0
P210-796		8.25	989	4.59	550	4.59	550	55.7	0	0	0	0	0.97
P210-798		8.27	991	4.61	552	4.61	552	55.8	0	0	0	0	2.63
P210-832		8.21	984	4.64	556	4.64	556	56.5	0	0	0	0	2.2
P210-842		8.19	981	4.63	555	4.63	555	56.5	0	0	0	0	2.2
P210-855		8.41	1008	3.49	418	3.49	418	41.5	0	0	0	0	0.39
P210-856		8.61	1032	3.58	428	3.58	428	41.5	0	0	0	0	1.76
P210-857		8.98	1076	2.93	351	2.93	351	32.6	0	0	0	0	2.22
P210-872	Clear Ctg (Hardener)	8.91	1068	2.29	275	2.29	275	25.7	0	0	0	0	0.24
P210-875	Clear Ctg (Hardener)	8.91	1068	2.27	272	2.27	272	25.5	0	0	0	0	0.35
P210-877	Clear Ctg (Hardener)	9.09	1089	2.34	280	2.34	280	25.8	0	0	0	0	1.31
P210-8860	Clear Ctg (Hardener)	8.83	1058	2.67	320	2.67	320	30.3	0	0	0	0	1.57
P210-9120	Color Ctg, Underbody Ctg (Hardener)	8.82	1057	3	360	3	360	34.1	0	0	0	0	0.71
P210-9136	Single-Stage Ctg (Hardener)	9.04	1083	2.49	298	2.49	298	27.5	0	0	0	0	0.79
P214-2350		8.58	1028	4.33	518	4.33	518	50.4	0	0	0	0	0.54
P214-2362		8.35	1001	4.39	525	4.38	525	52.5	0	0	0	0	0.84
P251-2071		8.05	965	6.08	728	6.08	728	75.5	0	0	0	0	1.51
P251-2072		7.98	956	6.11	732	6.1	732	76.5	0	0	0	0	1.53
P251-2074		8.12	973	5.11	613	5.11	613	63	0	0	0	0	0.56
P251-2075		8.12	973	5.11	613	5.11	613	63	0	0	0	0	0.56
P251-2082		8.14	975	5.1	612	5.1	612	62.7	0	0	0	0	0.56
P251-2083		8.17	979	5.1	611	5.1	611	62.5	0	0	0	0	0.55
P251-2088		8.31	996	5.82	697	5.82	697	70	0	0	0	0	1.44
P273-1050		7.17	859	7.05	845	7.05	845	98.4	0	0	0	0	0.18

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P273-1051		7.64	915	6.74	807	6.19	741	88.2	0.1	7.1	0.1	8.1	1.35
P273-1086		7.23	866	7.15	857	7.15	857	99	0	0	0	0	7.13
P273-1333		7.04	844	6.39	765	6.33	759	91	1	0	0.8	0	0.19
P273-5255		6.89	826	6.76	810	6.2	743	100	10.1	0	8.3	0	0
P275-2157	Primer (Additive)	11.16	1337	0	0	0	0	98.8	0	98.8	0	98.5	0
P275-321		7.54	903	6.46	774	6.46	774	85.7	0	0	0	0	2.48
P275-350		7.71	924	5.04	604	5.04	604	65.4	0	0	0	0	2.02
P275-5521		7.34	880	6.29	753	6.29	753	85.6	0	0	0	0	2.42
P300-9003	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	0
P315-3511		9.01	1080	1.49	179	1.49	179	16.6	0	0	0	0	0
P315-3531		8.6	1031	3.28	393	3.28	393	38.1	0	0	0	0	2.86
P315-3532		8.58	1028	3.27	392	3.27	392	38.1	0	0	0	0	2.12
P315-3533		8.57	1027	3.28	393	3.28	393	38.2	0	0	0	0	2.19
P350-3067		7.81	936	4.47	535	4.47	535	57.2	0	0	0	0	3.15
P352-3102	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.82
P390-4000		8.03	962	4.13	494	3.87	464	55	0	6.8	0	6.2	2.93
P390-4001		7.99	957	4.13	494	3.93	471	54.3	0	5	0	4.7	2.84
P390-4003		7.63	914	4.36	522	3.49	418	63.2	0.1	17.4	0.1	19.9	2.54
P420-903		8.13	974	4.45	533	4.45	533	54.8	0	0	0	0	0.41
P420-904		8.05	965	4.19	502	4.19	502	52	0	0	0	0	0.6
P420-905		9.18	1100	4.22	506	4.22	505	46	0	0	0	0	0.97
P420-907		8.97	1075	4.23	507	4.23	507	47.2	0	0	0	0	0.7
P420-908		8.12	973	4.3	516	4.3	516	53	0	0	0	0	0.67
P420-910		8.06	966	4.32	518	4.32	518	53.6	0	0	0	0	0.41
P420-926		8.25	989	4.52	542	4.52	542	54.8	0	0	0	0	0.84
P420-930		8.21	984	4.46	534	4.46	534	54.3	0	0	0	0	0.71
P420-933		8.03	962	4.22	506	4.22	506	52.6	0	0	0	0	0.79
P420-938		8.75	1048	4.28	513	4.28	513	49	0	0	0	0	0.72
P420-942		9.21	1104	4.32	518	4.32	518	46.9	0	0	0	0	0.75
P420-952		8.41	1008	4.35	522	4.35	522	51.8	0	0	0	0	0.83

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P420-960		8.06	966	4.26	510	4.26	510	52.8	0	0	0	0	0.62
P420-975		8.18	980	4.86	582	4.86	582	59.4	0	0	0	0	1.07
P420-978		8.18	980	4.46	535	4.46	535	54.6	0	0	0	0	0.8
P420-981		8.17	979	4.39	526	4.39	526	53.7	0	0	0	0	0.61
P420-982		9.05	1084	4.37	523	4.37	523	48.3	0	0	0	0	0.63
P420-983		8.36	1002	4.68	561	4.68	560	56	0	0	0	0	0.6
P421-993		8.16	978	4.79	574	4.79	574	58.7	0	0	0	0	0.44
P421-995		8.2	983	4.74	567	4.73	567	57.7	0	0	0	0	0.62
P421-996		8.17	979	4.83	579	4.83	579	59.1	0	0	0	0	0.61
P425-900		11.03	1322	4	479	4	479	36.2	0	0	0	0	1.11
P425-919		8.26	990	4.56	547	4.56	547	55.3	0	0	0	0	0.74
P425-921		8.24	987	4.58	549	4.58	549	55.7	0	0	0	0	0.71
P425-922		8.23	986	4.45	533	4.45	533	54	0	0	0	0	2.22
P425-928		11.04	1323	4.24	508	4.24	508	38.4	0	0	0	0	1.07
P425-941		8.65	1036	3.52	421	3.52	421	40.7	0	0	0	0	0.7
P425-948		8.2	983	4.47	536	4.47	536	54.6	0	0	0	0	0.68
P425-950		8.29	993	4.35	521	4.35	521	52.5	0	0	0	0	0.03
P425-954		8.65	1036	4.64	556	4.64	556	53.7	0	0	0	0	0.82
P425-956		8.37	1003	4.67	560	4.67	560	55.8	0	0	0	0	2.61
P425-957		8.36	1002	4.38	525	4.38	525	52.4	0	0	0	0	0.76
P425-971		8.31	996	4.73	567	4.73	567	56.9	0	0	0	0	0.04
P425-984		8.5	1019	5.83	699	5.83	699	68.6	0	0	0	0	1.4
P425-985		8.18	980	5.91	709	5.91	708	72.3	0	0	0	0	1.44
P425-986		8.46	1014	5.8	696	5.8	695	68.6	0	0	0	0	1.38
P425-987		8.33	998	5.84	700	5.84	700	70.2	0	0	0	0	1.44
P425-988		8.24	987	5.88	705	5.88	704	71.4	0	0	0	0	1.41
P425-989		8.07	967	6.01	720	6	719	74.4	0	0	0	0	1.42
P425-991		8.12	973	6.05	725	6.05	725	74.6	0	0	0	0	1.38
P425-992		8.38	1004	5.79	694	5.79	693	69.1	0	0	0	0	1.37
P425-998		8.33	998	5.76	691	5.76	691	69.2	0	0	0	0	1.42
P425-EBO3		14.66	1757	2.91	349	2.16	258	34.5	0	19.8	0	25.9	1.75

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P426-HE02		8.45	1013	5.85	701	5.85	701	69.3	0	0	0	0	1.72
P426-HE05		7.97	955	6.08	729	6.08	729	76.4	0	0	0	0	0.75
P426-HE07		7.85	941	6.12	733	6.11	732	78	0	0	0	0	0.68
P426-HE01		8.15	977	5.91	708	5.9	708	72.5	0	0	0	0	1.52
P426-HE03		7.9	947	5.74	688	5.74	688	72.8	0	0	0	0	1.68
P426-HE04		8.1	971	5.93	710	5.92	710	73.2	0	0	0	0	1.4
P426-PP10		8.17	979	5.85	701	5.85	700	71.6	0	0	0	0	1.53
P426-PP60		8.25	989	5.79	694	5.79	694	70.3	0	0	0	0	1.56
P426-PP61		8.19	981	5.85	701	5.85	700	71.4	0	0	0	0	1.55
P426-PP62		8.23	986	5.85	700	5.84	700	71	0	0	0	0	1.53
P426-PP63		8.16	978	5.81	696	5.81	696	71.2	0	0	0	0	1.58
P426-PP64		8.25	989	5.83	698	5.82	698	70.7	0	0	0	0	1.53
P426-PP65		8.24	987	5.82	698	5.82	698	70.7	0	0	0	0	1.55
P426-PP68		8.33	998	4.95	593	4.95	593	59.4	0	0	0	0	0.93
P426-PP05		8.17	979	5.76	691	5.76	691	70.6	0	0	0	0	1.53
P426-PP06		8.2	983	5.78	693	5.78	693	70.5	0	0	0	0	1.5
P426-PP07		8.12	973	5.77	692	5.77	692	71.1	0	0	0	0	1.54
P426-PP08		8.21	984	5.78	692	5.77	692	70.3	0	0	0	0	1.52
P426-PP09		8.31	996	5.74	688	5.74	688	69.1	0	0	0	0	1.53
P429-914		8.29	993	4.51	540	4.51	540	54.4	0	0	0	0	0.15
P429-923		7.8	935	6	719	5.99	718	76.9	0	0	0	0	0.74
P429-937		9.43	1130	4.39	526	4.39	526	46.6	0	0	0	0	0.72
P429-943		8.03	962	5.97	715	5.97	715	74.4	0	0	0	0	1.05
P429-961		7.85	941	5.72	685	5.72	685	72.9	0	0	0	0	0.55
P429-967		8.04	963	5.57	667	5.56	667	69.3	0	0	0	0	0.11
P429-972		9.14	1095	3.51	421	3.51	420	38.4	0	0	0	0	0.02
P429-973		8.21	984	4.28	512	4.28	512	52.1	0	0	0	0	2.28
P429-976		8.36	1002	4.1	492	4.1	491	49.1	0	0	0	0	2.02
P429-980		9.18	1100	3.69	443	3.69	442	40.2	0	0	0	0	0.51
P433-XR10		8.74	1047	4.87	584	4.87	584	55.8	0	0	0	0	0.94
P433-XR11		8.57	1027	4.91	588	4.91	588	57.3	0	0	0	0	0.95

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P433-XR12		8.57	1027	4.92	590	4.92	590	57.5	0	0	0	0	0.96
P433-XR13		8.59	1029	4.89	586	4.89	586	57	0	0	0	0	0.95
P433-XR14		8.59	1029	4.89	586	4.89	586	57	0	0	0	0	0.95
P433-XR15		8.56	1026	4.91	589	4.91	589	57.4	0	0	0	0	0.93
P433-XR16		8.63	1034	4.91	589	4.91	589	57	0	0	0	0	0.95
P433-XR17		8.54	1023	4.93	591	4.93	591	57.8	0	0	0	0	0.92
P433-XR18		8.55	1025	4.94	592	4.94	592	57.8	0	0	0	0	0.92
P434-CS31		8.15	977	4.92	590	4.92	590	60.4	0	0	0	0	0.92
P434-CS32		8.2	983	4.96	594	4.95	594	60.4	0	0	0	0	0.93
P434-CS33		8.21	984	4.96	594	4.96	594	60.4	0	0	0	0	0.93
P434-CS34		8.2	983	4.96	594	4.95	594	60.4	0	0	0	0	0.93
P434-CS35		8.18	980	4.94	592	4.94	592	60.4	0	0	0	0	0.92
P435-GF37		8.07	967	5	599	4.99	598	61.9	0	0	0	0	0.95
P440-FX51		8.07	967	4.98	596	4.97	596	61.7	0	0	0	0	0.96
P562-100		10.32	1237	0.58	70	0.26	31	47.5	45	0	55.7	0	0
P565-2910		13.03	1561	4.02	481	4.02	481	30.8	0	0	0	0	1.94
P565-3011		13.03	1561	3.45	413	3.44	412	26.5	0.1	0	0.2	0	1.32
P565-3015		12.74	1527	3.5	419	3.49	418	27.5	0.1	0	0.2	0	1.42
P565-3115		13.24	1587	2.48	297	1.79	215	36.9	0.1	23.3	0.1	27.6	0.46
P565-3121	Primer Sealer	12.26	1469	3.07	368	2.34	281	39.4	0	20.2	0	23.6	1.03
P565-3125	Primer Sealer	12.08	1448	3.1	371	2.36	283	40.4	0	20.9	0	23.8	1.08
P565-3127	Primer Sealer	12.17	1458	2.95	353	2.28	273	38.1	0	19.4	0	22.6	0.85
P565-3141	Primer Sealer	12.49	1497	2.01	241	1.09	131	48.4	0	39.6	0	45.6	0.12
P565-3145	Primer Sealer	12.47	1494	2.01	241	1.08	129	49	0	40.3	0	46.3	0.13
P565-3147	Primer Sealer	12.35	1480	2.02	242	1.09	131	49.1	0	40.3	0	45.8	0.17
P565-3181	Primer Sealer	13.18	1579	1.03	123	0.55	65	42.7	0	38.6	0	46.9	0.1
P565-3185	Primer Sealer	13.27	1590	1.01	122	0.55	66	41.6	0	37.4	0	45.7	0.1
P565-3187	Primer Sealer	13.16	1577	1.04	125	0.58	69	41	0	36.5	0	44.5	0.1
P565-5005		12.75	1528	3.01	361	2.69	322	30.3	0	9.2	0	10.8	2.23
P565-5205	Primer	14.05	1684	2	239	1.35	161	35.5	0	25.9	0	32.6	0.23
P565-5301		12.61	1511	3.82	457	3.81	457	30.3	0	0	0	0	0.76

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P565-5305		12.54	1503	3.83	459	3.83	459	30.5	0	0	0	0	0.76
P565-5401	Primer	13.55	1624	2.32	278	1.4	167	43.2	0	32.9	0	39.9	0.78
P565-5405	Primer	13.6	1630	2.25	270	1.36	163	42.6	0	32.6	0	39.7	0.76
P565-5407	Primer	13.08	1567	2.36	283	1.41	169	45.1	0	34.3	0	40	0.82
P565-5435	Primer	13.69	1640	0.58	70	0.31	38	34.1	0.1	31.7	0.1	46.1	0
P565-554		8.32	997	5.67	679	5.66	679	68.1	0	0	0	0	1.1
P565-888		13.5	1618	3.9	467	3.89	467	28.9	0	0	0	0	0.96
P565-889		13.39	1604	3.92	469	3.92	469	29.3	0	0	0	0	0.84
P565-9086		6.82	817	5.48	657	4.24	509	84.4	0.3	21.9	0.2	22.4	0.22
P572-2000		6.46	774	6.27	751	6.27	751	97	0	0	0	0	3.58
P572-2001	Adhesion Promoter	7.3	875	6.95	833	6.95	833	95.3	0	0	0	0	6.75
P830-2075		6.83	818	6.83	818	6.83	818	100	0	0	0	0	1.71
P830-2085		6.81	816	6.81	816	6.81	816	100	0	0	0	0	1.17
P830-2095		6.82	817	6.82	817	6.82	817	100	0	0	0	0	1.43
P850-1401		7.27	871	6.97	835	6.96	835	95.9	0.1	0	0	0	3.93
P850-1402		6.16	738	6.16	738	6.16	738	100	0	0	0	0	0
P850-1491		7.38	884	7.38	884	7.38	884	100	0	0	0	0	1.47
P850-1692		6.82	817	6.82	817	6.81	817	100	0.1	0	0	0	2.82
P850-1693		6.82	817	6.82	817	6.81	817	100	0	0	0	0	3.39
P850-1694		6.83	818	6.83	818	6.82	818	100	0.1	0	0	0	2.56
P850-1695		6.94	832	6.94	832	6.94	832	100	0.1	0	0	0	2.41
P850-1696		6.95	833	6.95	833	6.95	833	100	0	0	0	0	2.3
P850-1770		8.24	987	0	0	0	0	100	0.2	99.8	0.2	100.1	0
P850-1772	Clear Ctg, Primer, Primer Sealer (Thinner), Adhesion Promoter	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	0
P850-1775	Clear Ctg, Primer, Primer Sealer (Thinner), Adhesion Promoter	11.2	1342	0	0	0	0	100	0	100	0	100.1	0
P850-2367		7.02	841	7.02	841	7.02	841	100	0	0	0	0	4.48
P850-6910	Clear Ctg (Thinner)	8.64	1035	6.75	809	3.88	465	100	0	55	0	42.5	3.51
P850-6911	Clear Ctg (Thinner)	8.7	1042	6.83	819	3.91	469	100	0	55	0	42.8	1.47
P850-6912	Clear Ctg (Thinner)	8.9	1066	7.11	853	4	480	100	0	55	0	43.7	1.19
P850-6913		8.82	1057	7.01	840	3.97	475	100	0	55	0	43.4	1.37

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P850-6914	Clear Ctg (Thinner)	8.12	973	7.1	850	3.93	471	99	0.1	50.5	0.1	44.6	1
P852-1683	Clear Ctg (Thinner)	9.83	1178	7.22	865	0.63	75	99.8	0	93.4	0	91.3	0.41
P852-1689		6.87	823	6.72	805	6.71	804	97.8	0.1	0	0	0	2.52
P872-1000		10.2	1222	0	0	0	0	0	0	0	0	0	0
P910-5510	Clear Ctg	8.66	1038	1.53	183	0.76	91	57.1	48.3	0	50.2	0	0
P935-1135	Underbody Ctg, Color Ctg	8.35	1001	2.33	279	0.79	94	75.5	66.1	0	66.2	0	0
P935-1136	Single-Stage Ctg	8.35	1001	2.33	279	0.79	94	75.5	66.1	0	66.2	0	0
P935-1250	Color Ctg (Additive)	8.46	1014	1.79	215	0.34	40	84	80	0	81.3	0	0
P935-1255		8.9	1066	3.03	363	3.03	363	34.1	0	0	0	0	2.29
P950-5505	Primer	10.94	1311	0.68	82	0.31	37	44.8	41.9	0.1	55.1	0.1	0
P980-5000	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.31	996	7.52	901	0.17	20	100	98	0	97.8	0	0
P980-5085	Clear Ctg, Primer, Color Ctg, Single-Stage Ctg, Underbody Ctg, Uniform Finish Ctg (Thinner)	8.33	998	1.28	153	0.17	20	89	87	0	87	0	0
P990-8900	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.27	1231	2.09	251	0.78	93	58.5	50.9	0	62.8	0	0.13
P990-8904	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	2.88	345	0.7	83	84.6	76.2	0	75.9	0	0
P990-8908	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.94	352	0.76	91	82.8	73.8	0	74.3	0	0
P990-8910	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.31	996	2.91	348	0.69	83	84.7	76.4	0	76.3	0	0
P990-8918	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.37	1003	2.85	342	0.79	95	81.3	71.9	0	72.2	0	0
P990-8933	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.76	330	0.75	89	81.1	72.2	0	72.9	0	0
P990-8948	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	2.18	262	0.4	48	86.2	81.4	0	81.6	0	0
P990-8950	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	2.71	325	0.62	75	84.9	77.4	0	77.1	0	0
P990-8953	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.44	1011	2.53	304	0.72	86	79.3	70.9	0	71.8	0	0
P990-8954	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.4	287	0.73	87	76.1	67.6	0	69.8	0	0
P990-8957	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.59	310	0.61	74	82.4	75.1	0	76.3	0	0
P990-8999	Color Ctg, Underbody Ctg, Single-Stage Ctg, Uniform Finish Ctg	8.29	993	2.99	358	0.75	90	84.4	75.3	0	74.9	0	0
P991-8905	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.7	1042	2.62	314	0.7	84	78.2	70.1	0	73.2	0	0
P991-8907	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.67	320	0.7	84	77.2	69.3	0	73.8	0	0
P991-8916	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.63	316	0.64	77	82.7	75.1	0	75.6	0	0
P991-8920	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.32	997	2.84	341	0.69	82	84.2	76	0	75.9	0	0
P991-8921	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.5	300	0.7	84	79.6	71.3	0	72	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P991-8930	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.58	309	0.72	87	80.1	71.5	0	72	0	0
P991-8942	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.71	325	0.64	77	82	74.5	0	76.3	0	0
P991-8952	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.62	315	0.75	89	78.7	69.9	0	71.6	0	0.14
P991-8975	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.66	319	0.62	74	83.6	76.2	0	76.8	0	0
P991-8979	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.52	302	0.59	70	83.2	76.2	0	76.7	0	0
P991-8984	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.43	1010	2.73	327	0.59	71	84.3	77.3	0	78.2	0	0
P992-8901	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.91	1068	2.41	289	0.72	87	73.6	65.5	0	70	0	0
P992-8911	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.35	281	0.55	66	80.9	74.4	0	76.4	0	0
P992-8935	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	2.55	305	0.76	91	78	69	0	70.1	0	0.18
P992-8960	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	2.42	290	0.59	70	81.6	74.7	0	75.8	0	0
P992-8964	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.59	310	0.7	84	80.7	72.4	0	72.9	0	0
P992-8965	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	2.33	279	0.71	85	77.3	68.9	0	69.7	0	0
P992-8971	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.8	336	0.83	99	79.9	70.1	0	70.6	0	0
P992-8978	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.5	300	0.69	83	79.8	71.5	0	72.2	0	0
P992-8983	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.4	1007	2.81	337	0.69	83	83	74.7	0	75.3	0	0
P992-HE02	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.06	1086	2.26	270	0.68	81	71.9	64.4	0	70	0	0
P993-8941	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	1.86	223	0.61	73	71.3	64.4	0	67.4	0	0
P993-8963	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.85	1060	1.71	205	0.43	52	75.2	70.4	0	74.8	0	0
P993-8970	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.67	1159	2.36	283	0.63	76	69.6	63	0	73.2	0	0
P993-8972	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.63	1154	2.54	304	0.73	88	69.1	61.5	0	71.1	0	0
P994-8917	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.63	315	0.61	73	83.4	76.1	0	76.9	0	0
P994-8943		8.43	1010	2.77	331	0.83	99	79.1	69.3	0	70.1	0	0
P994-8961	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	2.75	330	0.76	91	80.9	71.9	0	72.4	0	0
P994-8977	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	2.67	320	0.6	72	84.7	77.6	0	77.7	0	0
P994-8990	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.39	286	0.83	99	72.8	63.2	0	65.4	0	0
P994-AN50	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.41	1008	2.05	245	0.42	50	83.8	78.8	0	79.6	0	0
P995-HE03	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.51	1020	2.82	338	0.76	91	80.4	71.5	0	73.1	0	0
P995-HE04	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.42	1009	3.15	378	0.86	103	82.2	71.9	0	72.7	0	0
P995-HE05	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.46	1014	3.19	382	0.88	105	81.7	71.3	0	72.5	0	0
P995-HE07		8.34	999	2.95	354	0.77	92	83.1	73.8	0	73.9	0	0
P995-PP05	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.62	1033	2.84	340	0.78	93	79.2	70.2	0	72.6	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P995-PP06	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.82	338	0.75	89	80.3	71.6	0	73.6	0	0
P995-PP07	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.58	1028	2.82	337	0.73	88	80.4	71.8	0	74	0	0
P995-PP09	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	0
P995-PP60	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.82	338	0.75	89	80.3	71.6	0	73.6	0	0
P995-PP61	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	0
P995-PP63	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.83	339	0.73	88	80.5	72	0	74.1	0	0
P995-PP64	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.78	334	0.66	80	82	74.2	0	76.2	0	0
P995-PP65	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.83	339	0.73	88	80.5	72	0	74.1	0	0
P996-PP08	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.87	1063	2.71	325	0.73	88	76.8	68.5	0	72.9	0	0
P996-PP10	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.91	1068	2.79	334	0.84	100	74.8	65.4	0	70	0	0
P996-PP62	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.96	1074	2.71	325	0.75	90	75.6	67.2	0	72.3	0	0
P996-PP66	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.81	336	0.72	87	80.6	72.2	0	74.3	0	0
P996-PP67	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.8	335	0.72	86	80.6	72.2	0	74.2	0	0
P996-PP68	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.89	346	0.78	94	79.7	70.6	0	73	0	0
P997-FX20	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX21	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX22	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	346	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX23	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX24	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX25	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-FX26	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.88	345	0.81	97	79.6	70.1	0	71.8	0	0
P997-LA01	Color Ctg	8.28	992	3.03	363	0.78	93	84.2	74.6	0.2	74.2	0.2	0
P997-LA05	Color Ctg	8.25	989	2.93	351	0.75	90	84.2	74.8	0.3	74.1	0.3	0
P997-SF18	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	2.61	312	0.42	51	87.3	82.3	0	83.7	0	0
P998-8981	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.53	1022	3.16	379	0.87	104	81	70.8	0	72.5	0	0
P998-8985	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3.06	366	0.82	99	81.6	71.9	0	73.1	0	0
P998-8986	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.47	1015	3	359	0.81	98	81.2	71.6	0	72.8	0	0
P998-8987	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.11	373	0.86	103	81	70.9	0	72.3	0	0
P998-8988	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	3.11	373	0.86	103	81	70.9	0	72.3	0	0
P998-8989	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.02	362	0.82	99	81.4	71.7	0	72.8	0	0
P998-8991	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.72	1045	1.98	238	0.47	57	78.1	72.7	0	76.1	0	0

Detailed Aquabase Plus Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
P998-8992	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.48	1016	3.08	369	0.83	100	81.5	71.8	0	73	0	0
P998-8993	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	3.05	365	0.81	97	82	72.3	0	73.4	0	0
P999-CS31	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.52	1021	2.72	326	0.72	86	80.4	72	0	73.6	0	0
P999-CS32	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	2.76	331	0.72	86	80.4	72	0	73.9	0	0
P999-CS33	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.56	1026	2.67	320	0.74	89	78.9	70.3	0	72.2	0	0
P999-CS34	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.57	1027	2.78	333	0.72	87	80.4	72	0	74.1	0	0
P999-CS35	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.54	1023	2.74	329	0.72	86	80.4	72	0	73.8	0	0
P999-GF37	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.45	1013	2.72	327	0.43	51	88.1	83.1	0	84.3	0	0
P999-XR10	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	2.67	320	0.8	96	72.9	64.1	0	70.1	0	0
P999-XR11	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	2.67	320	0.8	96	72.9	64.1	0	70.1	0	0
P999-XR12	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.12	1093	2.75	330	0.75	89	74.8	66.6	0	72.9	0	0
P999-XR13	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.14	1095	2.66	319	0.81	97	72.2	63.3	0	69.5	0	0
P999-XR14	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	0
P999-XR15	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	0
P999-XR16	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.61	1032	2.84	340	0.73	87	80.4	72	0	74.5	0	0
P999-XR17	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.6	1031	2.82	338	0.72	87	80.4	72	0	74.3	0	0
P999-XR18	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.64	1035	2.82	338	0.73	87	80	71.6	0	74.3	0	0