



Irish Life
health

**Schedule
of Benefits**
for Professional
Fees 2019

Dermatology

CONSULTATION

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
811599	Consultant Dermatologist Private Rooms Technical Fee	No	To be charged in conjunction with specified Schedule of Benefits procedures – payable at 100% in addition to procedure code	Applicable where a procedure is performed in the consultants own rooms and no invoice for a hospital/ scan centre/ approved ILH facility (as listed in the members handbook) is received Payable in conjunction with procedure codes outlined in the ground rules	€ 50.00			

ABSCESS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1560	Incision and drainage of pilonidal abscess	No		1 Night Only	€ 143.50	€ 66.00	€ 169.13	€ 48.00
1663	Drainage of abscess or haematoma, (deep tissues) requiring general anaesthetic	No			€ 160.93	€ 91.00	€ 169.13	€ 48.00

BONE MARROW

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
4281	Bone marrow aspiration	No	Diagnostic, Side Room		€ 88.15	€ 46.00	€ 169.13	€ 48.00
4282	Bone marrow biopsy	No	Diagnostic, Side Room		€ 138.38	€ 69.00	€ 169.13	€ 48.00
4286	Bone marrow harvesting (I.P.)	No	Independent Procedure		€ 299.30	€ 136.00	€ 254.20	€ 88.00
4287	Bone marrow aspiration and biopsy	No	Diagnostic, Side Room		€ 182.45	€ 91.00	€ 169.13	€ 48.00

EXCISIONS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1507	Angioma of skin and subcutaneous tissue or mucous surfaces, excision and repair of	No	Side Room		€ 148.63	€ 70.00		
1531	Biopsies of the skin, subcutaneous tissue and/ or mucous membrane including simple closure (I.P.) (the areas biopsied must be specified on the claim form)	No			€ 110.16	€ 44.00		
1550	Malignant melanoma, wide excisional biopsy	No	Side Room	A copy of the histology report for all claims for this procedure must be available for review on request	€ 293.15	€ 136.00	€ 177.33	€ 88.00

EXCISIONS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1551	Malignant melanoma, wide excisional biopsy with flap or graft repair	No	Day Care	If grafting was performed, the donor site for grafting material must be specified on the claim form and a copy of the histology report for all claims for this procedure must be included with the claim	€ 608.85	€ 273.00	€ 304.43	€ 88.00
1561	Pilonidal sinus or cyst, excision of	No	Day Care		€ 403.85	€ 183.00	€ 249.08	€ 69.00
1562	Pilonidal sinus, excision of, with rhomboid flap/ z-plasty for closure of large defect; multiple layer closure	No		1 Night Only	€ 480.73	€ 260.00	€ 249.08	€ 145.00
1575	Basal cell carcinoma/ squamous cell carcinoma/ non-melanoma - simple excision	No	Side Room	A copy of the histology report for all claims for this procedure must be included with the claim	€ 293.15	€ 136.00	€ 169.13	€ 88.00
1576	Basal cell carcinoma/ squamous cell carcinoma/ non-melanoma, excision and graft or local flap	No	Side Room	If grafting was performed, the donor site for grafting material must be specified on the claim form and a copy of the histology report for all claims for this procedure must be included with the claim For this procedure (code 1576), if an earlier excision or biopsy (code 1575 or 1509) was performed within 6 weeks and the histology report confirmed BCC or SCC, then this cod, 1576 may be claimed for the second procedure when repair is carried out in accordance with this codes description, with or without additional margin excision Please include a copy of the original histology report that confirmed the earlier diagnosis of BCC or SCC	€ 630.38	€ 273.00	€ 325.95	€ 88.00
1591	Hydradenitis suppurativa, excision and suture	No	Side Room		€ 249.08	€ 113.00	€ 169.13	€ 48.00
1592	Hydradenitis suppurativa, excision and graft	No			€ 591.43	€ 273.00	€ 304.43	€ 88.00
1593	Hydradenitis suppurativa, extensive debridement	No	Day Care		€ 591.43	€ 317.00	€ 304.43	€ 179.00
4290	Chondroma, removal	No	Day Care		€ 884.58	€ 540.00	€ 447.93	€ 280.00
4546	Keloids and hypertrophic scars (I.P.)	No	Independent Procedure, Side Room		€ 88.15	€ 50.00		
254105	Genital biopsy (male or female) (I.P.)	No	Independent procedure, Side room		€ 92.25			
825000	Biopsies of the skin, subcutaneous tissue and/ or mucous membranes, any method multiple lesions (I.P.)	No	Independent procedure		€ 107.63	€ 74.00		

HYPERBARIC THERAPY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1631	Hyperbaric oxygen therapy (HBOT) administered systemically in a pressurised chamber unit (not applicable for topical hyperbaric oxygen therapy such as limb encasing devices) initial, including full medical evaluation	No		<p>Conditions of payment are as follows:</p> <p>(a) Acute air or gas embolism</p> <p>(b) Acute carbon monoxide poisoning and smoke inhalation</p> <p>(c) Acute traumatic peripheral ischemia (including crush injuries and suturing of severed limbs) when loss of function, limb or life is threatened and HBOT is used in combination with standard therapy</p> <p>(d) Decompression illness</p> <p>(e) Exceptional blood loss anaemia only when there is overwhelming blood loss and transfusion is impossible because there is no suitable blood available</p> <p>(f) Chronic refractory osteomyelitis, unresponsive to conventional medical and surgical management</p> <p>(g) Radiation necrosis (brain radio necrosis, myoradionecrosis, osteoradionecrosis and other soft tissue radiation necrosis)</p> <p>(h) Compromised skin grafts and flaps</p> <p>(i) Thermal burns, acute (second and third degree)</p>	€ 297.84	€ 136.00		
1632	Hyperbaric oxygen therapy (HBOT) administered systemically in a pressurised chamber unit (not applicable for topical hyperbaric oxygen therapy such as limb encasing devices) subsequent, per session	No		<p>Conditions of payment are as follows:</p> <p>(a) Acute air or gas embolism</p> <p>(b) Acute carbon monoxide poisoning and smoke inhalation</p> <p>(c) Acute traumatic peripheral ischemia (including crush injuries and suturing of severed limbs) when loss of function, limb or life is threatened and HBOT is used in combination with standard therapy</p> <p>(d) Decompression illness</p> <p>(e) Exceptional blood loss anaemia only when there is overwhelming blood loss and transfusion is impossible because there is no suitable blood available</p> <p>(f) Chronic refractory osteomyelitis, unresponsive to conventional medical and surgical management</p> <p>(g) Radiation necrosis (brain radio necrosis, myoradionecrosis, osteoradionecrosis and other soft tissue radiation necrosis)</p> <p>(h) Compromised skin grafts and flaps</p> <p>(i) Thermal burns, acute (second and third degree)</p>	€ 98.94	€ 46.00		

MOHS SURGERY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1581	Mohs micrographic technique, first layer (stage) for removal of lesions from head, neck, hands, feet, genitalia, or any location with surgery directly involving muscle, cartilage, bone, tendon, major nerves or vessels; up to five tissue blocks. (If the tissue layer is large enough that it must be cut into six or more specimens producing six or more blocks of tissue in order to examine the entire surgical margin, then use code 1596 for each block beyond the first five)	No	Side Room	<p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face, especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours with ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 525.83	€ 280.00		

MOHS SURGERY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1582	Each additional layer (stage) after the first layer (stage) claimed under 1581, up to 5 tissue blocks	No	Side Room	<p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face ,especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours will ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 231.65	€ 125.00		
1583	Mohs micrographic technique, including removal of all gross tumour, surgical excision of tissue specimens, mapping, colour coding of specimens, microscopic examination of specimens by the Consultant, of the trunk, arms, or legs; first layer (stage), up to 5 tissue blocks.	No	Side Room	<p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face ,especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours will ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 475.60	€ 255.00		

MOHS SURGERY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1584	Each additional layer (stage) after the first layer (stage) claimed under code 1583, up to 5 tissue blocks	No	Side Room	<p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face ,especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours will ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 210.13	€ 110.00		
1596	Each additional block after the first 5 tissue blocks, any layer (stage), (Benefit is payable in full in conjunction with 1581 to 1584)	Yes	Side Room	<p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face ,especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours will ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 66.63	€ 35.00		

MOHS SURGERY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1597	Repair by layered closure associated with Mohs surgery, head and neck, all sizes	No	Side Room	<p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597, 1598, 1599 or 1604 which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p> <p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face, especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (\geq 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours with ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 431.53	€ 230.00		
1598	Repair by layered closure associated with Mohs surgery, non-head and neck, all sizes	No	Side Room	<p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597, 1598, 1599 or 1604 which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p> <p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face, especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (\geq 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours with ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 299.30	€ 160.00		

MOHS SURGERY

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1599	Adjacent tissue transfer or rearrangement or full thickness graft, free (incl direct closure of donor site) associated with Mohs surgery, (e.g. Z-plasty, W-plasty, V-Y plasty, rotation flap, advancement flap, double pedicle flap), head, neck, all sizes (benefit shown is payable in full)	No	Side Room	<p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597, 1598, 1599 or 1604 which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p> <p>Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face, especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours with ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery - usually a consultant Dermatologist - must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director - on request.</p> <p>If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed. In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.</p>	€ 933.78	€ 500.00	€ 382.33	€ 215.00

PORT WINE STAINS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1587	Laser treatment to port wine stains only, one or more sessions	No		Out-patient, Consultant fee remains direct settlement, photographic evidence must be supplied on request	€ 458.18	€ 136.00		
15871	Laser treatment to port wine stains only, one or more sessions - general anaesthesia	No	Day Care	Photographic evidence must be supplied on request	€ 447.93	€ 136.00	€ 265.48	€ 48.00
15872	Laser treatment to port wine stains only, one or more sessions - non General Anaesthetic	No	Side Room	Photographic evidence must be supplied on request	€ 447.93	€ 136.00		

WOUNDS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1578	Wounds or ulcers requiring debridement when it is medically necessary to perform the procedure under general anaesthetic	No	Independent Procedure, Day Care, Service		€ 148.63	€ 60.00	€ 169.13	€ 65.00

WOUNDS

CODE	DESCRIPTION	PRE-APPROVAL REQUIRED	PAYMENT INDICATORS	PAYMENT RULES	PARTICIPATING CONSULTANT RATE	STANDARD CONSULTANT RATE	PARTICIPATING ANAESTHETIST RATE	STANDARD ANAESTHETIST RATE
1603	Wounds greater than 7.5cm in total length, suture or staple of lacerated or torn tissue, single or multi layered closure with or without irrigation or debridement (I.P.)	No	Independent Procedure, Side Room	For procedure code 1601, 1602, 1603, benefit includes wound closure by tissue adhesives (e.g. Two-cyanoacrylate) either singly or in combination with sutures or staples or in combination with adhesive strips. Wound closures utilising adhesive strips as the sole repair material may only be claimed under our out-patient products.	€ 110.70	€ 80.00	€ 169.13	€ 105.00
1604	Adjacent tissue transfer/ rearrangement/ full thickness graft, free (incl direct closure of donor site) associated with Mohs surgery, (e.g. Z-plasty, W-plasty, V-Y plasty, rotation flap, advancement flap, double pedicle flap), non-head and neck, all sizes (benefit shown is payable in full)	No	Side Room	If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597, 1598, 1599 or 1604 which is payable in full with the Mohs codes listed, In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis. Conditions of payment for code 1581, 1582, 1583, 1584, 1596, 1597 and 1598: (1) Lesions located in anatomic areas with high risk of recurrence of tumour. These areas would include involvement of the face, especially around nose, eyes, mouth and central third of face), external ear and tragus, temple, scalp, mucosal lesions and nail bed and periungual areas; or (2) Areas of important tissue preservation, including the face, ears, hands, feet, perianal and genitals; or (3) Recurrent or incompletely excised malignant lesions, regardless of anatomic regions; or (4) Previously irradiated skin areas in any anatomic region; or (5) For exceptionally large (>= 2cm in diameter) or rapidly growing lesions in any anatomic region; or (6) tumours with aggressive histological patterns: basal cell carcinoma (BCC) morpheaform (sclerosing), basosquamous (metatypical or keratinising), perineural or perivascular involvement, infiltrating tumours, multicentric tumours, contiguous tumours (i.e. BCC and SCC): squamous cell carcinomas (SCC) ranging from undifferentiated to poorly differentiated and SCCs that are adenoid (acantholytic), adenosquamous, desmoplastic, infiltrative, perineural, periadnexal or perivascular; or (7) Tumours with ill defined borders; or (8) SCC associated with high risk of metastasis, including those arising in the following; Bowens disease (SCC in-situ); discoid lupus erythematosus; chronic osteomyelitis; lichen sclerosis et atrophicus; thermal or radiation injury; chronic sinuses and ulcers; and adenoid type lesions (9) The consultant performing Mohs surgery – usually a consultant Dermatologist – must have a special interest in Mohs surgery as demonstrated by (a) having completed a recognised fellowship training in Mohs surgery of a duration of at least one year in an approved training centre (b) providing Irish Life Health healthcare with a letter from the training programme director certifying that the consultant has practised Mohs surgery on a multitude of skin cancer types and achieved an in-depth experience in reconstruction such that the consultant can practise Mohs unsupervised (c) providing Irish Life Health healthcare with a training log of completed Mohs surgery cases validated by the training programme director – on request. If repair requiring adjacent tissue transfer or multi-layered closure (involving deeper layers in addition to epidermal and dermal closure, with or without undermining) is performed, use ONE of code 1597 or 1598, which is payable in full with the Mohs codes listed, In some cases the repair may be carried out by consultant Plastic Surgeon. If an In-patient stay is medically necessary for extensive repairs, this should be fully documented on the claim form. Each case will be assessed on an individual case basis.	€ 757.48	€ 410.00	€ 314.68	€ 207.00
1620	Complex wound(s) repair, (torn, crushed, deep) lacerations or avulsions requiring prolonged debridement and irrigation, extensive undermining and/or trimming of defect edges and multi-layered closure (involving deeper layers in addition to skin closure) with or without stents or retention sutures (I.P.)	No	Independent Procedure, Day Care		€ 299.30	€ 171.00	€ 182.45	€ 127.00